

LA Elite Peptides Website Relaunch

Ready-to-paste Manus task prompt

Prepared for the project owner

1 How to use this document

Create a **new task in the personal Manus account that owns the LA Elite Peptides project**. Then copy and paste the full prompt below without removing the safety requirements. The task must rebuild the website from GitHub as a new full-stack deployment; it must not attempt to restore unavailable Task Data.

2 Copy-paste prompt

I need you to restore and relaunch my LA Elite Peptides website from this GitHub repository:

<https://github.com/EKhelil111/website-peptide>

My existing public domain is:

<https://laelitepeps.com>

Important context:

- The prior Manus-hosted project is unavailable after the data-restoration event.
- I restored my Manus account data, but I do NOT have a Task Data Backup for this project.
- The GitHub repository is the available source-code copy.
- The current domain resolves to Manus but displays the standard "Site under maintenance" page / HTTP 503 with an underlying 404.
- Do NOT attempt to restore old Task Data. Build and deploy this as a new full-stack project from the GitHub repository.

Your objective is to create a fully functioning replacement deployment, verify it on its temporary Manus URL, and only then reconnect laelitepeps.com safely.

Required work:

1. Import or clone the GitHub repository and inspect the project before making changes.
2. Create a new FULL-STACK Manus WebDev project suitable for its React, Node/Express, tRPC, Drizzle, and MySQL architecture. Do not convert it to a static-only site.
3. Install dependencies, run the TypeScript check, and build the project. Fix only actual build/runtime issues that prevent deployment; preserve the original application behavior and design.
4. Create/configure a NEW empty project database and apply the repository's included Drizzle migrations. Do not claim that historical customer accounts, orders, passwords, uploads, or database records are restored—they are not present in the GitHub source.
5. Review every environment-variable dependency. Configure fresh project values

safely and do not expose any secret values in chat, source code, logs, or screenshots. In particular, assess and configure as applicable:

- DATABASE_URL
- JWT_SECRET
- Manus/OAuth runtime values
- Manus storage / Forge values
- RESEND_API_KEY for transactional email
- SHIPSTATION_API_KEY and SHIPSTATION_API_SECRET for fulfillment/tracking
- optional analytics variables

6. If I do not provide a credential for an optional integration, keep the website deployable but clearly label that feature as disabled or needing reauthorization. Do not invent credentials or send live emails/orders while testing.

7. Publish the project to its temporary Manus URL first. Test the public site, product browsing, cart/order process, customer sign-up/sign-in, admin workflow, database connectivity, and any configured email/shipping workflows.

8. Give me a concise pre-domain-change checklist showing what passed, what requires my credentials or approval, and what data cannot be recovered.

DOMAIN SAFETY REQUIREMENTS – DO NOT CHANGE THESE UNTIL THE NEW TEMPORARY URL HAS PASSED TESTING:

- Keep the existing registrar nameservers unchanged.
- Preserve the Google MX record and all email-related Google TXT/SPF/DKIM/verification records.
- Do not transfer the domain.
- Do not alter email settings.
- Only after I explicitly approve and the new temporary URL is working, connect laelitepeps.com to this new project in Settings → Domains.
- Connect BOTH laelitepeps.com and www.laelitepeps.com, choose laelitepeps.com as the primary hostname, and redirect www to the primary hostname unless the platform requires a different configuration.
- If DNS changes are required, modify ONLY conflicting website records for @ and www, using the exact values Manus displays. Do not change nameservers, MX records, or Google-related TXT records.
- Verify HTTP-to-HTTPS redirects, root-domain loading, www redirect behavior, and a valid TLS certificate after connection.

Before any irreversible action, including publishing to the custom domain or modifying DNS, stop and ask me for confirmation. At the end, provide the new temporary URL, the domain-connection status, the integration status, and a list of any remaining items I must supply.

3 Expected outcome

The task should result in a new, working deployment sourced from the repository, tested on a temporary Manus URL, with the custom domain left unchanged until the project owner gives explicit approval. The original production database contents and historic uploads cannot be recovered from source code alone.