

IT Instructions — Move Marc Menowitz's Old Emails

What This Does

Moves all emails in Marc Menowitz's Inbox that were received **on or before June 30, 2025** into a folder called "**2025 & Older**" (already created in his mailbox).

Requirements

- Must be run on the **Exchange Server** itself (or a machine with Exchange Management Tools installed)
 - Must be run from the **Exchange Management Shell** (not regular PowerShell)
 - Requires Exchange admin privileges
-

Step-by-Step Instructions

Step 1 — Log into the Exchange Server

RDP into the Exchange server as an administrator.

Step 2 — Open Exchange Management Shell

- Start Menu → **Microsoft Exchange Server 2010** → **Exchange Management Shell**
- Do NOT use regular PowerShell — it won't have the Exchange cmdlets loaded

Step 3 — Run the Script

Copy and paste the entire contents of **Move-OldEmails.ps1** into the Exchange Management Shell window and press **Enter**.

Step 4 — Monitor Progress

The script will display progress as it processes emails in batches of 500. Output looks like:

```
=====
Move-OldEmails.ps1
Mailbox      : marcmcn
Target       : 2025 & Older
Cutoff Date  : Before 07/01/2025
WhatIf Mode  : False (LIVE - emails WILL be moved)
=====
Found mailbox: Marc Menowitz <mam@aptrents.com>

Searching for emails in Inbox received before 07/01/2025...
Processing batch 1 (up to 500 emails)...
  Batch 1: Moved 500 emails. Total so far: 500
Processing batch 2 (up to 500 emails)...
  Batch 2: Moved 500 emails. Total so far: 1000
...
=====
DONE! Total emails moved: XXXXX
=====
```

Step 5 — Verify

Log into Marc's OWA at mail.aptrents.com and confirm:

- The **Inbox** now only shows emails from July 2025 onward
 - The “**2025 & Older**” folder contains the archived emails
-

Troubleshooting

Issue	Fix
“Could not find mailbox ‘marcmen’”	Try the full email address: change <code>\$Mailbox = "marcmen"</code> to <code>\$Mailbox = "mam@aptrents.com"</code>
Script runs but moves 0 emails	Verify the folder “2025 & Older” exists in Marc’s inbox in OWA
“Search-Mailbox is not recognized”	You’re in regular PowerShell — must use Exchange Management Shell
Script is slow	Normal — 364,000 emails takes time. Let it run, do not close the window

Safety Note

The script has a `$WhatIf` variable at the top. It is currently set to `$false` (live mode). If you want to do a **dry run first** to see how many emails would be moved without actually moving them, change line 38 to:

```
$WhatIf = $true
```

Then run it, review the output, and change it back to `$false` for the real run.