Report Coverage Matrix (all 119 reports)

PREPARED BY Energy Hippo implementation team

Every report in EEMSuite, mapped to its data-capability bucket, its **current** coverage by Northlake, the **phase** that closes the gap and the **expected value** a stage already records for it. Phases map onto the build stages in the roadmap: Phase 0 is Stages 1 and 2, Phase 1 is Stages 3 and 5, Phase 2 is Stage 4, Phase 3 is Stage 6, Phase 4 is Stage 7, Phase 5 is Stage 8 and Phase 6 is Stage 9. Where a screen cannot create the data a report needs, the gap is in product findings.

Reconciled 2026-11-10 against the product source (branch feature/Northlake_NewStage3), not a database: the report manifest in `Database\EEMSuite\Scripts\SeedReportTags.sql` (92 data reports), the `Add*Report.sql` registration scripts, `AddSystemHealthModule.sql` (which put nine pages in a new System Health module, eight of them moved out of System Manager and System Administration, and moved the five GHG setup pages beside the GHG reports) and `RetireAuditReport.sql`. Changes since the 115-row list: **rp_Audit retired** (replaced by Audit Explorer, `audit_explorer`, procedure `rp_AuditExplorer`); **five reports added** (`audit_explorer`, `rp_IntervalIntakeFlow`, `rp_BenchmarkScene`, `rp_BillScene`, `rp_SpendScene`); the section headings now add up to the rows. Seven earlier rows are in no Database script and appear only in front-end language and overview resources (`cst_smartgrid`, `Data_Validation`, `emission_company_config`, `emission_meter_assign`, `laco_dash_trending`, `rp_RegressionSummaryReport2`, `admin_reportconfig`): they are kept, and each is a candidate for removal once someone confirms it in a live `GuiReports_Tbl`.

Status (current): ● data design already covers it (once loaded) · ● partial (needs additions, e.g. charge lines / digital points / benchmark config) · ● no data today.

Expected value is the value a stage's YAML or checks already state for that report, with the stage that states it; `none yet` means no stage records a value for it (47 of 119 have one). Many are counts or qualitative shapes, not dollars; the stage's `checks.sql` is where each is asserted.

`MFR` = report can be saved and scheduled for delivery (`AllowMFR`, default 1). The earlier count of 92 was not re-verified; Stage 9 delivers 5.

Bill Management (5)

Report	Bucket	Status	Phase	Expected value
bill_entry	bill entry screen	●	1	none yet
bill_importer	importer screen	●	6	none yet
cst_smartgrid	custom grid	●	1	none yet
rp_BillEntryList	bills + accounts	●	1	none yet
scriptstring_dashboard	custom embed	●	1	none yet

Bill Processing (12)

Report	Bucket	Status	Phase	Expected value
rp_AccountDetail	account metadata	●	1	none yet
rp_AccountHistory	monthly bills	●	1	Ridgeline generator account SYN-VED-A-0010014: 17 bills, the first 2024-07-01 to 2024-08-04 at 1,077.45 (Stage 5)
rp_AccountSummary	account metadata	●	1	none yet
rp_FiscalPeriodBills	monthly bills	●	1	24 bills per account that existed in January 2024, 23 for the Library gas account (Stage 5)
rp_billdatagaps	bill data gaps	●	1	none yet
rp_DailyProcessingSummary	bills + status history	●	1	none yet
rp_LateBills	bills + status history	●	1	one late bill, the Library gas fixture (Stage 5)
rp_AccountsPayableDetail	AP / financial interface	●	3	none yet
rp_APApprovalAndUpload	AP approval + upload	●	3	empty today: no export format can be registered (Stage 6 finding)
rp_BillValidation	bill validation	●	3	none yet (Stage 5 enters 8 global tests and 5 account overrides, no results)
rp_OpenAccruals	accruals	●	3	none yet
rp_BillScene	bills (scene)	●	1	none yet

Bill Tracking (11)

Report	Bucket	Status	Phase	Expected value
rp_BillHistory	monthly bills	●	1	generator 2024-07-01 to 2024-08-04 1,077.45; Central Plant 2024-08-05 to 2024-09-04 151,171.47; generator 2025-01-05 to 2025-02-04 6,753.10 (Stage 5); Ridgeline July 2024 statement 129,330.27 (Stage 7)
rp_BillVariance	monthly bills	●	1	none yet
rp_BillVarianceAnalysis	monthly bills	●	1	none yet
rp_BillVarianceDetail	monthly bills	●	1	none yet
rp_BillVarianceRanking	monthly bills	●	1	none yet
rp_FacilityAccountDetail	bills + account	●	1	none yet
rp_CostBreakOut	bills (charge lines)	●	1	none yet
rp_BenchmarkRanking	benchmarks	●	5	the 12-building peer set ranked, Science Center (lab) highest (Stage 8, Stage 10)
rp_PerformanceSnapshot	bills + benchmark	●	5	none yet

Report	Bucket	Status	Phase	Expected value
rp_BenchmarkScene	benchmarks (scene)	●	5	the same ranking as rp_BenchmarkRanking
rp_SpendScene	bills by commodity (scene)	●	1	none yet

Use Analysis (15)

Report	Bucket	Status	Phase	Expected value
rp_TimeInterval	interval	●	1	one AcquiSuite day: 96 rows per Student Center point, kWh sums 2,020, kW peaks at 120 (Stage 3)
rp_24HourLineChart	interval	●	1	none yet
rp_MultiPointTrend	interval	●	1	WTG-07 generated energy zero from 2025-02-11 to 2025-04-22 (Stage 9, qualitative)
rp_HeatMap	interval	●	1	none yet
rp_LoadDurationCurve	interval	●	1	none yet
rp_Histogram	interval	●	1	none yet
rp_ScatterPlot	interval (+ regression)	●	1	ten Ridgeline power curves; WTG-07 stacked on zero power 2025-02-11 to 2025-04-22 (Stage 9, qualitative)
rp_Summary	interval	●	1	none yet
rp_AverageHourlyProfile	interval	●	1	none yet
rp_DataViewExport	interval	●	1	none yet
rp_MonthlyEUI	interval + area	●	1	Science Center highest (Stage 10)
rp_UsageVariance	interval (+ weather)	●	1	none yet
rp_AggregateDemand	aggregate demand	●	1	Ridgeline aggregates with 10, 10, 10 and 2 required members (Stage 3)
rp_AggregatePeakLoad	aggregate demand	●	1	none yet
rp_DigitalSummary	digital interval	●	1	none yet

Rate Analysis (9)

Report	Bucket	Status	Phase	Expected value
rp_RateSummary	rate components	●	2	16 rates across 6 providers: VED 5, SGU 2, RCU 5, NTP 2, HOS 1, RWL 1 (Stage 4)
rp_RateMeterInformation	rate + meter assignment	●	2	none yet
rp_RateMeterAssignment	rate + meter assignment	●	2	74 Rate Config rows on 56 meters (Stage 4)

Report	Bucket	Status	Phase	Expected value
rp_CostSummary	rate calc	●	2	none yet
rp_BillingCharges	rate execution (calc)	●	2	none yet
rp_RateAllocation	rate calc	●	2	none yet
rp_RateClassAssignment	rate class options	●	2	16 ClassType 0 rows and 9 ClassType 1 rows (Stage 4)
rp_RateComparison	shadow billing	●	2	none yet
rp_RatePointAssignment	rate + point	●	2	none yet

Tenant Rebilling (14)

Report	Bucket	Status	Phase	Expected value
rp_BillAllocationConfiguration	bill allocation	●	4	Town Center 8 configurations, Cedar Row 4, Thermal Plant recovery 2 (Stage 7)
rp_TenantBillAllocationMap	bill allocation	●	4	Mall-Main allocated amounts add to the master bill, overhead 2% (600.00 of 30,000.00) (Stage 7)
rp_TenantBillDefinition	bill allocation	●	4	none yet
rp_TenantBillAudit	bill allocation	●	4	none yet
rp_BillGenerationConfig	bill generation	●	4	Town Center Off 1, Manual 1, Auto 1, Auto w/ Auto Regen 2; Thermal Plant Auto 1 (Stage 7)
rp_GeneratedBills	bill generation	●	4	Shop 1 878.28 and Shop 2 669.96 (2026-01); Ridgeline July 2024 129,330.27 (Stage 7); kiosk K1 seven bills 628.72, 464.28, 793.08, 764.56, 684.72, 417.16, 576.04 (Stage 12)
rp_BillMaintenance	bill generation	●	4	none yet
rp_BillReconciliation	reconciliation	●	4	Anchor Store billed 2,040.00 in 2024-01 and 2025-01 (Stage 7)
rp_RateComponentMap	commodity map	●	4	none yet
rp_WUIPointFamilyConfig	WUI point allocation	●	4	12 child points: Weighted Use Index 9, Measured Use 2, Percentage Based 1 (Stage 7)
rp_WUIPointUseHistory	WUI point allocation	●	4	index Shop 3 0.40, Shop 4 0.50, Common Area 0.15, Landlord/House 0.90 (Stage 7)
rp_WUIProcessMeterAllocations	WUI point allocation	●	4	2024-01 Shop 3 26,318.37, Shop 4 25,306.12, Common Area 134,375.51, Landlord/House 230,640 kWh (Stage 7)
rp_accruals	accruals	●	4	none yet
rp_mpaaccruals	accruals	●	4	none yet

Energy Star Rating (5)

Report	Bucket	Status	Phase	Expected value
facility_setup	ES facility setup screen	●	5	13 properties (Stage 8)
new_rating_request	ES request screen	●	5	quarterly requests for Lakeview Hall and Cedar Row Apartments, single requests for Admin Hall, Science Center, Central Plant (Stage 8)
rp_ESRatingComparison	ES rating responses	●	5	none yet; scores arrive only once Portfolio Manager is connected (Stage 8)
rp_ESRatingHistory	ES rating responses	●	5	13 properties; Lakeview Hall and Cedar Row Apartments carry a score once Portfolio Manager is connected (Stage 10)
rp_ESRatingRequestLog	ES rating responses	●	5	none yet

Green House Gas (8)

Report	Bucket	Status	Phase	Expected value
rp_GHGHistory	GHG emissions	●	5	34 assigned meters (16 electric, 10 gas, 8 water); Ridgeline Interconnection Meter 2024-08, 4,428 kWh (Stage 8)
rp_GHGVariance	GHG emissions	●	5	2024 against 2025 differs: four factors each with 2024-01-01 and 2025-01-01 dated rows (Stage 8)
rp_GHGAudit	GHG emissions	●	5	none yet
emission_company_config	GHG config screen	●	5	3 rows, companies 6, 3 and 5, base years 2024 to 2025 (Stage 8)
emission_factor	GHG config screen	●	5	4 factors, each with a 2024-01-01 and a 2025-01-01 row (Stage 8)
emission_meter_assign	GHG config screen	●	5	34 assigned meters; the 10 Ridgeline turbines Excluded (Stage 8)
emission_source	GHG config screen	●	5	eGRID / CAMX and Non-electric commodities (Stage 8)
emission_type	GHG config screen	●	5	none yet

Project Tracking (5)

Report	Bucket	Status	Phase	Expected value
rp_ProjectDetail	project financials	●	6	5 projects, capital cost / incentives 120,000 / 25,000; 640,000 / 80,000; 410,000 / 123,000; 55,000 / 10,000; 310,000 / 0 (Stage 9)
rp_ProjectSummary	project financials	●	6	the same 5 projects (Stage 9)
rp_ProjectFinance	project financials	●	6	the same capital cost and incentive dollars (Stage 9); event values none yet

Report	Bucket	Status	Phase	Expected value
rp_ProjectTrackingConfiguration	project config	●	6	none yet
rp_ApplyRateSchedule	rate history + project	●	6	none yet: no stage links a project to a rate change

System Manager (12)

Report	Bucket	Status	Phase	Expected value
rp_BuildingList	hierarchy + premise	●	0	none yet
rp_PointsList	points inventory	●	0	none yet
rp_IndexList	index points	●	1	none yet
rp_HierarchyDetailsEditor	hierarchy editor	●	0	none yet
Data_Validation	bill/interval cross-check	●	1	none yet
rp_ImageManagement	images	●	1	none yet
rp_GLAccountUDV	AP / GL	●	3	none yet
my_exports	export log	●	3	none yet
rp_BillValidationStatus	bill validation	●	3	none yet
rp_TenantMap	tenant allocation	●	4	none yet
rp_weatherregression	weather regression	●	5	4 regressions: Science Center electric, Student Center demand, Admin Hall gas, Central Plant chilled water (Stage 8)
my_imports	import log	●	6	Loss Factor Import definition with handler MyImportToLossFactors_Save; the six unimplemented methods absent (Stage 9 step 7)

System Health (10)

Report	Bucket	Status	Phase	Expected value
rp_PointDataMap	points inventory	●	1	none yet; 258 direct points and Ridgeline's 73 are bound (Stage 3)
rp_NoteHistory	notes	●	1	none yet
rp_GatewayStatus	gateway / live status	●	6	12 acquisition gateways, 26 nodes, 258 direct points (Stage 3)
rp_TaskLog	task logs	●	6	1 or more finished TaskRun rows once the enabled schedules have run (Stage 9 step 4)
rp_ActivityTracker	activity logs	●	6	8 users with 1 or more sign-in; casey.holt 0; elena.vasquez and kai.nakamura on Ridgeline reports only (Stage 9 step 3)

Report	Bucket	Status	Phase	Expected value
rp_AlarmDataMap	alarms	●	6	15 alarm definitions (1 Disabled, WTG-07 Suspended); WTG-07 Fault 2025-02-11, severity 3 (Stage 9 step 2)
log_analysis	log screen	●	6	none yet
job_scheduler	tasks dashboard	●	6	6 Task Library schedules and 13 maintenance entries, 12 enabled (Stage 9 step 4)
audit_explorer	audit entries	●	6	4 entries by jordan.hale: Bill 1 or more, BillingAccount 1 or more, Meter 2 or more; none by casey.holt (Stage 9 step 3)
rp_IntervalIntakeFlow	interval intake runs	●	1	none yet

System Health is the module `AddSystemHealthModule.sql` creates for the pages that watch the system run and look back: audit, data feeds and alarms, jobs and logs. Its pages were System Manager (and, for Job Scheduler, System Administration) pages in the earlier list.

My Reports (5)

Report	Bucket	Status	Phase	Expected value
rp_monthlyutilitydistributionreport	monthly bills	●	1	none yet
rp_meterevents	meter events	●	1	none yet
rp_cngtestreportcgr	bills (custom CNG)	●	1	none yet
rp_RegressionSummaryReport2	weather regression	●	5	4 regressions as rp_weatherregression (Stage 8)
rp_EnergyAIInsights	EnergyAI insights	●	6	0 rows: no enrolment screen (Stage 9 finding)

System Administration (7)

Report	Bucket	Status	Phase	Expected value
admin_reportconfig	config screen	●	0	none yet
admin_reportxmlconfig	language/config screen	●	0	none yet
company_calendar	calendar screen	●	0	none yet
user_editor	user screen	●	0	none yet
rp_AnonymizeData	admin tool	●	0	none yet
rp_HMRConfiguration	HMR	●	6	192 meters, 204 registers on 11 routes (Stage 3, Stage 9 step 7)
hmr_export	HMR	●	6	the same 192 meters and 204 registers (Stage 9 step 7)

HMR configuration is entered once in Stage 3. Stage 9 reuses it for the reader round, native-file return, stored-history and exception-review exercises described in the handheld environment plan. The legacy phase number above is a report-category mapping, not a second setup instruction.

Modules (1)

Report	Bucket	Status	Phase	Expected value
laco_dash_trending	custom dashboard (interval)	●	6	none yet

Tally by phase

Phase	Reports in it	What it closes
0 Foundation	8	substrate and configuration screens render
1 Consumption and cost	44	consumption and cost: Use Analysis, Bill Processing and Tracking core, inventory, distribution, scenes
2 Rate engine	9	Rate Analysis
3 AP / GL and validation	7	AP / GL and validation
4 Tenant rebilling	15	tenant rebilling
5 Sustainability and analytics	18	sustainability and analytics: GHG, ES Rating, regression, benchmarks, emission setup screens
6 Operations and engagement	18	operations and engagement: projects, alarms, audit and activity, tasks, gateway and log pages, HMR, EnergyAI, importers, custom dashboards, plus the MFR delivery layer
Total	119	36 ●, 30 ●, 53 ●

> The phase a report is listed under is where its **data** first becomes non-empty. Many reports also gain depth in later phases (e.g. ScatterPlot/UsageVariance get weather-normalization in Phase 5; bills get GL coding in Phase 3).