Stage 2. Hierarchy

Units, billing accounts, sites, meters, points, weather stations and aggregates

PREPARED BY Energy Hippo implementation team
STATUS Ready to enter (revised 2026-10-01)

Stage 2 turns the three companies from Stage 1 into a working meter-to-point tree: the units Northlake adds to the catalog, billing accounts for every utility and internal counterparty, the sites and buildings that already exist on the instance plus the new Ridgeline Wind Site and Cedar Row C, 390 meters, 474 points a person enters (including the three baseline point shells, the Student Center activity index and the 73 points the handheld routes read), the weather-station assignment every building gets, and the eleven aggregates. EEM adds another 203 points of its own behind these (usage points behind every register, HDD/CDD behind the three temperature indexes), for 677 points in the finished tree. Cedar Row C, the emergency generators, the switchgear meter and their points were added on November 7, 2026, for the Stage 3 handheld routes; the Stage 2 import creates them beside what is already entered. Nothing in this stage loads a bill or an interval reading; that is Stage 3 onward. The baselines themselves are configured in Stage 3, once their measured points have a gateway. See the inventory standard for how the physical estate was inventoried before any of this was modeled.

Added 2026-10-01: the Ridgeline Wind Site. The Thermal Plant bought a ten-turbine wind company on July 1, 2024, and it is now part of Northlake: one site with two outdoor nodes, two billing accounts, 14 meters (one of them a logical billing meter), 72 points and four aggregates, plus four units. Each step below says what Ridgeline adds. It brings what the campus could not: 10-minute data, a metric site, a four-state digital point, knots, an Angle unit, air density, a 12,000 multiplier, a generator account that started mid-window under a new number, and the only Bill Generation account.

The files are written the way the editors show their values: measure types by their EEM names (Electricity, Potable Water), units as the Units list shows them ("KilowattHours - (kWh)"), remit addresses as the one-line combo text. Northlake is also built to vary: every Bill Entry Type but Other, all three Bill Service Types, both invoice templates, backdated account status, a renumbered account and a transferred one, notes, geocoded addresses, keywords with inheritance and a keyword type of Northlake's own, every archive interval, both degree-day unit systems, an activity index, and units the catalog does not ship.

Before you start

- Stage 1's checks are green apart from what the Stage 1 chapter lists as open. Still to fix there: the Helios provider address ("77 Solar Grove Courts"), the stray " Test" at the end of the Thermal Plant description, the four abbreviated or blank contact titles, and the Thermal Plant provider's Associated Companies (it has none for Northlake University or Cedar Row Apartments).
- Step 6's aggregates and members can be entered before the aggregate registration fix (product finding 14); only recalculating them waits for it.
- The sites and buildings this stage's Step 2 covers already exist on the installed instance (Database Administrator, Nodes shows them), except the three Ridgeline nodes, as do four billing accounts (SYN-VED-A-0010001 to 0010004), which Step 1 completes rather than re-enters.

- Stage 1's Ridgeline changes are in: the Thermal Plant's Level 2 reads Facilities, the Ridgeline Wind provider exists with its 18 bill-cycle periods, and the two Ridgeline groups and four users exist. Step 2 below grants the groups their Points.

Step 0. Units

Where: Database Administrator, Units.

Enter: 00-units.yaml: seven new units (Miles, Miles per Hour, Watts per Square Meter, Events, Equivalent Runoff Unit, Knots, and Power Factor for the switchgear's handheld register, added November 7) and five seeded units extended to another measure type (Kilometers per Hour, Meters per Second, Degrees and Kilogram per cubic meter to Weather, PSIG to Pressure), with their conversions. Each new unit is defined against one reference unit (1 mi = 1.609344 km) and the editor works out the reverse and the rest of the class; Knots is defined against Meters per Second, so enter it after Meters per Second's association.

Why: Northlake deliberately carries units the catalog does not ship, so the unit system itself is tested: a new base unit, a compound unit built from a numerator and a denominator, a User-defined unit (a class takes no numerator or denominator unless it defines them), existing units associated with another measure type, conversions by multiplier and by offset, a custom Activity Level unit that drives an index, and a billing unit for a flat fee. Ridgeline adds a unit whose source misnames it (EEM's NOAA gateway delivers knots for the field it calls wspdm, product finding 45), an Angle unit with no measure type, and two seeded units that share the label kg/m3: air density takes Kilogram per cubic meter, not Kilograms per Gas cubic meter.

Order inside the editor: Add Unit, fill the row and save; then Add measure type for each association, and in Conversions pick the Reference and enter Multiplier and Offset so that Reference = this unit x Multiplier + Offset; save again. Miles before Miles per Hour, which uses it as numerator. A unit class sets which numerator and denominator a unit may have, so a User-defined unit such as Watts per Square Meter has neither.

Record: the Unit ID of each new unit.

Check: `OO Units`, `OO Unit measure types`, `OO Unit conversions`. PSIG is a protected seeded unit, so its conversions stay as seeded (product finding 37).

Step 1. Billing accounts

Where: Database Administrator, Nodes, the company node's Utility Accountant tab.

Enter: 01-billing-accounts.yaml, 51 records.

Order inside the editor: select the company, click Add, set Currency Unit to US Dollar first (a new account starts as Australian Dollar, the first currency by name), fill the rest of Definitions and save; Service Address, Account Address, Account Contact, Notes and Status unlock after the first save. Status needs an administrator.

What varies: Bill Entry Type is Bill Importer for every Valley Electric and River City account (31), Bill Entry for Sierra Gas and Helios (13), Bill Allocation for the six Thermal Plant cost centers, and Bill Generation for Ridgeline's transfer agreement. Bill Service Type is AP Upload Only (46), No AP Upload for the Cedar Row control account, Bill Payment for the three Helios PPA accounts and the Ridgeline transfer (a journal). The Thermal Plant cost centers and the Ridgeline transfer use the Billing Charges Report template. Every account gets Active Billing Account as of 2024-01-01, which bill validation's account-opening test needs, except the two Ridgeline accounts, which open on 2024-07-01. SYN-RCU-A-0030003 carries its pre-renewal number in Previous Account Number, and the Ridgeline generator account SYN-VED-A-0010014 the seller's number; one account

has no contact; service addresses carry the building's coordinates; the Thermal Plant's mail stop goes in Address 2.

Remember: Bill Entry lists only Bill Entry accounts. The 31 importer, 6 allocation and 1 generation accounts never appear there; their bills arrive through Bill Importer (Stage 5), allocation and generation (Stage 7).

Not entered here: GL Accounts and Bill Validation Tests belong to Stage 6.

Record: the Billing Account ID after each save.

Check: `01 Billing accounts`, `01 Service addresses`, `01 Account addresses`, `01 Account contacts`, `01 Account remit`, `01 Account status`, `01 Account notes`.

Step 2. Sites and buildings

Where: Database Administrator, Nodes.

Enter: 02-sites-and-buildings.yaml, the 5 sites (the 4 company sites plus the Weather Reference site) and the 16 buildings.

What each record holds: every page the node editor shows for that node, in order: the Level it is added at (the company's Stage 1 level, such as 2: Facilities), Definitions with the Site or Building Code, Node Address, Area, Keywords, a building's Status and Notes. A null or empty page is deliberate and stays empty; those are the empty states under test. Keywords are what is assigned on that node: Department once on each site, which its buildings list under Inherited Keywords to verify. Sites have no Status page; every building opens on 2024-01-01, the Ridgeline buildings on the acquisition date, 2024-07-01. Northlake University codes its campus (NLU-MAIN, ADM, SCI and so on); Cedar Row and the Thermal Plant leave the code empty.

Order inside the editor: the original nodes, their Node Address, their Area history and their Department keywords already exist. Open each one and check the values against the file, then add what is new: the codes, each building's Status, the notes on Weather Reference, Campus Grounds and Cedar Row Carport and Grounds, and Cedar Row A and Cedar Row B's Meter Type keyword Sub-Meter, which their apartment and house submeters inherit. Then enter the three Ridgeline nodes: Ridgeline Wind Site under the Thermal Plant with Department = Thermal Plant Operations, then Ridgeline Turbine Field and Ridgeline Substation beneath it, each with its Node Address and coordinates, Status and note, and no floor area.

Then, back in Stage 1: the Ridgeline Wind Site's node key now exists (0.5.40), so make the two Points grants that name it (04-groups.yaml): ntp_wind_ops at level 2 and the shared eem_ridgeline_research at level 1. The Stage 1 checker covers them. Check that Kai Nakamura sees the Ridgeline site and nothing else.

A loose end from before this stage: two more Location nodes, Sacramento Executive Airport (38) and Sacramento International Airport (39), already sit under Weather Reference, created when the two reference stations were modeled as buildings instead of meters. Either delete them or keep them as the KSAC and KSMF meters' parent in Step 3; both are legal placements and neither one changes a check.

Floor area: every building holds its Area history, but the node's own Area column is empty on all eleven, and four reports read that column (product finding 36). Record what the reports show rather than re-entering areas.

Record: the node IDs of the three Ridgeline nodes; the others are already known (see `installed:` in the file).

Check: `02 Sites and buildings`, `02 Node addresses`, `02 Department keywords`, `02 Node keywords`, `02 Floor areas`, `02 Building status`, `02 Node notes`.

Step 3. Meters

Where: Database Administrator, Nodes, Meter nodes under each building (and, for the two weather stations, under Weather Reference).

Enter: 03-meters.yaml, 390 records: 67 utility meters (on a billing account), 320 owned meters with no billing account (including 248 apartment submeters at Cedar Row A and B, Cedar Row C's 50 water submeters, three emergency generators, the Central Plant Main Switchgear and the Ridgeline met mast), and the 3 weather-station meters (KSAC, KSMF and KSUU).

Order inside the editor: add the meter node under its building, then on its Definitions page set Measure Type first (a new meter starts as Activity Level), then Meter Number, the Billing Account (which brings the meter's Utility Provider and Bill Cycle choices with it) for the 67 meters that have one, then Provider Meter Number and Meter Multiplier. Save, then Keywords and Status. Every meter opens on its in-service date: 2024-01-01 for most, 2024-07-01 for the thirteen Ridgeline meters and 2024-08-15 for the Library replacement, whose predecessor closes as Closed - Ex on 2024-08-14. A meter's Status page writes the SM history that bill validation reads (tests 41 and 42) and lists SM's statuses; saving the backdated Open row replaces the Open row Meter_Save wrote on the day the meter was entered. Enter a sample by hand; the Stage 2 import sets the rest.

The Ridgeline Farm Transfer Meter is a logical billing meter on the Ridgeline transfer agreement: no channels, no keywords, no provider meter number. Its only point is the farm's generated-kWh aggregate (Step 6). EEM's Bill Generation prices the points under one meter and writes one bill per meter and month, so the transfer statement is generated on this meter in Stage 7; billing the ten pad meters would write ten statements a month, each with the research credit.

Before the Ridgeline meters: on the Keywords page's catalog view, create the keyword type Generation Source with the attributes Wind and Solar, and add 34.5 kV to Service Voltage (the seed has 33.6 kV). Generation Source marks the turbines and the three Helios arrays so a report can leave generation out of use until the product can tell them apart (product finding 44).

What varies: seven measure types (Electricity, Potable Water, Natural Gas, Steam, Chilled Water, Weather and Sensor), multipliers of 40, 10, 3.0367 and 12,000, Meter Type on every utility meter and owned submeter (inherited at Cedar Row), Service Voltage on the electric services, Service Pressure on the plant boiler gas, System Component on plant, lighting, laundry and charging loads, Generation Source on the generation meters, the Library's August 2024 meter exchange recorded as Open and Closed status, and the Ridgeline meters opened on 2024-07-01. The turbines are Electricity meters on the Ridgeline transfer agreement with their position tags RWL-WTG-01 to 10 as provider meter numbers. The met mast carries the Weather measure type without being a station, so it will appear in the Weather Stations picker (finding 18): never pick it.

Record: the Meter ID (MetaWorldID) after each save.

Check: `03 Meters`, `03 Meter keywords`, `03 Meter status`, `03 Meter integrity`.

Step 4. Points

Where: Database Administrator, Nodes, Point nodes under each meter (one, the Student Center Event Count, directly under its building).

Enter: 04-points.yaml, 474 records, 72 of them Ridgeline's and 73 the handheld routes' (registers on Cedar Row C, the irrigation meters, the generators and the switchgear, whose four demand reads are Analog points with no register). A new Accumulator takes only an Energy or Volume unit or one with a rate unit, so each generator's run hours (in Hour) are an Analog register with its own Analog usage point. Ridgeline has six on

each turbine (Generated kWh, Active Power kW and Possible kW, Nacelle Wind Speed, Rotor Speed and the four-state Turbine State, all at 10 minutes), six on the met mast in metric units, three on the interconnection meter (export, station service and reactive kVArh at 15 minutes) and three on KSUU (temperature with a Degree Days index, wind in knots, dew point). The last two are daily registers on the two meters whose multiplier would otherwise act on no data: Science Center Electric Lab Wing (x40, its current-transformer ratio) and Central Plant Boiler Gas (x3.0367, the pressure factor), the gas one in Hundreds of Cubic Feet - (ccf), the Volume unit, not the Energy unit with the same label.

A meter with no points is a bill-only utility meter: 37 of the 390 carry only monthly bills, which reach them in Stage 5 through the billing account, so they need no point.

Order inside the editor: add the point, then set Reading Type, Measure Type, Units and Archive Interval, and Index where the file names one. A new point starts as Analog, Activity Level, Percent, 60 minutes: change every field before the first save. On a new Accumulator (register) point, Units is the usage unit its generated Delta will carry; EEM stores the register as Reading. Accumulator and Degree Days points lock these fields after the first save.

What varies: all three Reading Types, all seven archive intervals (1, 5, 10, 15, 30, 60 and 1440 minutes), Degree Days in degrees Fahrenheit (KSAC) and degrees Centigrade (KSMF and KSUU), the Activity Level index, Relative Humidity and Pressure points, the points whose units come from Step 0, and Rotor Speed as an Activity Level point because RPM is seeded under that measure type alone.

EEM creates for you: an AccumulatorDelta point behind every Accumulator point, and an HDD and a CDD point behind each Degree Days index, in (F) or (C) units to match the temperature, for 138 points EEM generates on its own. Capture their IDs on the parent point's own `installed:` block (`deltaPointId`, or `hddPointId`/`cddPointId`) rather than typing them in as separate records.

Check: `04 Points`, `04 Generated children`, `04 Point integrity`.

Step 5. Weather stations

Where: Database Administrator, Nodes, the company node's Definitions tab, Weather Stations page.

Enter: 05-weather-stations.yaml, one record per company: KSAC Sacramento Executive Airport for the eight campus buildings and the Central Plant, KSMF Sacramento International Airport for the four Cedar Row buildings, and KSUU Travis Air Force Base for Ridgeline Turbine Field and Ridgeline Substation. The Ridgeline Met Mast sorts first in the combo for the Ridgeline nodes because it stands on the site; it is not a station.

Order inside the editor: do this after Step 3, since the Station combo only lists meters that already exist with the Weather measure type. It has to be repeated once per company; the combo is not scoped to the company you are in, and it is sorted by distance, so KSMF has to be picked deliberately for Cedar Row.

Record: nothing generated; save the tab as usual.

Check: `05 Weather stations`.

Step 6. Aggregates

Where: two screens. Create Aggregate Point is a context-menu item on the Nodes tree (right click the site or building the total belongs under); its members are added on the Aggregates workspace, the navigation item after Nodes.

Enter: 06-aggregates.yaml, 11 aggregate points: create each one with the fields in `Create Aggregate Point`, then select it on the Aggregates workspace, open Add Points, and add every row in `Members` with its Required and Multiplier. The four Ridgeline totals are the farm's generated kWh, active kW and possible kW at 10 minutes (ten members each) and its net export at 15 minutes (on the substation). Active and possible power sit on the site; the generated kWh total sits under the Ridgeline Farm Transfer Meter, because it is what the generated statement prices: right-click that meter, not the site, to create it. Generated against possible is the expected-against-actual view the plant asked for; turning possible kW into expected kWh, or either into a performance ratio, needs a calculated point (product finding 41).

Recalculate waits for the fix: an aggregate is registered (PointAggregates_TBL) once it has members, but Database Administrator's Save writes only the members, so the aggregate stays unregistered after they are saved: ID 0 in the workspace, no recalculation, no Aggregate page (product finding 14). Enter the members all the same. They are stored against the aggregate's point, and the registration call adds the row to an existing aggregate, so nothing entered now is re-entered once the fix is in.

Record: the aggregate point's own ID and its aggregate ID.

Check: `06 Aggregates`, `06 Aggregate members`.

Entering by hand or by import

A draft My Import handler (Northlake Stage 2, in the EEMSuite repository under `Database/EEMSuite/Schemas/Northlake/Stage2Import`) loads Steps 1, 3 and 4 in full from three workbooks generated from these files by `generators/stage2_workbooks.py`: every account with its coordinates, Address 2, contact cell, previous account number, Active status date and note; every meter with its note, keywords and status history, after creating the two keyword values Stage 2 adds to the catalog; and every point, the Student Center Event Count under its building included. Enter 10 to 20 records of each kind by hand first, to test the screens, then import the rest. The import is a fix that can be run again at any time: it finds each record by its key (account number, meter number, point description under its parent), creates what is missing, corrects whatever differs from the workbook (a mistyped hand entry included) and leaves the rest alone, as well as anything the workbooks do not list. It writes through the procedures the screens call, but emits no configuration audit. Steps 0, 2, 5 and 6 stay by hand. My Import removes every apostrophe and turns line breaks into spaces (finding 74), so the notes in these files use neither. After changing the YAML, regenerate the workbooks; `--check` reports a stale one.

Ownership

A building exists once, in the company that owns its site; nothing is duplicated across companies. Northlake University owns every campus building and every meter that serves it, including the chilled-water and steam meters whose provider is the Northlake Thermal Plant. The Northlake Thermal Plant company holds its own Central Plant (the plant's utility services, its production and deduct meters, and the provider record the university's thermal accounts bill against) and the Ridgeline Wind Site. KSUU, like KSAC and KSMF, belongs to the university's Weather Reference site; university researchers reach Ridgeline through a group grant, never a

copied node.

Stage 2 is done when

- Seven new units exist with their measure types and conversions, and Kilometers per Hour, Meters per Second, Degrees, Kilogram per cubic meter and PSIG carry their new measure types.
- 51 billing accounts exist with their entry type, service type, template, addresses, contact (all but one), Active status from 2024-01-01 (2024-07-01 for the two Ridgeline accounts), and the renewal and transferred accounts' previous numbers and notes.
- The 5 sites and 16 buildings carry an address with coordinates, a floor area where one applies, a Department keyword, and Cedar Row A, B and C the Meter Type keyword; the two Ridgeline groups hold their Points on the Ridgeline Wind Site.
- 390 meters exist, 67 of them on a billing account, with the right measure type, multiplier, bill cycle and keywords, the Library meters carry their exchange status and the Ridgeline meters open on 2024-07-01.
- 474 points a person enters exist, each register with a usage point behind it in the right unit and each temperature index with its HDD and CDD children in the right scale, for 677 points in total.
- Campus and plant buildings resolve to KSAC, Cedar Row buildings to KSMF and the Ridgeline nodes to KSUU.
- 11 aggregate points exist with the right members, each registered for calculation.

Run `checks.sql` beside this chapter to see each of these as a result set.

Findings

- **A meter opens on the day it is entered** unless its Status page says otherwise. Meter_Save writes an Open row dated the day a meter is first saved into the SM history that bill validation reads. The node Status page has written that history since the finding 32 fix, so a backdated Open row replaces it; without one, tests 41 and 42 flag the meter's 2024-2025 bills.
- **Billing account columns with no field are blanked by every save:** payment terms, cycle day, current balance, the remit and bill-review contacts and the bank account (finding 34).
- **Floor area does not reach the node** (finding 36, to reproduce).
- **PSIG converts exactly like psi** in the seed; whether that is wrong depends on whether the seed means gauge or absolute pressure (finding 37, unconfirmed).
- **A register saved with Reading takes the legacy path** and gets an arbitrary Delta unit (finding 39; which supported path still reaches it is unconfirmed).
- **The Meter editor has two identifiers**, Meter Number and Provider Meter Number (the serial column), and no Sub-Account Number field (findings 16, 40).
- **An aggregate may stay unregistered after its members are saved** (finding 14, to reproduce), **the supplied baseline algorithms have no editor**, which using them does not need (finding 15), and **the Station combo lists any Weather meter** (finding 18), which the Ridgeline met mast now shows in practice.
- **Ridgeline's goals:** no calculated point can turn possible kW into expected kWh or a performance ratio (finding 41), and nothing marks generation as generation; the Generation Source keyword stands in (finding 44). The NOAA gateway's wspdm field delivers knots (finding 45).
- **My Import rewrites every cell:** it removes apostrophes and turns line breaks into spaces without a warning (finding 74), so the import workbooks' notes avoid both.

All are recorded in product findings.