

## Review Test Submission: Quiz #4a

User	Brandon Ethan Mao
Course	Com Systems Security
Test	Quiz #4a
Started	2/20/19 2:24 PM
Submitted	2/20/19 3:26 PM
Status	Completed
Attempt Score	53 out of 54 points
Time Elapsed	1 hour, 1 minute out of 1 hour and 30 minutes
Instructions	Read each question carefully before answering.
Results Displayed	All Answers, Submitted Answers, Correct Answers, Feedback, Incorrectly Answered Questions

## Question 1

1 out of 1 points



Implementing multiple types of technology and thereby precluding that the failure of one system will compromise the security of information is referred to as \_\_\_\_\_.

Selected Answer: redundancy

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
Exact Match	redundancy	
Exact Match	defense in depth	

## Question 2

1 out of 1 points



A(n) \_\_\_\_\_ plan ensures that critical business functions continue if a catastrophic incident or disaster occurs.

Selected Answer: business continuity

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
Exact Match	business continuity	
Exact Match	business continuity (BC)	
Exact Match	BC	

## Question 3

1 out of 1 points



\_\_\_\_\_ is a strategy for the protection of information assets that uses multiple layers and different types of controls (managerial, operational, and technical) to provide optimal protection.

Selected Answer: ☒ c. Defense in depth

Answers: a. Networking

b. Best-effort

☒ c. Defense in depth

d. Proxy

## Question 4

1 out of 1 points



Incident \_\_\_\_\_ is the set of activities taken to plan for, detect, and correct the impact of an incident on information assets.

Selected Answer: ☒ response

Correct Answer:

**Evaluation Method**

☒ Exact Match

**Correct Answer**

response

**Case Sensitivity**

## Question 5

3 out of 4 points



Compare electronic vaulting and remote journaling.

Selected Answer: Electronic vaulting is the transfer of large batches of data to an offsite facility. Likewise, remote journaling is the transfer of live transactions to an offsite facility.

Correct Answer: ☒

The transfer of large batches of data to an offsite facility is called electronic vaulting. The transfer of live transactions to an offsite facility is called remote journaling. It differs from electronic vaulting in that 1) only transactions are transferred, not archived data, and 2) the transfer is in real-time. Electronic vaulting is much like a traditional backup, with a dump of data to the off-site storage, but remote journaling involves activities on a systems level, much like server fault tolerance, with the data written to two locations simultaneously.

Response [None Given]

Feedback:

## Question 6

1 out of 1 points



\_\_\_\_\_ controls are information security safeguards focusing on lower-level planning that deals with the functionality of the organization's security. These safeguards include disaster recovery and incident response planning.

Selected Answer: ☒ Operational

Correct Answer:

**Evaluation Method**

☒ Exact Match

**Correct Answer**

Operational

**Case Sensitivity**

## Question 7

1 out of 1 points



A(n) \_\_\_\_\_ is a document containing contact information for the people to be notified in the event of an incident.

Selected Answer: ☒ d. alert roster

- Answers:
- a. emergency notification system
  - b. phone list
  - c. call register
  - ☒ d. alert roster

## Question 8

1 out of 1 points



A(n) \_\_\_\_\_ is a scripted description of an incident, usually just enough information so that each individual knows what portion of the IRP to implement, and not enough to slow down the notification process.

Selected Answer: ☒ alert message

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
<input checked="" type="checkbox"/> Exact Match	alert message	

## Question 9

1 out of 1 points



Security \_\_\_\_\_ are the areas of trust within which users can freely communicate.

Selected Answer: ☒ b. domains

- Answers:
- a. perimeters
  - ☒ b. domains
  - c. layers
  - d. rectangles

## Question 10

1 out of 1 points



RAID is an acronym for a \_\_\_\_\_ array of independent disk drives that stores information across multiple units to spread out data and minimize the impact of a single drive failure.

Selected Answer: ☒ d. redundant

- Answers:
- a. replicated
  - b. resistant
  - c. random
  - ☒ d. redundant

**Question 11**

1 out of 1 points



A(n) \_\_\_\_\_ is a plan or course of action that conveys instructions from an organization's senior management to those who make decisions, take actions, and perform other duties.

Selected Answer: ☒ policy

Correct Answer:

**Evaluation Method**

☒ *Exact Match*

**Correct Answer**

policy

**Case Sensitivity**

**Question 12**

1 out of 1 points



The spheres of security are the foundation of the security framework and illustrate how information is under attack from a variety of sources, with far fewer protection layers between the information and potential attackers on the \_\_\_\_\_ side of the organization.

Selected Answer: ☒ d. people

- Answers:
- a. Internet
  - b. technology
  - c. operational
  - ☒ d. people

**Question 13**

7 out of 7 points



What is an ACL? What does it regulate?

Selected Answer: ACL stands for access control lists. They are a specification of an organization's information asset, the users who may access and use it, and their rights and privileges for using the asset. They restrict access for a particular user, computer, time, duration, and file. In general, they regulate who can use the system, what authorized users can access, when authorized users can access the system, and where authorized users can access the system from.

Correct ☒

Answer: Access Control List- Consist of details about user access and use permissions and privileges for an organizational asset or resource, such as a file storage system, software component, or network communication device.  
ACL regulates-  
Who can use the system.  
What authorized users can access.  
When authorized users can access the system.  
Where authorized users can access the system.

Response [None Given]

Feedback:

**Question 14**

1 out of 1 points



A(n) \_\_\_\_\_ is an adverse event that could result in loss of an information asset or assets, but does not currently threaten the viability of the entire organization.

Selected Answer: ☒ incident

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
<input checked="" type="checkbox"/> Exact Match	incident	

### Question 15

1 out of 1 points



Many organizations have policies that prohibit \_\_\_\_\_ tools, often used by those who attack systems, to explicitly prohibit the installation of such tools without the written permission of the CISO.

Selected Answer: ☒ hacker

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
<input checked="" type="checkbox"/> Exact Match	hacker	
<input checked="" type="checkbox"/> Exact Match	hacking	

### Question 16

1 out of 1 points



\_\_\_\_\_ management is the set of actions taken by an organization in response to an emergency to minimize injury or loss of life, preserve the organization's image and market share, and complement its disaster recovery and business continuity processes.

Selected Answer: ☒ Crisis

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
<input checked="" type="checkbox"/> Exact Match	crisis	

### Question 17

1 out of 1 points



\_\_\_\_\_ often function as standards or procedures to be used when configuring or maintaining systems.

Selected Answer: ☒ d. SysSPs

- Answers:
- a. ESSPs
  - b. ISSPs
  - c. EISPs
  - ☒ d. SysSPs

### Question 18

1 out of 1 points



The \_\_\_\_\_ is based on and directly supports the mission, vision, and direction of the organization and sets the strategic direction, scope, and tone for all security efforts.

Selected Answer: ☒ c. EISP

- Answers:
- a. ISSP
  - b. GSP
  - ☒ c. EISP
  - d. SysSP

### Question 19

1 out of 1 points



A fundamental difference between a BIA and risk management is that risk management focuses on identifying the threats, vulnerabilities, and attacks to determine which controls can protect the information, while the BIA assumes \_\_\_\_\_.

Selected Answer: ☒ a. All of the above

- Answers:
- ☒ a. All of the above
  - b. controls have been bypassed
  - c. controls have proven ineffective
  - d. controls have failed

### Question 20

1 out of 1 points



Redundancy can be implemented at a number of points throughout the security architecture, such as in \_\_\_\_\_.

Selected Answer: ☒ d. All of the above

- Answers:
- a. firewalls
  - b. proxy servers
  - c. access controls
  - ☒ d. All of the above

### Question 21

1 out of 1 points



The \_\_\_\_\_ of an organization are the intermediate states obtained to achieve progress toward a goal or goals.

Selected Answer: ☒ objectives

Correct Answer:

**Evaluation Method**

☒ Exact Match

**Correct Answer**

objectives

**Case Sensitivity**

### Question 22

1 out of 1 points



Computer \_\_\_\_\_ is the process of collecting, analyzing, and preserving computer-related evidence.

Selected Answer: ☒ forensics

Correct Answer:

**Evaluation Method**

☒ Exact Match

**Correct Answer**

forensics

**Case Sensitivity**

### Question 23

1 out of 1 points



The security \_\_\_\_\_ is an outline or structure of the organization's overall information security strategy that is used as a road map for planned changes to its information security environment

Selected Answer: ☒ framework

Correct Answer:

**Evaluation Method**

☒ Exact Match

**Correct Answer**

framework

**Case Sensitivity**

### Question 24

1 out of 1 points



A(n) \_\_\_\_\_ plan is a plan for the organization's intended strategic efforts over the next several years.

Selected Answer: ☒ c. strategic

Answers:

a. standard

b. tactical

☒ c. strategic

d. operational

### Question 25

1 out of 1 points



A security \_\_\_\_\_ is an outline of the overall information security strategy for the organization and a roadmap for planned changes to the information security environment of the organization.

Selected Answer: ☒ a. framework

Answers:

☒ a. framework

b. plan

c. policy


d. model

### Question 26


1 out of 1 points



A(n) \_\_\_\_\_ site is a fully configured computer facility, with all services, communications links, and physical plant operations including heating and air conditioning.

Selected Answer:  hot site

Correct Answer:


Evaluation Method	Correct Answer	Case Sensitivity
 Exact Match	hot	


### Question 27

1 out of 1 points



The SETA program is a control measure designed to reduce the instances of \_\_\_\_\_ security breaches by employees.

Selected Answer:  a. accidental

Answers:  a. accidental

b. intentional

c. external

d. physical

### Question 28


1 out of 1 points



Incident \_\_\_\_\_ is the process of examining a potential incident, or incident candidate, and determining whether or not the candidate constitutes an actual incident.

Selected Answer:  classification

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
 Exact Match	classification	

### Question 29

1 out of 1 points



\_\_\_\_\_ controls address personnel security, physical security, and the protection of production inputs and outputs.

Selected Answer:  b. Operational

Answers: a. Technical

 b. Operational

c. Informational

d. Managerial

### Question 30

1 out of 1 points



Some policies may need a(n) \_\_\_\_\_ indicating their expiration date.

Selected Answer:  sunset clause

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
-------------------	----------------	------------------



 *Exact Match*

sunset clause

### Question 31


1 out of 1 points



Incident \_\_\_\_\_ is the rapid determination of the scope of the breach of the confidentiality, integrity, and availability of information and information assets during or just following an incident.

Selected Answer:  d. damage assessment

Answers:

- a. disaster assessment
- b. containment strategy
- c. incident response
-  d. damage assessment

### Question 32

1 out of 1 points



\_\_\_\_\_ -specific security policies often function as standards or procedures to be used when configuring or maintaining systems.

Selected Answer:  Systems

Correct Answer:

**Evaluation Method**

**Correct Answer**

**Case Sensitivity**

 *Exact Match*


Systems

### Question 33

3 out of 3 points



What three purposes does the ISSP serve?

Selected Answer:  1) Addresses specific areas of technology.  
2) Requires frequent updates.  
3) Contains statements on the organization's position on a specific issue.

Correct Answer: 

The issue-specific security policy, or ISSP, 1) addresses specific areas of technology as listed below, 2) requires frequent updates, and 3) contains a statement on the organization's position on a specific issue.

Response [None Given]

Feedback:

### Question 34


1 out of 1 points



A \_\_\_\_\_ site provides only rudimentary services and facilities.

Selected Answer:  c. cold

Answers:

- a. commercial
- b. hot
-  c. cold

d. warm

**Question 35**

1 out of 1 points



\_\_\_\_\_ controls are information security safeguards that focus on the application of modern technologies, systems, and processes to protect information assets..

Selected Answer: ☒ Technical

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
<input checked="" type="checkbox"/> Exact Match	Technical	

**Question 36**

1 out of 1 points



A(n) \_\_\_\_\_ backup is the storage of all files that have changed or been added since the last full backup.

Selected Answer: ☒ differential

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
<input checked="" type="checkbox"/> Exact Match	differential	

**Question 37**

1 out of 1 points



\_\_\_\_\_ controls are security processes that are designed by strategic planners and implemented by the security administration of the organization.

Selected Answer: ☒ Managerial

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
<input checked="" type="checkbox"/> Exact Match	Managerial	

**Question 38**

1 out of 1 points



A security \_\_\_\_\_ defines the boundary between the outer limit of an organization's security and the beginning of the outside world.

Selected Answer: ☒ perimeter

Correct Answer:


Evaluation Method	Correct Answer	Case Sensitivity
<input checked="" type="checkbox"/> Exact Match	perimeter	

**Question 39**


1 out of 1 points



\_\_\_\_\_ controls cover security processes that are designed by strategic planners and implemented by the security administration of the organization.

Selected Answer:  b. Managerial

Answers:

- a. Operational
-  b. Managerial
- c. Technical
- d. Informational

### Question 40


1 out of 1 points



A(n) \_\_\_\_\_ is a contract between two or more organizations that specifies how each will assist the other in the event of a disaster.

Selected Answer:  mutual agreement

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
 Exact Match	mutual agreement	

### Question 41

0 out of 6 points (Extra Credit)



Describe a method to set up an ACL for a Windows file system.

Selected Answer: Administrators can configure ACLs to determine accessibility for someone in their systems. As admin, go to the user accounts menu. Select a user and start configuring their properties of access.

Correct Answer: [None]

Response [None Given]

Feedback:

### Question 42





1 out of 1 points



A(n) \_\_\_\_\_ is a detailed examination of the events that occurred from first detection to final recovery.

Selected Answer:  after-action review

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
 Exact Match	AAR	
 Exact Match	after-action review	
 Exact Match	AAR (after-action review)	
 Exact Match	after-action review (AAR)	

### Question 43

1 out of 1 points



\_\_\_\_\_ is a strategy of using multiple types of technology that prevent the failure of one system from compromising the security of information.

Selected Answer: ☒ a. Redundancy

Answers: ☒ a. Redundancy

b. Firewalling

c. Hosting

d. Domaining

### Question 44

1 out of 1 points



RAID Level 1 is commonly called disk \_\_\_\_\_.

Selected Answer: ☒ mirroring

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
<input checked="" type="checkbox"/> Exact Match	mirroring	

Monday, March 4, 2019 7:57:19 PM PST

← OK