
T4 MonitHCB: °C
Set temperature [°C]
°C
22
21.8
21.6
21.4
21.2
21
0.71
0.72
0.73
0.74
0.75
0.76
0.77
MJD - 61349 (UTC, maser time stamps)
Internal temperature [°C]
°C
22
21.8
21.6
21.4
21.2
21
0.71
0.72
0.73
0.74
0.75
0.76
0.77
MJD - 61349 (UTC, maser time stamps)
External temperature [°C]
°C
80.75
80.5
80.25
80
79.75
79.5
79.25
0.71
0.72
0.73
0.74
0.75
0.76
0.77
MJD - 61349 (UTC, maser time stamps)


T4 MonitHCB: °C
Set temperature [°C]
22
21.8
21.6
21.4
21.2
21
°C
2026-11-05T12:15:00-05:00
2026-11-05T12:45:00-05:00
2026-11-05T13:15:00-05:00
Local time (ISO 8601, UTC-05:00)
Internal temperature [°C]
22
21.8
21.6
21.4
21.2
21
°C
2026-11-05T12:15:00-05:00
2026-11-05T12:45:00-05:00
2026-11-05T13:15:00-05:00
Local time (ISO 8601, UTC-05:00)
External temperature [°C]
80.75
80.5
80.25
80
79.75
79.5
79.25
°C
2026-11-05T12:15:00-05:00
2026-11-05T12:45:00-05:00
2026-11-05T13:15:00-05:00
Local time (ISO 8601, UTC-05:00)


T4 MonitHCB: status (text kept in the T4log_MonitHCB_<column>_text datasets)
Status flag
1
0.8
0.6
0.4
0.2
0
−0.2
0.71
0.72
0.73
0.74
0.75
0.76
0.77
MJD - 61349 (UTC, maser time stamps)


T4 MonitHCB: status (text kept in the T4log_MonitHCB_<column>_text datasets)
Status flag
1
0.8
0.6
0.4
0.2
0
−0.2
2026-11-05T12:15:00-05:00
2026-11-05T12:45:00-05:00
2026-11-05T13:15:00-05:00
Local time (ISO 8601, UTC-05:00)

T4 MonitHCB: provenance and notes

T4 monitoring log MonitHCB (reader t4_native; maser UTC time stamps)

Records: 84; clock-valid: 74; clock not set: 10
Clock-valid span: 2026-11-05T17:13:09Z to 2026-11-05T18:25:39Z
Record interval: median 60.0 s, mean 59.58904109589041 s, range 59.0 to 62.0 s
Clock not set: 3 record(s) from MonitHCB.dat:2, stamped 2006-01-16T21:15:37 to 2006-01-16T21:17:36
Clock not set: 7 record(s) from MonitHCB.dat:5, stamped 2007-06-06T13:33:30 to 2007-06-06T13:39:27

Notes:
- MonitHCB.dat: decoded as UTF-8
- MonitHCB.dat: repaired 3 lost degree sign(s) in the header (U+FFFD in the file)
- 10 record(s) in 2 run(s) stamped before 2020-01-01 (clock not yet set by the time server): kept in the CSV, not plotted
- 'Set temperature [°C]' is constant (21.5) over all clock-valid records.
- 'Internal temperature [°C]' is constant (21.5) over all clock-valid records.
- 'External temperature [°C]' is constant (80.0) over all clock-valid records. Probably no external sensor connected (unverified).
- 'Alarm Status' is constant (No error) over all clock-valid records.

Columns:
- Set temperature [°C]: HCB set point of the SMC liquid temperature (SETTEMPHCB) [1, p. 16].
- Internal temperature [°C]: HCB internal sensor used for regulation [1, p. 16].
- External temperature [°C]: HCB external (deported) sensor, shown 'if used' [1, p. 16].
- Alarm Status: HCB operation status, normal or alarm with error code [1, p. 16].

Files:
- MonitHCB.dat 3530 bytes sha256 6fd040ecadccc0534230000285e6205346e6943e6df5a0f05b9bf1f6ef73d18b

[1] T4Science SA, T4S-MAN-0015, ver. 1.17, Jul. 19, 2022.