

# MPI Clusters within a LAN



PULAK SAHOO · Follow

Published in MPI Cluster Setup · 3 min read · Apr 16, 2020



24



Running a code in multiple system is easier with MPI cluster within a LAN. I am assuming all are using Linux systems. I tried testing it with Ubuntu and running it on 4 system having 1 as master and rest as client systems.



Search



Write

Sign up

Sign In



**Note:** Check that all the system have same version of OpenMPI or MPICH2

## Step 1: Install MPICH2 or OpenMPI

Install MPICH2 in all the system i.e,

```
$ sudo apt install -y mpich
```

In case the above command is not running, download the tar file from [here](#) and follow the following steps.

```
$ tar -xzf mpich2-1.4.tar.gz
```

```
$ cd mpich2-1.4
```

```
$ ./configure --disable-fortran
```

```
$ make; sudo make install
```

or

Install OpenMPI in all the systems i.e,

```
$ sudo apt-get install libopenmpi-dev openmpi-bin openmpi-doc
```

## Step 2: Configure the Host file

Over here we will map the IP addresses to the host names so that we don't have to type the ip addresses again and again

**Master:**

```
$ sudo nano /etc/hosts
127.0.0.1 localhost
#MPI SETUP
100.96.100.1 master
100.96.100.2 client1
100.96.100.2 client2
100.96.100.2 client3
```

### **Client1:**

```
$ sudo nano /etc/hosts
127.0.0.1 localhost
#MPI SETUP
100.96.100.1 master
100.96.100.2 client1
```

### **Client 2:**

```
$ sudo nano /etc/hosts
127.0.0.1 localhost
#MPI SETUP
```

100.96.100.1 master

100.96.100.2 client2

### **Client 3:**

```
$ sudo nano /etc/hosts
```

```
127.0.0.1 localhost
```

```
#MPI SETUP
```

```
100.96.100.1 master
```

```
100.96.100.2 client3
```

Save all the files and exit.

### **Step 3: Create a new user**

I will advice to create a new user with same name in all devices

```
$ sudo adduser mpiuser
```

Set a password for each machine.

### **Step 4: Setting up SSH**

The systems will be communicating via ssh and sharing data over nfs. Install the openssh in all the system

```
$ sudo apt install openssh-server
```

**Change User:**

```
$ su -mpiuser
```

**#key generation**

```
$ ssh-keygen -t rsa
```

**#create .ssh directory on client**

```
$ ssh mpiuser@client1 mkdir -p .ssh
```

type yes when prompted

then type the password of client1

**#Upload generated public keys to client**

```
$ cat .ssh/id_rsa.pub | ssh mpiuser@client1 'cat >> .ssh/authorized_keys'
```

Enter the password of client1 when prompted

**#Set permission on in client**

```
$ ssh mpiuser@client1 "chmod 700 .ssh; chmod 640 .ssh/authorized_keys"
```

**#Login to client without password**

```
$ ssh mpiuser@client1
```

**Note:** Do the same for other clients from master

**Note:** Do the same for master from all clients

## Step 5: Setting up NFS

NFS is used to share the object file among all the systems and the shareable datas.

**Master:**

Install the server nfs in the master to mount the shared folder

**#nfs for server installation**

\$ sudo apt install nfs-kernel-server

**# Create a sharable folder**

\$ mkdir storage

**# Create an entry in /etc/exports**

\$ cat /etc/exports

/home/mpiuser/storage \*(rw,sync,no\_root\_squash,no\_subtree\_check)

**# run the command after any change to /etc/exports**

\$ exportfs -a

**# Restart the nfs server**

\$ sudo service nfs-kernel-server restart

**Client:**

**# Install nfs for client**

**\$ sudo apt-get install nfs-common**

**#Create a shareable folder with the same name as master**

**\$ mkdir storage**

**#mount the master folder to client**

**\$ sudo mount -t nfs master:/home/mpiuser/storage ~/storage**

**#check if the mount is successful**

**\$ df -h**

**#Reboot your client system.**

**# Add the entry to the file system table**



```
$ cat /etc/fstab
```

```
#MPI CLUSTER SETUP
```

```
master:/home/mpiuser/storage /home/mpiuser/storage nfs
```

### **Step 6: Run a program**

change directory in master node

```
$ cd storage/
```

```
$ pwd
```

```
/home/mpiuser/storage
```

Create a Hello World MPI program in C with name helloworld\_MPI.c

**#compile the code**

```
$ mpicc helloworld_MPI.c
```

**#run the code**

```
$ mpirun -np 4 -hosts master,client1,client2,client3 ./a.out
```

Hopefully it will work out for you all when you try to make a MPI Cluster

Mpi

Cluster

Ssh

Hello World

Parallel Computing



**Written by PULAK SAHOO**

3 Followers · Editor for MPI Cluster Setup

Follow



**Recommended from Medium**

 Vaishnav Manoj in DataX Journal

## JSON is incredibly slow: Here's What's Faster!

Unlocking the Need for Speed: Optimizing JSON Performance for Lightning-Fast Apps...

16 min read · Sep 28



 AL Anany 

## The ChatGPT Hype Is Over—Now Watch How Google Will Kill...

It never happens instantly. The business game is longer than you know.

★ · 6 min read · Sep 1



### Lists



#### Staff Picks

504 stories · 449 saves



#### Self-Improvement 101

20 stories · 892 saves




#### Stories to Help You Level-Up at Work

19 stories · 304 saves



#### Productivity 101

20 stories · 817 saves



Carlos Arguelles

## My favorite coding question to give candidates

A coding question, from the viewpoint of an Google/Amazon/Microsoft interviewer

11 min read · 4 days ago



1K



16



Dmitry Kruglov in Better Programming

## The Architecture of a Modern Startup

Hype wave, pragmatic evidence vs the need to move fast

16 min read · Nov 7, 2022



6.5K



63



Dr. Ashish Bamania  in Level Up Coding

Unbecoming

## Google Rejected Max Howell(Creator Of Homebrew) Fo...

Can you solve this Google interview question?

★ · 4 min read · Oct 3



7.5K



75



## 10 Seconds That Ended My 20 Year Marriage

It's August in Northern Virginia, hot and humid. I still haven't showered from my...

★ · 4 min read · Feb 16, 2022



69K



998



See more recommendations