




EDUCACIÓN

SECRETARÍA DE EDUCACIÓN PÚBLICA

TECNOLÓGICO NACIONAL DE MÉXICO

INSTITUTO TECNOLÓGICO DE SALTILLO



Arquitectura de Computadoras.

Practica de Laboratorio

Nombre de la práctica.

Procesadores




Nombre del alumno.

Brayan Alfredo Valdez Martinez

Numero de control.

20051304

Descripción e imagen de los procesadores (CPU's) vistos en laboratorio.

| CARACTERÍSTICAS. | FOTO/IMAGEN |
|--|--|
| <p>Nombre: Procesador Intel® Celeron® D 352 caché de 512K, 3,20 GHz, FSB de 533 MHz</p> <p>Velocidad: 3.20 GHz</p> <p>Cache: 512 KB L2 Cache</p> <p>Núcleos: 1</p> |  <p>A photograph of an Intel Celeron D 352 processor. The metal heat spreader is visible with the following text: INTEL® '05, CELERON® D, 352 SL96P COSTA RICA, 3.20GHZ/512/533/85A, 3614B381. A small label at the bottom right of the processor reads 'ZL6H4610 A8363'.</p> |
| <p>Nombre: Procesador Intel® Celeron®, 1.10 GHz, caché de 256K, FSB de 100 MHz</p> <p>Velocidad: 1.10 GHz</p> <p>Cache: 556 KB L2 Cache</p> <p>Núcleos: 1</p> |  <p>A photograph of an Intel Celeron processor mounted on a green circuit board. The processor is covered by a metal heat spreader. A label on the board reads 'INTEL® '01 PHILIPPINES 1188A/256/100/1.6'. A barcode label next to it reads '36113264500751402003662101'. Another label at the bottom of the processor reads '72288475-0528 CELERON SL6RM'. A yellow label on the right side of the board reads 'index' and 'PGA370'.</p> |
| <p>Nombre: Procesador Intel® Pentium® 4, 1,80 GHz, caché de 512K, FSB de 400 MHz</p> <p>Velocidad: 1.80 GHz</p> <p>Cache: 512 KB L2 Cache</p> <p>Núcleos: 1</p> |  <p>A photograph of an Intel Pentium 4 processor. The metal heat spreader has the following text: INTEL® '01, PENTIUM® 4, 1.80GHZ/512/400, SL65N PHILIPPINES, 7318A220. A small label at the bottom left of the processor reads 'A117A916 B0651'.</p> |

Nombre:

Procesador Intel® Pentium® 4, 2,80 GHz,
caché de 512K, FSB de 533 MHz

Velocidad:

2.80 GHz

Cache:

512 KB L2 Cache

Núcleos:

1

**Nombre:**

Procesador Intel® Pentium® III de 800
MHz, caché de 256 K, FSB de 133 MHz

Velocidad:

800 GHz

Cache:

556 KB L2 Cache

Núcleos:

1

**Nombre:**

Procesador Intel® Celeron®, 1.00 GHz,
caché de 256K, FSB de 100 MHz

Velocidad:

1.00 GHz

Cache:

556 KB L2 Cache

Núcleos:

1

