Software Analysis: Dynamic Views of the LavaRápido System

Juan Camilo Guilombo Osorio, Brayan Estiven Patiño Cabrera and Merari Urbano Quintero

Centro de la Industria, la Empresa y los Servicios, Servicio Nacional de Aprendizaje (SENA), Huila Regional

Software Analysis and Development Technologist program (ADSO), group (ficha) 3145556

Instructor: Karol Daniela Correa

Version 2.2, October 19, 2026

Introduction

This document shows how LavaRápido behaves when someone uses it: what happens, in which order, and between which screens and services. It is organized in four parts:

1. **Use cases by actor**, with their «include»/«extend» relationships.
2. **Sequence diagrams** of the main flows: from the screen to the gateway, from the gateway to the service, and from the service to the database or to another service.
3. **Activity diagrams** of the business processes.
4. **State diagrams** of the entities that change status (booking, payment, service execution, promotion and inspection report).

On October 19, 2026, use cases CU31 and CU32, password recovery (section 2.10) and the account life cycle with the role change (section 4.6) were added, and the screenshots of the screen inventory were taken again with demo data. On October 17, 2026, the consent to the legal documents at registration (section 2.1) and the inspection report from the mobile app (section 2.9) were added. The diagrams are written in Mermaid. They were checked against the code and the running system on October 9, 2026, and updated against the code on October 15, 2026 with the account lockout, automatic assignment, operator choice, the service start window, the alert for bookings without an operator and the inspection report. The screen inventory, with screenshots by role, is at the end.

The full specification of each requirement and use case (actors, precondition, main flow, alternative flows and postcondition) is in the *Software Requirements Specification*, sections 5 and 7.3; here they are cited by their identifier (RF-XXX, CUXX).


---

1. Use Cases by Actor


1.1 Use Case Diagram

The 32 use cases are presented in four diagrams, one per actor, grouped by module.


Use cases common to the three roles




Customer use cases




Operator use cases



Administrator and System use cases


Automatic processes
CU32 Run automatic processes
Users
CU27 Administer users and permissions
Catalog, opening hours and bays
CU20 Configure opening hours, bays and business data
CU21 Manage catalog and prices
Bookings and operations
CU08 Assign operator automatically
CU09 Assign or reassign operator
CU22 Manage operators and their availability
CU29 Manage bookings
CU30 Record inspection report
System
Administrator



Note. «include» means that CU05 always runs CU06; «extend» means that CU25 optionally extends CU12. CU22 appears as view-only for the operator and as management for the administrator, who is the one recording shifts, absences and the operator profile (RF-022, RF-038). The system runs CU08 each time a booking is confirmed, and CU32 groups the processes that run without anyone asking for them (reminders, alerts, notices and the first administrator). The customer does not record the inspection report (CU30): they view it through the link the administrator shares.

1.2 Actor and Use Case Matrix

Actor	Use cases
All roles	CU01, CU03, CU04, CU16, CU17, CU18, CU19, CU31
Customer	CU02, CU05, CU06, CU07, CU12, CU14, CU15, CU25, CU26, CU30 (view only)
Operator	CU10, CU11, CU22 (view only)
Administrator	CU09, CU13, CU20, CU21, CU22, CU23, CU24, CU27, CU28, CU29, CU30
System	CU06 (included in CU05), CU08, CU32


The specification of each of the 32 use cases (precondition, main flow, alternative flows, postcondition, status) is in the *Software Requirements Specification*, Tables 23 to 54.

---

2. Sequence Diagrams


Each diagram follows the path of the request (screen, gateway, services, database and RabbitMQ) with the class and endpoint names from the code. The first five are based on the diagrams in `vehicle-w-docs/08-uml/diagrams/source/`; the next ones cover loyalty, roles and permissions, the account lockout and the inspection report.

2.1 Registration and welcome (RF-001, RF-018)




Source: `security-service` (`AccountRegistrationService`, `AuthenticationService`, migration `039-security-app-user-legal-consent.sql`), event `security.user_registered`. The web and the mobile app do not send the form until both boxes are checked; the server stores the dates only when both arrive accepted.

2.2 Booking a wash (RF-005, RF-006, RF-010)




Source: `booking-service` (`BookingService.confirmNew`), `operations-service` (`AvailableOperatorsController`), contracts in `07-api/contracts/openapi/`.

2.3 Reminders and alert for bookings without an operator (ADR-011)




Source: `notification-service` (`BookingReminderService`, `ReminderScheduler`, `StaffNotificationService`, migration 031).

2.4 Operator assignment, execution and rating (RF-008, RF-009, RF-010, RF-011, RF-012, RF-012b)




Source: `operations-service` (`BookingConfirmedListener`, `OperationsService.autoAssign / candidates / assign / start / finish / rate`, `AssignmentPolicy`, `AutoAssignmentPolicy`, `StartPolicy`, ADR-014).

2.5 Payment by receipt and review (RF-013, RF-013b, RF-014)




Source: `payment-service` (`PaymentApplicationService.ReportPaymentAsync / ApproveAsync / RejectAsync / RegisterManualAsync`, `Payment` aggregate, ADR-008, ADR-013).

2.6 Coupon redemption and loyalty points (RF-024, RF-025, RF-026)




Source: `payment-service` (`LoyaltyController`, `CustomerPromotionService.RedeemAsync`, `Promotion.Redeem` aggregate, `LoyaltyLedgerRepository`), ADR-015.

2.7 Roles and permissions management (RF-029)




Source: `security-service` (`RolePermissionController`, `RolePermissionAdministrationService`, migration `026-security-role-permissions.sql`), ADR-015.

2.8 Sign-in with lockout after failed attempts (RF-002, RF-004b)




Source: `security-service` (`AuthenticationService.login`, `LoginLockout`, `PasswordRecoveryService`, migration `034-security-login-lockout.sql`).

2.9 Vehicle inspection report (RF-036)



Source: `operations-service` (`InspectionReport`, migration `033-execution-inspection-report.sql`), `notification-service` (shared report notice), web (`features/admin/pages/inspection`), and mobile app (`AdminInspectionScreen`, `InspectionService`). In the app the photos are taken with the camera or picked from the gallery and shrunk on the phone before the `POST /findings`; the **Publish and share link** button opens the phone share menu.

2.10 Password recovery with a 6-digit code (RF-003)




Source: `security-service` (`PasswordRecoveryService`, `PasswordResetToken`, `PasswordRecoveryPolicy` with `code-ttl: 15m` and `max-failed-attempts: 5`, `SecureRandomResetCodeGenerator`, `EmailResetCodeNotifier`). The *forgot* answer does not reveal whether the email exists.

---


3. Activity Diagrams


The activity diagrams show the business processes as they work in the system. There is no payment gateway: the customer uploads a receipt and the administrator reviews it (ADR-008).

3.1 Authentication (RF-001 to RF-004)





3.2 Booking a wash (RF-005, RF-006, RF-007, RF-010)


Start
Does the customer have at least one vehicle?
No
Yes
Ask them to register a vehicle (CU26)
Choose vehicle and one or more services
End
Show the price for the vehicle type
Choose date and time
Does the customer want to choose the operator? (list of those free at that time)
Yes
No
Choose a free operator
Check opening hours, exceptions and bays
Is there a free bay in that slot?





3.3 Operator assignment and service execution (RF-008, RF-009, RF-010, RF-011, RF-012b)


Confirmed booking without an operator
Does automatic assignment find an eligible operator? (RF-008)
Yes
No eligible operators
Booking without an operator; alert to the administrator when less than 2 h remain
Admin sees candidates: available first, with rating
Admin picks an operator
Operator active, on shift, not absent and with no schedule overlap?
No
Block assignment, show reason
Yes
Create PENDING execution, notify the operator
End
Did the customer choose an operator who is still free? (RF-010)
Yes
Assign the chosen operator
No
Pick the one with the fewest bookings that day tie: lowest identifier
Notify the customer and the operator
End
Are 15 minutes or less left before the booking time?
No
Button disabled: SERVICE_TOO_EARLY
End
Yes
Operator marks Start service
Execution → In progress




3.4 Paying for a booking (RF-013, RF-013b, RF-014, RF-016)



Confirmed booking without an approved payment
Which payment method?
QR / Transfer / Nequi / Daviplata
Cash
Show the QR of the active account and instructions
Customer pays at the site
Customer pays from their bank app outside the platform
Admin records the payment manually
Uploads receipt + declared amount + reference code
Payment → Approved directly
Reference code already used in another booking?
Credit loyalty points (RF-026)
Yes
No
Reject: TRANSACTION_REFERENCE_REUSED
Payment → Under review (linked to the booking)
End
End
End: waiting for the admin
Admin opens pending payments
Declared amount =



3.5 Redeeming a loyalty coupon (RF-024, RF-025, RF-026)



Customer on the payment screen
Do they have promotions unlocked by their points?
No
Yes
No coupon is offered
Enters the coupon code
End
Valid, active, unlocked and not redeemed before for this booking?
No
Yes
Report the reason and keep the original amount (expired coupon / not enough points / already redeemed / used up)
Within the usage limit (total and per customer)?
End
No
Yes
Report: coupon used up
Calculate the discount on the subtotal without exceeding it
End
Apply the discount to the total to pay
Notify the redemption in the inbox and by email
End: payment continues for the discounted amount

3.6 Managing roles and permissions (RF-029)


Admin opens Management → Roles
Load the 3 fixed roles + permission catalog
View the current permissions of each role: Administrator, Operator, Customer
Admin checks or unchecks permissions of a role
Save
Do all permission ids exist in the catalog?
No
Yes
Reject the save explicitly
Replace exactly those permissions for the role
End: roles cannot be created or deleted


4. State Diagrams

4.1 Booking life cycle (RF-006, RF-007)




Source: `booking-service`, `Booking.moveTo`, `Booking.cancel`, `BookingStatus`. Only `SCHEDULED` and `CONFIRMED` can be rescheduled or cancelled (RF-007); `SCHEDULED` exists in the model, but the current flow always creates the booking directly as `CONFIRMED`.

4.2 Payment life cycle (RF-013b, RF-014, ADR-008)




Source: `payment-service`, `Payment` aggregate. A booking allows only one approved payment and only one open payment at a time; after `REJECTED` the customer can report a new payment.

4.3 Service execution life cycle (RF-012b)




Source: `operations-service`. `COMPLETED` enables the customer's rating (RF-012).

4.4 Promotion life cycle (RF-024)




Source: `payment-service`, `Promotion.IsAvailableOn` (active and within the validity period). An `INACTIVE` or `EXPIRED` promotion cannot be redeemed (RF-024, RN-PROMO-01).

4.5 Inspection report and its phases (RF-036)



Source: `operations-service`, `InspectionReport` (`publish`, `requirePublished`, `setPhaseStatus`, `addFinding`). The phases are reception, exterior, interior, engine and delivery; only a published report can be shared.

4.6 User account (RF-002, RF-004b, RF-027, RF-028)




Source: `security-service` (`UserAccount`, `LoginLockout`, `UserAdministrationService.changeStatus` and `changeRole`, `AccountDeactivationService`). A locked account answers 423 even with the right password; an inactive one answers 403 after the password is checked. Each account has one role and nobody changes their own.


---


5. Screen Inventory (mockup)

Screen by screen and by role, including the create and edit modals of each module. All screenshots are in the `capturas/` folder of this document.



5.1 Common screens (no session)


Screen	Evidence
Sign-in	



Screen	Evidence
Registration	


Screen	Evidence
Password recovery	


5.2 Administrator role


Screen	Evidence
Dashboard	
Management → Users	


Screen	Evidence
Modal: Create user	


Screen	Evidence
Management → Roles	
Modal: Edit role permissions	



Screen	Evidence
Management → Services (catalog)	


Screen	Evidence
Modal: Add service	



Screen	Evidence
Management → Promotions	


Screen	Evidence
Modal: Create promotion	



Screen	Evidence
Opening hours and bays	


Screen	Evidence
Modal: Add opening-hours exception	
Operators	


Screen	Evidence
Modal: New operator	


Screen	Evidence
Modal: Assign shift	
Bookings	



Screen	Evidence
Modal: Assign an operator to a booking	

Screen	Evidence
Payments	
Modal: Record manual payment	


Screen	Evidence
Reports	


Screen	Evidence
Settings → Payment accounts	



Screen	Evidence
Modal: Add payment account	


Screen	Evidence
Notifications	
Profile	


5.3 Customer role



Screen	Evidence
Dashboard	



Screen	Evidence
Modal: View details of the next service	

Screen	Evidence
My vehicles	
Modal: Register vehicle	



Screen	Evidence
Book a wash	



Screen	Evidence
Booking history	


Screen	Evidence
Pay for a service	
Modal: Confirm booking cancellation	

Screen	Evidence
Notifications	
Settings (theme and language)	

5.4 Operator role

Screen	Evidence
Main dashboard	
Assigned services	

Screen	Evidence
My schedule (availability)	
Service history	

Screen	Evidence
Ratings received	

Correlation with the Software Requirements Specification

Dynamic view in this document	Requirements it illustrates
§2.1 Registration and welcome	RF-001, RF-018
§2.2 Booking a wash	RF-005, RF-006, RF-010
§2.3 Reminders and alert	RF-018
§2.4 Assignment and execution	RF-008, RF-009, RF-010, RF-011, RF-012, RF-012b

Dynamic view in this document	Requirements it illustrates
§2.5 Payment by receipt	RF-013, RF-013b, RF-014, RF-016
§2.6 Coupon redemption and points	RF-024, RF-025, RF-026
§2.7 Roles and permissions	RF-029
§2.8 Sign-in with lockout	RF-002, RF-003, RF-004b
§2.9 Inspection report	RF-036, RF-018
§3.1 to §3.6 Activities	The whole authentication, booking, operations, payment and promotion module
§4.1 to §4.5 States	RF-006, RF-007, RF-012b, RF-013b, RF-014, RF-024, RF-036