Software Analysis: Dynamic Views of the LavaRápido System

Juan Camilo Guilombo Osorio, Brayan Estiven Patiño Cabrera and Merari Urbano Quintero

Centro de la Industria, la Empresa y los Servicios, Servicio Nacional de Aprendizaje (SENA), Huila Regional

Software Analysis and Development Technologist program (ADSO), group (ficha) 3145556

Instructor: Karol Daniela Correa

Version 2.2, October 19, 2026

Introduction

This document shows how LavaRápido behaves when someone uses it: what happens, in which order, and between which screens and services. It is organized in four parts:

1. **Use cases by actor**, with their «include»/«extend» relationships.
2. **Sequence diagrams** of the main flows: from the screen to the gateway, from the gateway to the service, and from the service to the database or to another service.
3. **Activity diagrams** of the business processes.
4. **State diagrams** of the entities that change status (booking, payment, service execution, promotion and inspection report).

On October 20, 2026, the content was checked again against the code: the client only cancels (the administrator reschedules), the role change of accounts was removed, the sequences and states that did not match were corrected, and the use case and other diagrams were redrawn with straight lines and no crossings. On October 19, 2026, use cases CU31 and CU32, password recovery (section 2.10) and the account life cycle (section 4.6) were added, and the screenshots of the screen inventory were taken again with demo data. On October 17, 2026, the consent to the legal documents at registration (section 2.1) and the inspection report from the mobile app (section 2.9) were added. The diagrams are written in Mermaid. They were checked against the code and the running system on October 9, 2026, and updated against the code on October 15, 2026 with the account lockout, automatic assignment, operator choice, the service start window, the alert for bookings without an operator and the inspection report. The screen inventory, with screenshots by role, is at the end.

The full specification of each requirement and use case (actors, precondition, main flow, alternative flows and postcondition) is in the *Software Requirements Specification*, sections 5 and 7.3; here they are cited by their identifier (RF-XXX, CUXX).


---

1. Use Cases by Actor


1.1 Use Case Diagram

The 32 use cases are presented in four diagrams, one per actor, grouped by module.


Use cases common to the three roles




Customer use cases




Operator use cases



Administrator and System use cases


LavaRápido
Users
CU27 Administer users and permissions
Catalog, opening hours and bays
CU20 Configure opening hours, bays and business data
CU21 Manage catalog and prices
Bookings and operations
CU08 Assign operator automatically
CU09 Assign or reassign operator
CU22 Manage operators and their availability
CU29 Manage bookings
CU30 Record inspection report
Payments and promotions
CU13 Review payment
CU28 Manage payment accounts
CU24 Manage promotions
Reports
CU23 View reports
Automatic processes
Administrator
System



Note. «include» means that CU05 always runs CU06; «extend» means that CU25 optionally extends CU12. CU22 appears as view-only for the operator and as management for the administrator, who is the one recording shifts, absences and the operator profile (RF-022, RF-038). The system runs CU08 each time a booking is confirmed, and CU32 groups the processes that run without anyone asking for them (reminders, alerts, notices and the first administrator). The customer does not record the inspection report (CU30): they view it through the link the administrator shares. In CU07 the customer cancels from the history or the payment screen; a new date or time is set by the administrator from Bookings (CU29), since neither the web nor the app has a reschedule screen for the customer. In CU27 the role is chosen when the account is created; the users list does not change it.

1.2 Actor and Use Case Matrix

Actor	Use cases
All roles	CU01, CU03, CU04, CU16, CU17, CU18, CU19, CU31
Customer	CU02, CU05, CU06, CU07, CU12, CU14, CU15, CU25, CU26, CU30 (view only)
Operator	CU10, CU11, CU22 (view only)
Administrator	CU09, CU13, CU20, CU21, CU22, CU23, CU24, CU27, CU28, CU29, CU30
System	CU06 (included in CU05), CU08, CU32


The specification of each of the 32 use cases (precondition, main flow, alternative flows, postcondition, status) is in the *Software Requirements Specification*, Tables 23 to 54.

---

2. Sequence Diagrams


Each diagram follows the path of the request (screen, gateway, services, database and RabbitMQ) with the class and endpoint names from the code. The first five are based on the diagrams in `vehicle-w-docs/08-uml/diagrams/source/`; the next ones cover loyalty, roles and permissions, the account lockout and the inspection report.

2.1 Registration and welcome (RF-001, RF-018)




Source: `security-service` (`AccountRegistrationService`, `AuthenticationService`, migration `039-security-app-user-legal-consent.sql`), event `security.user_registered`. The web and the mobile app do not send the form until both boxes are checked; the server stores the dates only when both arrive accepted.

2.2 Booking a wash (RF-005, RF-006, RF-010)




Source: `booking-service` (`BookingService.create`, `Booking.confirmNew`, `AvailabilityPolicy`), `operations-service` (`AvailableOperatorsController`), contracts in `07-api/contracts/openapi/`.

2.3 Reminders and alert for bookings without an operator (ADR-011)




Source: `notification-service` (`BookingReminderService`, `ReminderScheduler`, `StaffNotificationService`, migration 031).

2.4 Operator assignment, execution and rating (RF-008, RF-009, RF-010, RF-011, RF-012, RF-012b)




Source: `operations-service` (`BookingConfirmedListener`, `OperationsService.autoAssign / candidates / assign / start / finish / rate`, `AssignmentPolicy`, `AutoAssignmentPolicy`, `StartPolicy`, ADR-014).

2.5 Payment by receipt and review (RF-013, RF-013b, RF-014)




Source: `payment-service` (`PaymentCommandService.ReportAsync / ApproveAsync / RejectAsync / RegisterInPersonAsync / RefundAsync`, `BookingPaymentGuard`, `LoyaltyRewardService`, `Payment` aggregate, ADR-008, ADR-013). notification-service turns each `payment.*` event into a notice for the customer.

2.6 Coupon redemption and loyalty points (RF-024, RF-025, RF-026)




Source: `payment-service` (`LoyaltyController`, `CustomerPromotionService.RedeemAsync`, `Promotion.Redeem` aggregate, `LoyaltyLedgerRepository`), ADR-015.

2.7 Roles and permissions management (RF-029)




Source: `security-service` (`RolePermissionController`, `RolePermissionAdministrationService`, migration `026-security-role-permissions.sql`), ADR-015.

2.8 Sign-in with lockout after failed attempts (RF-002, RF-004b)




Source: `security-service` (`AuthenticationService.login`, `LoginLockout`, `PasswordRecoveryService`, migration `034-security-login-lockout.sql`).

2.9 Vehicle inspection report (RF-036)



Source: `operations-service` (`InspectionReport`, migration `033-execution-inspection-report.sql`), `notification-service` (shared report notice), web (`features/admin/pages/inspection`), and mobile app (`AdminInspectionScreen`, `InspectionService`). In the app the photos are taken with the camera or picked from the gallery and shrunk on the phone before the `POST /findings`; the **Publish and share link** button opens the phone share menu.

2.10 Password recovery with a 6-digit code (RF-003)




Source: `security-service` (`PasswordRecoveryService`, `PasswordResetToken`, `PasswordRecoveryPolicy` with `code-ttl: 15m` and `max-failed-attempts: 5`, `SecureRandomResetCodeGenerator`, `EmailResetCodeNotifier`). The *forgot* answer does not reveal whether the email exists.

---


3. Activity Diagrams


The activity diagrams show the business processes as they work in the system. There is no payment gateway: the customer uploads a receipt and the administrator reviews it (ADR-008).

3.1 Authentication (RF-001 to RF-004)




3.2 Booking a wash (RF-005, RF-006, RF-007, RF-010)



Does the customer have at least one vehicle?
Yes
No
Choose vehicle and one or more services
Ask them to register a vehicle (CU26)
Show the price for the vehicle type
Choose date and time
Does the customer want to choose the operator? (list of those free at that time)
Yes
No
Choose a free operator
Check opening hours, exceptions and bays
Is there a free bay in that slot?




3.3 Operator assignment and service execution (RF-008, RF-009, RF-010, RF-011, RF-


012b)


Confirmed booking without an operator
Does automatic assignment find an eligible operator? (RF-008)
No eligible operators
Yes
Booking without an operator; alert to the administrator when less than 2 h remain
Did the customer choose an operator who is still free? (RF-010)
Yes
No
Admin sees candidates: available first, with rating
Admin picks an operator
Assign the chosen operator
Pick the one with the fewest bookings that day tie: lowest identifier
Operator active, on shift, not absent and with no schedule overlap?
Notify the customer and the operator
No
Yes





3.4 Paying for a booking (RF-013, RF-013b, RF-014, RF-016)


Confirmed booking without an approved payment
Which payment method?
QR / Transfer / Nequi / Daviplata
Cash
Show the QR of the active account and instructions
Customer pays from their bank app outside the platform
Uploads receipt + declared amount + reference code
Customer pays at the site
Admin records the payment manually
Reference code already used in another booking?
Payment → Approved directly
Yes
No
Reject: TRANSACTION_REFERENCE_REUSED
Payment → Under review (linked to the booking)
Waits for the admin review





3.5 Redeeming a loyalty coupon (RF-024, RF-025, RF-026)


Customer on the payment screen
Do they have promotions unlocked by their points?
No
Yes
No coupon is offered
Enters the coupon code
Valid, active, unlocked and not redeemed before for this booking?
No
Yes




3.6 Managing roles and permissions (RF-029)


Admin opens Management → Roles
Load the 3 fixed roles + permission catalog
View the current permissions of each role: Administrator, Operator, Customer
Admin checks or unchecks permissions of a role
Save
Do all permission ids exist in the catalog?
Yes
No




4. State Diagrams

4.1 Booking life cycle (RF-006, RF-007)



Source: `booking-service`, `Booking.moveTo`, `Booking.cancel`, `BookingStatus`. Only `SCHEDULED` and `CONFIRMED` can be rescheduled or cancelled (RF-007). The customer only cancels, before the start time and without writing a reason (the booking stores `CUSTOMER_REQUEST`); the administrator reschedules (CU29) and may choose the cancellation reason. `SCHEDULED` exists in the model, but the current flow always creates the booking directly as `CONFIRMED`.


4.2 Payment life cycle (RF-013b, RF-014, ADR-008)



Source: `payment-service`, `Payment` aggregate. A booking allows only one approved payment and only one open payment at a time; after `REJECTED` the customer can report a new payment. A


customer payment goes from `PENDING` to `IN_REVIEW` in the same request; the cash payment the administrator registers is `APPROVED` at once.

4.3 Service execution life cycle (RF-012b)




Source: `operations-service` (`ServiceExecution`, `StartPolicy`). `COMPLETED` enables the customer's rating (RF-012). `PAUSED` and `WITH_ISSUE` exist in the `execution.execution_status` catalog, but no use case uses them today.

4.4 Promotion life cycle (RF-024)




Source: `payment-service`, `Promotion.SetActive`, `Promotion.StatusFor`, `Promotion.IsAvailableOn`. The only thing stored is whether it is active or paused; the administrator's screen shows "scheduled" until the start date arrives. Only an active promotion within its validity period can be redeemed (RF-024, RN-PROMO-01): after the end date it is no longer offered or redeemed, although no "expired" status is stored.

4.5 Inspection report and its phases (RF-036)


Each phase
PENDING
mark in progress or record a finding
back to pending
IN_PROGRESS
finish
reopen
DONE
create (booking of 180 min or more, Confirmed or In progress)
mark phases and record findings
DRAFT
publish (the link starts showing it)
edit or share (notifies the customer)
PUBLISHED
the booking is completed (phases and findings read only)

Source: `operations-service`, `InspectionReport` (`publish`, `requirePublished`, `setPhaseStatus`, `addFinding`). The phases are reception, exterior, interior, engine and delivery; only a published report can be shared, and it is edited while the booking is still Confirmed or In progress.

4.6 User account (RF-002, RF-004b, RF-027, RF-028)



Source: `security-service` (`UserAccount`, `LoginLockout`, `UserAdministrationService.changeStatus`, `AccountDeactivationService`). A successful sign-in before the fifth attempt clears the failure count. The user closes their account with the


password. A locked account answers 423 even with the right password; an inactive one answers 403 after the password is checked. No administrator account can be deactivated (403 `ADMIN_CANNOT_BE_DISABLED`), and an administrator cannot deactivate or close their own account (403 `CANNOT_DISABLE_OWN_ACCOUNT`). Each account has one role, set when it is created: there is no role change.


---


5. Screen Inventory (mockup)

Screen by screen and by role, including the create and edit modals of each module. All screenshots are in the `capturas/` folder of this document. The Management → Users screenshot was taken again on October 20, 2026: the table only shows the user type and has the Enabled and Disabled filters. Since October 20, clicking a notification or a booking of the history opens its detail, with a button to go to the related section (for example, **Go to payment**).



5.1 Common screens (no session)


Screen	Evidence
Sign-in	



Screen	Evidence
Registration	


Screen	Evidence
Password recovery	


5.2 Administrator role


Screen	Evidence
Dashboard	
Management → Users	


Screen	Evidence
Modal: Create user	


Screen	Evidence
Management → Roles	
Modal: Edit role permissions	



Screen	Evidence
Management → Services (catalog)	


Screen	Evidence
Modal: Add service	



Screen	Evidence
Management → Promotions	


Screen	Evidence
Modal: Create promotion	



Screen	Evidence
Opening hours and bays	


Screen	Evidence
Modal: Add opening-hours exception	
Operators	


Screen	Evidence
Modal: New operator	


Screen	Evidence
Modal: Assign shift	
Bookings	



Screen	Evidence
Modal: Assign an operator to a booking	

Screen	Evidence
Payments	
Modal: Record manual payment	


Screen	Evidence
Reports	


Screen	Evidence
Settings → Payment accounts	



Screen	Evidence
Modal: Add payment account	


Screen	Evidence
Notifications	
Profile	


5.3 Customer role



Screen	Evidence
Dashboard	



Screen	Evidence
Modal: View details of the next service	

Screen	Evidence
My vehicles	
Modal: Register vehicle	



Screen	Evidence
Book a wash	



Screen	Evidence
Booking history	


Screen	Evidence
Pay for a service	
Modal: Confirm booking cancellation	

Screen	Evidence
Notifications	
Settings (theme and language)	

5.4 Operator role

Screen	Evidence
Main dashboard	
Assigned services	

Screen	Evidence
My schedule (availability)	
Service history	

Screen	Evidence
Ratings received	

Correlation with the Software Requirements Specification

Dynamic view in this document	Requirements it illustrates
§2.1 Registration and welcome	RF-001, RF-018
§2.2 Booking a wash	RF-005, RF-006, RF-010
§2.3 Reminders and alert	RF-018
§2.4 Assignment and execution	RF-008, RF-009, RF-010, RF-011, RF-012, RF-012b

Dynamic view in this document	Requirements it illustrates
§2.5 Payment by receipt	RF-013, RF-013b, RF-014, RF-016
§2.6 Coupon redemption and points	RF-024, RF-025, RF-026
§2.7 Roles and permissions	RF-029
§2.8 Sign-in with lockout	RF-002, RF-003, RF-004b
§2.9 Inspection report	RF-036, RF-018
§3.1 to §3.6 Activities	The whole authentication, booking, operations, payment and promotion module
§4.1 to §4.5 States	RF-006, RF-007, RF-012b, RF-013b, RF-014, RF-024, RF-036