

Uso de GBD del grupo

File Edit Selection View Go Run ...

RUN AND DEBUG Debug A...

VARIABLES

- Locals
- Registers

WATCH

CALL STACK

Paused on step

Breakpoints

- All C++ Exceptions
- Rutina_Regresion_Lineal.s 107
- Rutina_Regresion_Lineal.s 137
- Rutina_Regresion_Lineal.s 141
- Rutina_Regresion_Lineal.s 157
- Rutina_Regresion_Lineal.s 164
- Rutina_Regresion_Lineal.s 188
- Rutina_Regresion_Lineal.s 198
- Rutina_Regresion_Lineal.s 203

ASM Rutina_Regresion_Lineal.s

```
134 _start:
136 // Leer argumentos: ./regresion lecturas.csv 10 80 TEMP
137 ldr x0, [sp] // arg0
138 cmp x0, #5 // programa + 4 argumentos
139 blt fail_insufficient_data
140
141 ldr x0, [sp, #16] // argv[1] = archivo
142 ldr x1, [sp, #24] // argv[2] = linea_inicial
143 ldr x2, [sp, #32] // argv[3] = linea_final
144 ldr x3, [sp, #40] // argv[4] = columna
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS STACKSCOPE

Saved \$sp Go PC SP LR

REGISTERS

Register	Value
\$pc	0x4007f4
\$sp	0x7fc61b9dc020
\$lr	0x0

Ln 137, Col 39 Tab Size: 4 UTF-8 LF {} ARM64 Quota reached

```
File Edit Selection View Go Ejecutar Terminal Help
PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL PUERTOS SPELL CHECKER 177
oscarito@oscarito-pc:~/Escritorio/ARQUII1V15_G3$ cd ~/Escritorio/ARQUII1V15_G3/Fase2/src/dashboard/backend/arm64
qemu-aarch64 -g 1234 build/modulo_1_rmse 4 29 2 25

stepi
stepi
info registers
No symbol "stepi" in current context.
(gdb) continue
Continuando.

Breakpoint 1, loop_rmse () at src/modulo_1_rmse.s:177
177      cmp x27, x26
(gdb) cat resultado_rmse.txt
catch orden indefinida: «resultado_rmse.txt». Intente con «help catch»
(gdb) q
Una sesión de depuración está activa.

Inferior 1 [process 518877] will be killed.

¿Salir de cualquier modo? (y or n) n
No confirmado.
(gdb) stepi
178      beq calcular_rmse
(gdb) stepi
180      ldr x10, [x24]
(gdb) stepi
181      add x24, x24, #16
(gdb) stepi
183      sub x23, x10, x20
(gdb) stepi
184      mul x23, x23, x23
(gdb) info registers
x0      0x4000007ff330      70368752562992
x1      0x4000007ff4d0      70368752563408
x2      0x1a                26
x3      0x4000007ff4f0      70368752563440
x4      0x2                2
x5      0xa                10
x6      0x0                0
x7      0x1                1
x8      0x39               57
x9      0x5                5
x10     0xc18              24
x11     0x2                2
x12     0x41162b           4265515
x13     0x4                4
x14     0xc1d              29
x15     0x2                2
x16     0x0                0
x17     0x0                0
x18     0x1a              26
x19     0x5                5
x20     0xc19              25
x21     0x411916           4266262
x22     0x1                1
x23     0xffffffffffffff   -1
x24     0x4000007ff350      70368752563024
x25     0x0                0
```



```
brayan@brayan-Inspiron-3501:/media/brayan/windows/Brayan/Arqui1  
/Lab/ARQUI1V1S_G3/Fase2/src/dashboard/backend/arm64$ gdb-multia  
rch build/rutina_integral_del_error
```

```
Breakpoint 1, read_values ()  
    at src/dashboard/backend/arm64/src/Rutina_Integral_del_erro  
r_por_regla_del_trapecio.s:72
```

```
72      mov x13, #1
```

```
(gdb) info registers x15
```

```
x15      0x30c      780
```

```
(gdb) continue
```

```
Continuando.
```

```
Breakpoint 2, calc_loop ()
```

```
    at src/dashboard/backend/arm64/src/Rutina_Integral_del_erro  
r_por_regla_del_trapecio.s:88
```

```
88      cmp x23, x19
```

```
(gdb) info registers x15
```

```
x15      0x7      7
```

```
(gdb) quit
```

```
Una sesión de depuración está activa.
```

```
Inferior 1 [process 61722] will be killed.
```

```
¿Salir de cualquier modo? (y or n) y
```

```
brayan@brayan-Inspiron-3501:/media/brayan/windows/Brayan/Arqui1  
/Lab/ARQUI1V1S_G3/Fase2/src/dashboard/backend/arm64$
```

