```
mysql> create database materiales;
Query OK, 1 row affected (0.01 sec)

mysql> use materiales;
Database changed
```

```
mysql> create table materiales(
    → cod_materiales int not null auto_increment,
    → descripcion varchar(20) not null,
    → fecha_compra varchar(15),
    → existencias int not null,
    → primary key (cod_materiales)
    → );
Query OK, 0 rows affected (0.01 sec)
```

4

```
mysql> show databases;
| Database
| bd_drogueria
cdr
| citas
| citas1
l ehr
| ejercicioss
| information_schema
| materiales
mysql
| performance_schema
pubs
sys
| ventas
13 rows in set (0.00 sec)
```

```
mysql> describe materiales;
                           | Null | Key | Default | Extra
 Field
               Type
 cod_materiales | int
                                  | PRI | NULL
                            I NO
                                                 | auto_increment
 descripcion | varchar(20) | NO
                                        NULL
 fecha_compra
               | varchar(15) | YES |
                                        I NULL
  existencias
               | int
                            I NO I
                                        INULL
 rows in set (0.00 sec)
```

6

```
mysql> insert into materiales(cod_materiales, descripcion, fecha_compra, existencias) values (null, 'Alicates', '21/07/2022', '20'),(null,'Destornillador','15/07/2022', '40'),(null, 'Martillo', '10/07/2022', '15');
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

7

R

```
mysql> alter table materiales

→ change column descripcion descripcion varchar(30) not null;

Query OK, 0 rows affected (0.09 sec)

Records: 0 Duplicates: 0 Warnings: 0
```

q

```
mysql> insert into materiales(cod_materiales, descripcion, fecha_compra, existencias) values (null,'Pa
la','05/07/2022', '20'),(null, 'Serrucho', '10/07/2022', '15'),(null, 'Motocierra', '25/07/2022','5');
Query OK, 3 rows affected (0.00 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> select count(*) from materiales where existencias > 20;
+-----+
| count(*) |
+-----+
| 1 |
+-----+
1 row in set (0.00 sec)
```