

SOP-18: Transaction monitoring instruction

Rules are grouped in families per product area with documented coverage. New rules and rule changes are tested before activation, and model performance is reviewed on a set cycle as part of model risk management. Switching a rule off follows the same governance as switching one on.

Company	Mynta AB
Last approval date	2026-09-10
Approved by	MLRO
Document type	Work procedure
Document owner	Monitoring function
Information class	Open internally, confidential externally

Versioning

DATE	VERSION	CHANGES	BY
2026-09-07	1.x	Earlier versions per the change notes in this document	Document owner
2026-09-10	2.0	Rewritten in plain language. No rules changed.	Document owner

FIELD	VALUE
Implements	GOV-02 section 9 monitoring duty. GOV-01 conclusion C5.
Outputs to	SOP-19 (all alerts). SOP-12 (counterparty name hits). SOP-21 (sanctions-linked, immediate).
Parameter source	The monitoring rule register. Threshold values shall not be written into this instruction.

1 · Purpose and scope

This instruction sets out how customer activity is monitored across all four product areas: accounts and payments, card issuing, merchant acquiring, and crypto Crypto Service activity. It defines the monitoring architecture, the rule families per product area, the alert standard, and the governance of rules and parameters. It applies to all customers and all products from activation. Investigation of alerts is governed by SOP-19.

2 · Architecture

Monitoring operates on three inputs: transaction data per product area, the customer's baseline recorded at onboarding (SOP-10 section 16, SOP-11 S7.2), and the customer's risk class per SOP-14. Rules run continuously or in daily batch per the rule register. Each rule evaluates against the customer's total position across all product areas as well as the triggering product area. Per GOV-01 conclusion C5, a monitoring configuration that evaluates product areas in isolation only is a control failure and shall be reported as an incident.

Risk class scales monitoring: high-risk customers run the enhanced rule set with tighter parameters and shorter look-back windows, per the register. New customers run the new-account regime in section 5 in addition to standard rules.

3 · Rule families per product area

The families below define what is monitored. Parameters (thresholds, windows, percentages) live in the rule register with per-risk-class values. Rule identifiers follow the pattern R-[product area]-[number].

3.1 Accounts and payments (R-ACC)

ID	FAMILY	DETECTS
R-ACC-01	Velocity	Incoming or outgoing volume above baseline multiples within the window.
R-ACC-02	Pass-through	High in-out symmetry with short holding time and low residual balance.
R-ACC-03	Structuring	Repeated amounts clustered under register-defined levels, within and across days.
R-ACC-04	Counterparty breadth	Number of distinct counterparties above baseline expectation for the segment.
R-ACC-05	Cross-border flow	Transfers to or from the elevated category and the high-risk category countries per C-2, weighted by risk class and baseline geography.
R-ACC-06	Dormancy activation	Material activity on an account inactive beyond the register window.
R-ACC-07	Baseline deviation	Sustained departure from recorded expected volumes, counterparty types or geographies.
R-ACC-08	Related-customer flow	Circular or repeated flows among customers linked by device, address or ownership data.

3.2 Card issuing (R-CRD)

ID	FAMILY	DETECTS
R-CRD-01	ATM extraction	Withdrawal patterns riding limits, dispersed geographically or concentrated off-hours.
R-CRD-02	Load-spend cycling	Account funding followed by immediate card depletion inconsistent with the profile.
R-CRD-03	Cross-border spend	Spend concentrated in the elevated category and the high-risk category countries against a domestic baseline.
R-CRD-04	Merchant category deviation	Spend concentrated in register-flagged MCC groups inconsistent with the profile.

3.3 Merchant acquiring (R-ACQ)

ID	FAMILY	DETECTS
----	--------	---------

R-ACQ-01	Volume versus profile	Settlement volume above the underwritten expectation by register multiples.
R-ACQ-02	Chargeback ratio	Chargeback rate above register levels for the MCC, by count and value.
R-ACQ-03	Refund anomaly	Refund ratios or refund-to-new-card patterns above register levels.
R-ACQ-04	Ticket profile shift	Average ticket or ticket distribution departing from the underwritten profile.
R-ACQ-05	Settlement fan-out	Settlement proceeds forwarded to third parties inconsistent with the merchant's stated operations.
R-ACQ-06	Activity pattern	Processing hours, seasonality or geography inconsistent with the stated business.

3.4 Crypto Crypto Service (R-CRY)

ID	FAMILY	DETECTS
R-CRY-01	Crypto Service share	Crypto activity share above baseline or above the C-9 level for the class.
R-CRY-02	Rapid conversion	Fiat in to crypto out, or the reverse, within register windows and above register values.
R-CRY-03	Wallet risk	SOP-17 screening signals on counterparty wallets: sanctioned, high-risk cluster, or mixer-adjacent per the vendor taxonomy.
R-CRY-04	Cap approach	Customer or institutional Crypto Service volumes approaching GOV-04 caps.

4 · Cross-product area rules (R-XR)

ID	FAMILY	DETECTS
R-XR-01	Cross-product area structuring	Total activity across product areas exceeding levels that no single product area exceeded.
R-XR-02	Product areas sequencing	Register-defined sequences: acquiring settlement to account to Crypto Service; card load to Crypto Service; account to card to ATM.
R-XR-03	Total baseline deviation	Total activity departing from the combined baseline where per-product area activity remains within limits.

5 · New-account regime

For the register-defined initial period after activation, customers run tightened parameters on R-ACC-01, R-ACC-02, R-CRD-02 and R-CRY-02, and any first occurrence of the high-risk category cross-border flow activity or Crypto Service use alerts regardless of value. If an alert during the period closes with a note, the period extends automatically. Otherwise the customer leaves the regime automatically when the period ends.

6 · Alert standard

Every alert delivered to SOP-19 shall contain: the rule ID and version, the triggering data with values against parameters, the customer identifier and risk class, the relevant baseline fields, a link to total cross-product area activity for the window, and prior alert history on the customer. An alert missing any of these is a data incident and shall be logged as such. Sanctions-linked alerts route simultaneously to SOP-21 handling.

7 · Data completeness

Monitoring depends on complete feeds from all four product areas and on baseline data. Feed interruptions, schema changes and missing-field rates above register tolerances shall be detected by automated reconciliation, logged as incidents, and reported to the MLRO the same day. Transactions arriving during an interruption shall be monitored retroactively on restoration, and the retroactive run shall be documented.

8 · Rule governance and tuning

The monitoring rule register is the system of record for rules, parameters, per-class values, versions and owners. Changes follow change control: proposal with rationale and expected effect, MLRO approval, pre-implementation testing on historical data, implementation, and a post-implementation check after one full cycle. Emergency additions in response to an active typology may be implemented on MLRO approval with testing completed within ten business days.

Tuning inputs: the SOP-19 closing decision tags (true concern, reasonable but benign, rule noise), per-rule alert and conversion statistics, and QC findings. Parameter changes that reduce alert volume shall be tested for their effect on detection of known cases before approval. Suppression of a rule for a named customer requires senior-analyst proposal, MLRO approval, a recorded reason, an expiry date, and quarterly review of all live suppressions.

9 · Effectiveness testing

Annually, and after material rule changes: above-the-line and below-the-line testing on samples around current parameters; seeding of known typology patterns through the test environment with expected alerts verified; coverage mapping of the GOV-01 Appendix B typologies against live rules, with uncovered typologies logged and corrected; and review of the alert-to-outcome funnel per rule. Results are reported in the MLRO report with correction owners and dates.

10 · Records and review

Alert data, rule versions, parameter histories, suppressions, incidents and test results follow GOV-02 section 10 retention. This instruction is reviewed annually and on GOV-01 revisions. The rule register is reviewed quarterly by the MLRO.