

1. 快速创建小程序页面

在app.json中的pages配置项，把需要创建的页面填写上去

The screenshot shows a code editor with two panes. The left pane is a file browser ('资源管理器') showing a project structure for a WeChat Mini Program. It includes a 'pages' folder containing 'index', 'logs', and 'test' subfolders. Inside 'test', there are files: 'test.js', 'test.json', 'test.wxml', and 'test.wxss'. The 'app.json' file is also listed. The right pane is an editor window titled 'app.json' with the following JSON code:

```
1 "pages": [
2     "pages/index/index",
3     "pages/test/test", 2
4     "pages/logs/logs"
5 ],
6 "window": {
7     "backgroundTextStyle": "light",
8     "navigationBarBackgroundColor": "#000",
9     "navigationBarTitleText": "优雅谷",
10    "navigationBarTextStyle": "white"
11 },
12 "tabBar": {
13     "color": "#07c160",
14     "selectedColor": "#000000",
15     "text": "123456789"
16 }
```


A red box highlights the 'test' page entry in the 'pages' array of the JSON code. A red arrow points from this highlighted area to the 'test' folder in the file browser, indicating that saving the changes will generate the corresponding page files.


2. 快捷键的使用

尽量使用默认的快捷键方式，不建议个性化设置

设置方式一：文件 --- 首选项 --- keyboard shortcuts 进入快捷键查看与设置

设置方式二：设置 --- 快捷键设置





注释

单行注释: `ctrl /`
多行注释: `shift alt a`

注意: `wxml`, `wxjs`, `wxss` 的注释语法有差异

格式化文档

`shift + alt + f`

剪切、复制、粘贴、删除

剪切: `ctrl + x`
复制: `ctrl+c`
粘贴: `ctrl+v`


3.文件自动保存

文件自动 --- 保存



4. 设置外观与主题

进入方式：设置-->外观-->主题



5. 字体大小缩放

