

1.新建向程序项目

填入自己的appid

- app.json :
 - 删除pages的log链接
 - 修改navigationBarTitleText 为在线商城
 - 把pages下的logs文件夹删除
- app.wxss :里面内容全部清空
- app.js 全部清空，且添加app 基本结构
- 配置index首页
 - index.wxss清空
 - index.wxml 清空，添加在线商城
 - index.json 添加

```
{  
  "usingComponents": {},  
  "navigationBarTitleText": "首页"  
}
```
 - index.js 清空，添加Page结构

2.搭建目录结构

创建以下目录

目录名	作用
styles	存放公共样式
components	存放组件
lib	存放第三方库
utils	自己的工具库
request	自己的接口帮助库

3.搭建项目的页面

页面名称	名称
------	----

页面名称	名称
首页	index
分类页面	category
商品列表页面	goods_list
商品详情页面	goods_detail
购物车页面	cart
收藏页面	collect
订单页面	order
搜索页面	search
个人中心页面	user
意见反馈页面	feedback
登录页面	login
授权页面	auth
结算页面	pay

==app.json==

```
"pages": [
  "pages/index/index",
  "pages/category/category",
  "pages/goods_list/goods_list",
  "pages/goods_detail/goods_detail",
  "pages/cart/cart",
  "pages/collect/collect",
  "pages/order/order",
  "pages/search/search",
  "pages/user/user",
  "pages/feedback/feedback",
  "pages/login/login",
  "pages/auth/auth",
  "pages/pay/pay"
]
```

4.搭建项目tabbar结构

创建icons文件夹，拷贝标签页图标

app.json配置页签

```

"window":{
  "backgroundTextStyle":"light",
  "navigationBarBackgroundColor": "#fff",
  "navigationBarTitleText": "在线商城",
  "navigationBarTextStyle":"black"
},

"tabBar": {
  "color": "#999",
  "selectedColor": "#ff2d4a",
  "backgroundColor": "#fafafa",
  "position": "bottom",
  "borderStyle": "black",
  "list": [
    {
      "pagePath": "pages/index/index",
      "text": "首页",
      "iconPath": "icons/home.png",
      "selectedIconPath": "icons/home-o.png"
    },
    {
      "pagePath": "pages/category/index",
      "text": "分类",
      "iconPath": "icons/category.png",
      "selectedIconPath": "icons/category-o.png"
    },
    {
      "pagePath": "pages/cart/index",
      "text": "购物车",
      "iconPath": "icons/cart.png",
      "selectedIconPath": "icons/cart-o.png"
    },
    {
      "pagePath": "pages/user/index",
      "text": "我的",
      "iconPath": "icons/my.png",
      "selectedIconPath": "icons/my-o.png"
    }
  ]
},

```

5. 初始化页面样式

==app.wxss全局样式文件==

```

/*在微信小程序中 不支持 通配符 **/
page,view,text,swiper,swiper-item,image,navigator{
  padding:0;
  margin: 0;
  box-sizing: border-box;
}

```

/* 主题颜色 通过变量来实现

1. less中 存在变量这个知识
2. 原生的css和wxss也是支持变量

```
*/

page{
  /* 定义主题颜色 */
  --themeColor:#eb4450;
  /*
  定义统一字体大小 假设原图大小是375px
  1px=2rpx
  14px=28rpx
  */
  font-size: 28rpx;
}
```

==导航栏背景颜色与文字颜色配置==

app.json

```
"window":{
  "backgroundTextStyle":"light",
  "navigationBarBackgroundColor": "#eb4450",
  "navigationBarTitleText": "在线商城",
  "navigationBarTextStyle":"white"
},
```

==在首页样式index.wxss使用变量==

```
view{
  /* 使用主题颜色 */
  color: var(--themeColor);
}
```