

[illegible]

0	0	x	x	1	0	0	0	00-	add	dd			
1	0	0	0	1	0	1	1	11	set on equal	d			
1	0	0	1	1	0	0	1	1	subtract	d			
1	0	1	X	1	0	0	0	00-	add	d			
1	1	X	X	0	0	1	0	10	nothing	d			
0	1	x	x	1	0	1	1	11	set on equal	d			
0	0	0	0	0	0	1	0	10	nothing	d			
0	0	0	1	0	1	0	0		jump	d			
ALU contoller logic Truth table													
INPUTS	INPUTS	INPUTS	INPUTS	INPUTS	third bit	OUTPUTS	OUTPUTS	FULL OUTPUT	ALU FUNCTION				
op (bit 8)	op (bit 7)	cond bit(bit 2)	cond bit (bit 1)	control unit bit		left bit	right bit						
0	0	x	x	1	0	0	0	00-	add	dd			
1	0	0	0	1	0	1	1	11	set on equal	d			
1	0	0	1	1	0	0	1	1	subtract	d			
1	0	1	X	1	0	0	0	00-	add	d			
1	1	X	X	0	0	1	0	10	nothing	d			
0	1	x	x	1	0	1	1	11	set on equal	d			
0	0	0	0	0	0	1	0	10	nothing	d			
0	0	0	1	0	1	0	0		jump	d			