

## ITERATION 1 - EVALUATION NOTES MotionCanvas

DPR

April 2026 | Evaluators: Breanna Gordon, Ammal Samatar, Katie Chen

### Purpose of This Iteration

Foundational feasibility check. The goal was not to produce a polished interface but to verify that the core technical components worked: the canvas could draw, controls responded, and a working architecture for Leap Motion was in place. The purpose of this iteration was to confirm we had a working base before adding complexity.

### What Was Built

HTML5 Canvas with JavaScript (no framework)


Mouse and touch input for drawing; mouse position simulated Leap input

Line width mapped to a range slider

5 fixed colour swatches (no custom colour selection)

Save (PNG export) and Clear Canvas buttons

Tremor toggle button present in UI but non-functional (no detection logic behind it)



### Evaluation Findings

What worked: the core drawing mechanics functioned correctly. Canvas, slider, colour selection, save, and clear all behaved as intended. The WebSocket architecture was in place and ready for Leap integration. The separation of concerns in the code made it straightforward to build on.

What did not work: the tremor toggle appeared functional but produced no change. This meant the core design concept could not be tested at this stage. There was no onboarding or calibration, so a user using the tool had no context for what it was or how to set it up. The visual design was generic with no identity that communicated the expressive, artistic purpose of the tool.

Key insight: a proof-of-concept that cannot demonstrate its central concept (tremor reframing) is not yet testable. The priority for Iteration 2 was to make the tremor detection functional so the design could be evaluated.

### Strengths

Core drawing mechanics functioned correctly

We made code ready for Leap integration

Clean codebase easy to build on

### Key Limitations Leading Into Iteration 2

| Problem                           | Impact                                                                                 |
|-----------------------------------|----------------------------------------------------------------------------------------|
| Non-functional tremor toggle      | Core design concept not testable                                                       |
| No onboarding or calibration      | Users could not orient to the tool or set up input                                     |
| HTML5 Canvas alone is restrictive | Adding particle trails, custom brushes, opacity significantly harder without a library |
| Generic visual design             | Does not communicate the expressive/artistic purpose                                   |

### Design Decisions for Iteration 2

Switch to p5.js - simpler access to drawing primitives, easier brush variety, better animation loop control

Add onboarding screen - brief introductory screen before the canvas

Add calibration screen - guide users to move through their natural range so the system can map input accurately

Build functional tremor detection - actual speed and displacement detection logic, not just a toggle

Expand brush system - particle, scatter, ink, and smooth brushes

Redesign visual language - warm, distinctive palette and typographic identity

## Notes on Methodology

At this stage evaluation was internal and informal.