

Iteration 3 – EVALUTION NOTES

May 2026 | Evaluators: Breanna Gordon, Ammal Samatar, Katie Chen


MotionCanvas



Purpose of This Iteration


To address the usability gaps identified in Iteration 2 and produce a submission-ready prototype. Key focus areas: undo, explaining the tremor reframe concept in-context, consistent light mode across the whole interface, and accessibility of the canvas defaults.

What Was Built

- Undo and redo: multi-step history stack (up to 20 states), accessible via Ctrl+Z, Ctrl+Y, top bar buttons, and panel buttons
- Eraser brush mode added, accessible via keyboard shortcut E
- Black added to colour swatches
- Clear button added to top bar alongside Undo and Redo
- Canvas defaults to light mode on entry - onboarding stays dark, canvas switches on arrival
- Light mode now applies consistently across canvas, panel, and top bar (bug from Iteration 2 resolved)
- Movement panel relabeled as "Movement - Tremor Reframe" with numeric intensity readout
- Hover-and-Hold selection enabled via leap motion sensor setting used as primary contact free input method







Evaluation Findings

What worked: undo and redo resolved the most significant frustration from Iteration 2 and functioned correctly across mouse and Leap input including on HiDPI displays. Light mode now applies coherently across the whole interface rather than just the canvas, removing the jarring split from the previous iteration. The "Movement - Tremor Reframe" label makes the core concept visible in the UI for the first time. The gesture list in the panel gives users a reference for Leap input without needing external documentation. Defaulting to light mode on canvas entry produced a cleaner, less visually heavy drawing surface.

What did not work: the Clear button sits close to Undo in the top bar with no confirmation dialog, creating a risk of accidental full canvas clear. Calibration success is indicated only by a small corner label rather than a distinct confirmation moment. Leap gesture detection had not been fully tested with the physical sensor under real hand movement at the time of this evaluation. Hover-hold was inconsistent across different laptops – sometimes would work perfectly but other times even after resetting device just would not show. Functionality varies between laptops and PCs.

Key insight: naming the tremor reframe concept explicitly in the interface - rather than leaving it as a hidden behavior - changed how the tool communicates its purpose. A user who reads "Movement - Tremor Reframe" in the panel has a frame for understanding what the cross-hatch marks mean before they see them appear.

Evaluation Against Iteration 2 Issues

Issue from Iteration 2	Addressed?
No undo	Yes - multi-step undo/redo added
Calibration lacks success state	Partially - small corner indicator added
Tremor reframe not explained in-context	Yes - panel now labelled "Movement - Tremor Reframe"
Leap status not dynamic	Yes - mode pill with live dot
Side panel grouping unclear	Yes - clear section labels and dividers added
Light mode applies only to canvas	Yes - full interface theme now consistent
Intensity slider no numeric readout	Yes - numeric value displayed

Remaining Limitations

Clear button has no confirmation - risk of accidental loss of work

Leap gesture detection untested under real hand data

Calibration success indication is subtle

External user testing not completed due to sensor access constraints

Strengths

Undo/redo robust and correct

Light mode default is a meaningful accessibility decision applied consistently

Gesture list makes Leap input learnable without external documentation

Tremors reframe concept now named and visible in the UI

Fully functional in mouse mode, making it evaluable without sensor access

Notes on Methodology

Evaluation remained internal. Simulate tremors and auto demo continued to be the primary means of demonstrating the concept for video documentation. External testing with users with motor differences remains a recommended next step beyond the scope of this project. Audio feedback to help guide user and confirm selections was identified as a necessary addition to introduce an auditory output channel and achieve a fully multimodal system.