#### **KU LEUVEN**



# Title of the presentation can be very long without any problems, even longer should be possible.

subtitle

Author $1^1$  Author $2^2$ 

<sup>1</sup>Institute 1

<sup>2</sup>Institute 2

Februari 2, 2016



#### **Outline**

- 1. Slides with text only
- 2. Slides with graphics and text
- 3. Further reading

## 1 - Outline

- 1. Slides with text only
- 2. Slides with graphics and text
- 3. Further reading

#### 1 - Itemize and enumerate

- ► First item
  - first subitem
  - second subitem
- ► Second item
  - first subitem
  - second subitem
- 1. First item
  - first subitem
  - second subitem
- 2. Second item
  - 2.1 first subitem
  - 2.2 second subitem

#### 1 – Double-column slide

This is the top of the first column.

This is the top of the second column.

## 1 – Fancy text and equations

#### This is a beamer color box

#### Theorem

There exists an infinite set.

### Proof.

This follows from the axiom of infinity.

$$M\ddot{q} + \Phi_q^T \lambda = Q \tag{1}$$

## 2 - Outline

1. Slides with text only

2. Slides with graphics and text

3. Further reading

## 2 – Graphics and text side by side



Some text about the figure here or some other things

- ► first subitem
- ► second subitem

## 2 - Figures with caption





Figure 1: An illustrative caption for the figure

## 2 – Overlayed graphics



## 3 - Outline

- 1. Slides with text only
- 2. Slides with graphics and text
- 3. Further reading



## 3 – Further reading

► BEAMER class user guide<sup>1</sup>



<sup>&</sup>lt;sup>1</sup>Till Tantau, Joseph Wright, and Vedran Miletić. *The beamer class.* 2013.