[Application: Advanced Pricing]

| Application             | Pro |          | gram Code          | Program Name                 |
|-------------------------|-----|----------|--------------------|------------------------------|
| Advanced Pricing        |     | ADDITEMS |                    | ADDITEMS                     |
| Program Type            | Out |          | Executable         |                              |
| PL/SQL Stored Procedure | TEX | ſΤ       | QP_ADD_ITEM_PRCLIS | T_PVT.ADD_ITEMS_TO_PRICE_LIS |
|                         |     |          | T                  |                              |

0 Parameters

### [Application: Advanced Pricing]

| Application      |      | ogram Code | Program Name    |
|------------------|------|------------|-----------------|
| Advanced Pricing | QP   | XPACRL     | Accrual Details |
| Program Type     | Out  | Executable |                 |
| Oracle Reports   | TEXT | QPXPACRL   |                 |

#### 8 Parameters

| Seq | Parameter                      | Value Set                       | Default   |
|-----|--------------------------------|---------------------------------|---|
| 1   | Set Of Books Id                | QP: Integer                     |   |
| 3   | Modifier Name From             | QP_MODIFIER_NAME                |   |
| 5   | Modifier Name To               | QP_MODIFIER_NAME                |   |
| 7   | Start Date Active              | FND_STANDARD_DATE               |   |
| 9   | End Date Active                | FND_STANDARD_DATE               | select fnd_date.date_to_chardate(fnd_date .canonical_to_date(:\$FLEX\$.FND_S TANDARD_DATE),0) from sys.dual |
| 11  | Qualifier Context              | QP_QUALIFIER_CONTEX T           |   |
| 13  | Qualifier Attribute Value From | QP_QUALIFIER_ATTRIBU<br>TE_FROM |   |
| 15  | Qualifier Attribute Value To   | QP_QUALIFIER_ATTRIBU<br>TE_TO   |   |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

#### [Application: Advanced Pricing]

| A U = = (! =            |     | Dua susana Carla |                   | Due surem Nemes       |
|-------------------------|-----|------------------|-------------------|-----------------------|
| Application   Program   |     | ogram Code       | Program Name      |                       |
| Advanced Pricing        |     | QP               | XPACRL_XML        | Accrual Details (XML) |
| Program Type            | Out |                  | Executable        |                       |
| Java Concurrent Program | XM  | L                | JCP4XDODataEngine | )                     |
| Data Template           |     |                  |                   |                       |

Data Template

QPXPACRL\_XML.xml

#### 9 Parameters

| Seq | Parameter                      | Value Set                       | Default  |
|-----|--------------------------------|---------------------------------|--|
| 1   | Set Of Books Id                | QP: Integer                     |  |
| 3   | Modifier Name From             | QP_MODIFIER_NAME                |  |
| 5   | Modifier Name To               | QP_MODIFIER_NAME                |  |
| 7   | Start Date Active              | FND_STANDARD_DATE               |  |
| 9   | End Date Active                | FND_STANDARD_DATE               | select<br>fnd_date.date_to_chardate(fnd_date<br>.canonical_to_date(:\$FLEX\$.FND_S<br>TANDARD_DATE),0) from sys.dual |
| 11  | Qualifier Context              | QP_QUALIFIER_CONTEX T           |  |
| 13  | Qualifier Attribute Value From | QP_QUALIFIER_ATTRIBU<br>TE_FROM |  |
| 15  | Qualifier Attribute Value To   | QP_QUALIFIER_ATTRIBU<br>TE_TO   |  |
| 16  | DebugFlag                      | Yes/No                          | N  |

### 0 Request Groups

### 1 Templates

| Template     | Lang | Terr | File              |
|--------------|------|------|-------------------|
| QPXPACRL_XML | en   | US   | QPXPACRL_XML.rtf* |

[Application: Advanced Pricing]

| Application      |      | ogram Code | Program Name                        |
|------------------|------|------------|-------------------------------------|
| Advanced Pricing | OE   | PAII       | Add inventory items to a price list |
| Program Type     | Out  | Executable |                                     |
| Spawned          | TEXT | OEPAII     |                                     |

0 Parameters

[Application: Advanced Pricing]

| Application Pro         |      | ogram Code          | Program Name            |
|-------------------------|------|---------------------|-------------------------|
| Advanced Pricing        | QP   | YXVAPLB             | Adjust Price List       |
| Program Type            | Out  | Executable          |                         |
| PL/SQL Stored Procedure | TEXT | QP_ADJUST_PRICELIST | T_PVT.Adjust_Price_List |

0 Parameters

[Application: Advanced Pricing]

| Application      |      | ogram Code | Program Name              |
|------------------|------|------------|---------------------------|
| Advanced Pricing | OE   | XOEASR     | Agreement Activity Report |
| Program Type     | Out  | Executable |                           |
| Oracle Reports   | TEXT | OEXOEASR   |                           |

0 Parameters

[Application: Advanced Pricing]

| Application      |      | ogram Code | Program Name              |
|------------------|------|------------|---------------------------|
| Advanced Pricing | OE   | XOEAHR     | Agreement Report - Detail |
| Program Type     | Out  | Executable |                           |
| R                | TEXT | OEXOEAHR   |                           |

0 Parameters

[Application: Advanced Pricing]

| Application             |      | ogram Code         | Program Name           |
|-------------------------|------|--------------------|------------------------|
| Advanced Pricing        | QP   | XARCVB             | Archive Pricing Entity |
| Program Type            | Out  | Executable         |                        |
| PL/SQL Stored Procedure | TEXT | QP_ARCHIVE_ENTITY_ | PVT.ARCHIVE_ENTITY     |

0 Parameters

### [Application: Advanced Pricing]

| <u> </u>                |      |                   |                               |  |
|-------------------------|------|-------------------|-------------------------------|--|
| Application             | Pre  | ogram Code        | Program Name                  |  |
| Advanced Pricing        | QF   | PXPSRCB2          | Attribute Mapping Rules Error |  |
|                         |      |                   | Report                        |  |
| Program Type            | Out  | Executable        |                               |  |
| PL/SQL Stored Procedure | Text | QP_ATTR_MAPPING_P | UB.Check All Mapping          |  |

#### 1 Parameters

| Seq | Parameter           | Value Set       | Default |
|-----|---------------------|-----------------|---------|
| 1   | p_request_type_code | QP_REQUEST_TYPE |         |

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

[Application: Advanced Pricing]

| Application             |      | ogram Code                                 | Program Name                  |
|-------------------------|------|--|-------------------------------|
| Advanced Pricing        | QP   | XPSRCB                                     | Build Attribute Mapping Rules |
| Program Type            | Out  | Executable                                 |                               |
| PL/SQL Stored Procedure | TEXT | QP_ATTR_MAPPING_PUB.Build_Sourcing_Package |                               |

#### 0 Parameters

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

[Application: Advanced Pricing]

| *                       |      |                   |                       |
|-------------------------|------|-------------------|-----------------------|
| Application             |      | ogram Code        | Program Name          |
| Advanced Pricing        | QP   | XPFORB            | Build Formula Package |
| Program Type            | Out  | Executable        |                       |
| PL/SQL Stored Procedure | TEXT | QP_FORMULA_RULES_ | PVT.FORMULAS          |

#### 0 Parameters

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

[Application: Advanced Pricing]

| Application Pr          |      | ogram Code                           | Program Name   |
|-------------------------|------|--------------------------------------|----------------|
| Advanced Pricing        | QP   | XVCPMB                               | Copy Modifiers |
| Program Type            | Out  | Executable                           |                |
| PL/SQL Stored Procedure | TEXT | QP_COPY_MODIFIERS_PVT.copy_discounts |                |

0 Parameters

[Application: Advanced Pricing]

| Application Pro         |      | ogram Code                            | Program Name    |
|-------------------------|------|---------------------------------------|-----------------|
| Advanced Pricing        | QP   | XVCPLB                                | Copy Price List |
| Program Type            | Out  | Executable                            |                 |
| PL/SQL Stored Procedure | TEXT | QP_COPY_PRICELIST_PVT.Copy_Price_List |                 |

0 Parameters

[Application: Advanced Pricing]

| Application        |      | ogram Code | Program Name            |
|--------------------|------|------------|-------------------------|
| Advanced Pricing ( |      | PCPL       | Copy/modify price lists |
| Program Type       | Out  | Executable |                         |
| Spawned            | TEXT | OEPCPL     |                         |

0 Parameters

[Application: Advanced Pricing]

| Application        |      | ogram Code | Program Name                 |
|--------------------|------|------------|------------------------------|
| Advanced Pricing O |      | CMWC       | Create dynamic where clauses |
| Program Type       | Out  | Executable |                              |
| Spawned            | TEXT | OECMWC     |                              |

0 Parameters

### [Application: Advanced Pricing]

| Application             |      | ogram Code  | Program Name            |
|-------------------------|------|---|-------------------------|
| Advanced Pricing        | QP   | XCOVLB  | Cross Order Volume Load |
| Program Type            | Out  | Executable  |                         |
| PL/SQL Stored Procedure | TEXT | QP_Cross_Order_Volume_Load.create_crossordvol_brk |                         |

#### 2 Parameters

| Seq | Parameter        | Value Set          | Default |
|-----|------------------|--------------------|---------|
| 1   | ORG_ID           | QP_OPERATING_UNITS |         |
| 2   | LOAD_EFFECTIVE_D | QP: Date           |         |
|     | ATE              |                    |         |

| Application      | Request Group          |  |
|------------------|------------------------|--|
| Advanced Pricing | QP Concurrent Programs |  |

[Application: Advanced Pricing]

|              | <u> </u> |            |                           |
|--------------|----------|------------|---------------------------|
|              |          | ogram Code | Program Name              |
|              |          | XCRORD     | Cross Order Volume Report |
| Program Type | Out      | Executable |                           |
| SQL*Plus     | TEXT     | QPXCRORD   |                           |

#### 0 Parameters

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

### [Application: Advanced Pricing]

| Application      |      | ogram Code          | Program Name                   |
|------------------|------|---------------------|--------------------------------|
| Advanced Pricing |      | XDEBUG              | Diagnostics: List Line Details |
| Program Type Out |      | Executable          |                                |
| SQL*Plus         | TEXT | qp_list_line_detail |                                |

#### 1 Parameters

| Seq | Parameter    | Value Set   | Default |
|-----|--------------|-------------|---------|
| 1   | list_line_id | QP: Integer |         |

| Application      | Request Group          |  |
|------------------|------------------------|--|
| Advanced Pricing | QP Concurrent Programs |  |

[Application: Advanced Pricing]

| Application      |      | ogram Code | Program Name                      |
|------------------|------|------------|-----------------------------------|
| Advanced Pricing |      | XPERFO     | Diagnostics: Performance Analysis |
| Program Type Out |      | Executable |                                   |
| SQL*Plus         | TEXT | qpperf     |                                   |

#### 0 Parameters

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

### [Application: Advanced Pricing]

| Application Advanced Pricing |      | ogram Code | Program Name             |
|------------------------------|------|------------|--------------------------|
|                              |      | XPRDIS     | Discount Detail Listings |
| Program Type Out             |      | Executable |                          |
| Oracle Reports               | TEXT | QPXPRDIS   |                          |

#### 17 Parameters

| Seq | Parameter            | Value Set                   | Default   |
|-----|----------------------|-----------------------------|---|
| 1   | Set of Books Id      | QP: Integer                 | OE_SET_OF_BOOKS_ID  |
| 2   | Organization Id      | QP: Integer                 | OE_ORGANIZATION_ID  |
| 3   | Item Flex Code       | QP: Text                    | SO_ID_FLEX_CODE   |
| 4   | Mixed Precision      | QP: Integer                 | CURRENCY:MIXED_PRECISION  |
| 5   | Sort By              | QP: QPXPRDIS Sort By        | SELECT meaning from qp_lookups<br>where lookup_type='PRICING<br>ORDER BY' and<br>lookup_code='DISCOUNT' |
| 6   | Discount Name (Low)  | QP_SRS_DISCOUNTS            |   |
| 7   | Discount Name (High) | QP_SRS_DISCOUNTS            | select distinct :\$FLEX\$.QP_SRS_DISCOUNTS from DUAL  |
| 8   | Price List (Low)     | QP_SRS_PRICE_LIST_NA<br>MES |   |
| 9   | Price List (High)    | QP_SRS_PRICE_LIST_NA<br>MES | select<br>:\$FLEX\$.QP_SRS_PRICE_LIST_N<br>AMES from DUAL   |
| 10  | Customer Name (Low)  | QP_SRS_CUSTOMER_NA<br>ME    |   |
| 11  | Customer Name (High) | QP_SRS_CUSTOMER_NA<br>ME    | select<br>:\$FLEX\$.QP_SRS_CUSTOMER_N<br>AME from DUAL  |
| 12  | Item (Low)           | QP_SRS_ITEM_PAIR            |   |
| 13  | Item (High)          | QP_SRS_ITEM_PAIR            |   |
| 14  | Discount Type        | QP_SRS_DISCOUNT_TYP<br>ES   |   |
| 15  | Automatic            | QP: Yes/No                  |   |
| 16  | Override Allowed     | QP: Yes/No                  |   |
| 17  | GSA                  | QP: Yes/No                  |   |

| Application      | Request Group          |  |
|------------------|------------------------|--|
| Advanced Pricing | QP Concurrent Programs |  |

#### [Application: Advanced Pricing]

|                  | 0-2  |            |                                      |
|------------------|------|------------|--------------------------------------|
| Application      | Pro  | ogram Code | Program Name                         |
| Advanced Pricing | QP   | XICNUP     | Java Pricing Engine Interface Tables |
|                  |      |            | Cleanup                              |
| Program Type     | Out  | Executable |                                      |
| SQL*Plus         | TEXT | QPXICNUP   |                                      |

#### 2 Parameters

| Seq | Parameter | Value Set   | Default |
|-----|-----------|-------------|---------|
| 10  | p_cleanup | Yes_No      |         |
| 20  | p_timeout | QP: Integer | 15      |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

[Application: Advanced Pricing]

| Application      |      | ogram Code | Program Name         |
|------------------|------|------------|----------------------|
| Advanced Pricing | OE   | PMLP       | Maintain price lists |
| Program Type     | Out  | Executable |                      |
| Spawned          | TEXT | OEPMLP     |                      |

0 Parameters

### [Application: Advanced Pricing]

| Application Pro  |      | ogram Code | Program Name     |
|------------------|------|------------|------------------|
| Advanced Pricing | QP   | XPRMLS     | Modifier Details |
| Program Type     | Out  | Executable |                  |
| Oracle Reports   | TEXT | QPXPRMLS   |                  |

#### 21 Parameters

| Seq | Parameter                     | Value Set                          | Default  |
|-----|-------------------------------|------------------------------------|--|
| 1   | Set Of Books Id               | QP: Integer                        |  |
| 3   | Modifier Number From          | QP_MODIFIER_NUMBER                 |  |
| 5   | Modifier Number To            | QP_MODIFIER_NUMBER                 |  |
| 7   | Modifier Name From            | QP_MODIFIER_NAME                   |  |
| 9   | Modifier Name To              | QP_MODIFIER_NAME                   |  |
| 11  | Modifier Version From         | QP_VERSION_NUMBER                  |  |
| 13  | Modifier Version To           | QP_VERSION_NUMBER                  |  |
| 15  | Start Date Active             | FND_STANDARD_DATE                  |  |
| 17  | End Date Active               | FND_STANDARD_DATE                  | select   |
|     |                               |                                    | fnd_date.date_to_chardate(fnd_date .canonical_to_date(:\$FLEX\$.FND_S TANDARD_DATE),0) from sys.dual |
| 19  | Active Modifier Only          | QP: Yes/No                         | select meaning from fnd_lookups<br>where lookup_type = 'YES_NO' and<br>lookup_code = 'Y'             |
| 21  | Active Modifier Lines Only    | QP: Yes/No                         | select meaning from fnd_lookups<br>where lookup_type = 'YES_NO' and<br>lookup_code = 'Y'             |
| 23  | Qualifier Context             | QP_QUALIFIER_CONTEX T              |  |
| 25  | Qualifier Attibute Value From | QP_QUALIFIER_ATTRIBU<br>TE_FROM    |  |
| 27  | Qualifier Attibute Value To   | QP_QUALIFIER_ATTRIBU TE_TO         |  |
| 29  | Item Name                     | QP_ITEM_ID                         |  |
| 31  | Item Category                 | ITEM_CATEGORY                      |  |
| 33  | Customer Name                 | QP_CUSTOMERS_CHAR                  |  |
| 37  | Customer Class                | QP_CUSTOMER_CLASS                  |  |
| 39  | Price List                    | QP_SRS_PRICE_LIST_NA<br>ME_REPORTS |  |
| 41  | User Name                     | QP: Text                           | select fnd_global.user_name from dual  |
| 43  | Responsibility Id             | QP: Integer                        | select fnd_global.resp_id from dual  |

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

[Application: Advanced Pricing]

| Application Program Code |     |             | Program Name |                        |
|--------------------------|-----|-------------|--------------|------------------------|
| Advanced Pricing         |     | QPXPRMLS_XM | 1L           | Modifier Details (XML) |
| Program Type             | Out | Executable  |              |                        |
| Java Concurrent Program  | XM  | L JCP4XDOD  | ataEngine    |                        |
| Data Tamplata            |     |             |              |                        |

Data Template
QPXPRMLS\_XML.xml

#### 22 Parameters

| Seq | Parameter                      | Value Set                          | Default   |
|-----|--------------------------------|------------------------------------|---|
| 1   | Set Of Books Id                | QP: Integer                        |   |
| 3   | Modifier Number From           | QP_MODIFIER_NUMBER                 |   |
| 5   | Modifier Number To             | QP_MODIFIER_NUMBER                 |   |
| 7   | Modifier Name From             | QP_MODIFIER_NAME                   |   |
| 9   | Modifier Name To               | QP_MODIFIER_NAME                   |   |
| 11  | Modifier Version From          | QP_VERSION_NUMBER                  |   |
| 13  | Modifier Version To            | QP_VERSION_NUMBER                  |   |
| 15  | Start Date Active              | FND_STANDARD_DATE                  |   |
| 17  | End Date Active                | FND_STANDARD_DATE                  | select fnd_date.date_to_chardate(fnd_date .canonical_to_date(:\$FLEX\$.FND_S TANDARD_DATE),0) from sys.dual |
| 19  | Active Modifier Only           | QP: Yes/No                         | select meaning from fnd_lookups<br>where lookup_type = 'YES_NO' and<br>lookup_code = 'Y'                    |
| 21  | Active Modifier Lines Only     | QP: Yes/No                         | select meaning from fnd_lookups<br>where lookup_type = 'YES_NO' and<br>lookup_code = 'Y'                    |
| 23  | Qualifier Context              | QP_QUALIFIER_CONTEX<br>T           |   |
| 25  | Qualifier Attribute Value From | QP_QUALIFIER_ATTRIBU<br>TE_FROM    |   |
| 27  | Qualifier Attribute Value To   | QP_QUALIFIER_ATTRIBU TE_TO         |   |
| 29  | Item Name                      | QP_ITEM_ID                         |   |
| 31  | Item Category                  | ITEM_CATEGORY                      |   |
| 33  | Customer Name                  | QP_CUSTOMERS_CHAR                  |   |
| 37  | Customer Class                 | QP_CUSTOMER_CLASS                  |   |
| 39  | Price List                     | QP_SRS_PRICE_LIST_NA<br>ME_REPORTS |   |
| 41  | User Name                      | QP: Text                           | select fnd_global.user_name from dual   |
| 43  | Responsibility Id              | QP: Integer                        | select fnd_global.resp_id from dual   |
| 44  | DebugFlag                      | Yes/No                             | N   |

### 0 Request Groups

### 1 Templates

| Template     | Lang | Terr | File              |
|--------------|------|------|-------------------|
| QPXPRMLS_XML | en   | US   | QPXPRMLS_XML.rtf* |

[Application: Advanced Pricing]

| Application F    |      | ogram Code | Program Name                 |
|------------------|------|------------|------------------------------|
| Advanced Pricing | OE   | XPRPRD     | Order Discount Detail Report |
| Program Type     | Out  | Executable |                              |
| Oracle Reports   | TEXT | OEXPRPRD   |                              |

0 Parameters

[Application: Advanced Pricing]

| Application Pro  |      | ogram Code | Program Name                  |
|------------------|------|------------|-------------------------------|
| Advanced Pricing | OE   | XPRPRS     | Order Discount Summary Report |
| Program Type     | Out  | Executable |                               |
| Oracle Reports   | TEXT | OEXPRPRS   |                               |

0 Parameters

### [Application: Advanced Pricing]

| Application             |      | ogram Code                | Program Name        |  |
|-------------------------|------|---------------------------|---------------------|--|
| Advanced Pricing        | QP   | XPRFCB                    | Performance Control |  |
| Program Type            | Out  | Executable                |                     |  |
| PL/SQL Stored Procedure | TEXT | qp_perf_ctrl_pvt.exec_pre | og                  |  |

#### 3 Parameters

| Seq | Parameter               | Value Set    | Default |
|-----|-------------------------|--------------|---------|
| 1   | Starting List Header Id | QP: Integer  |         |
| 2   | Ending List Header Id   | QP: Integer  |         |
| 3   | Performance Type        | QP_PERF_TYPE |         |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

[Application: Advanced Pricing]

| Application      |      | rogram Code | Program Name                            |
|------------------|------|-------------|---|
| Advanced Pricing |      | EXPEMCE     | Price List Impact - Configuration Edits |
| Program Type     | Out  | Executable  |   |
| X                | TEXT | OEXPRMCE    |   |

0 Parameters

### [Application: Advanced Pricing]

| Application        |      | ogram Code Program Name |                     |
|--------------------|------|-------------------------|---------------------|
| Advanced Pricing ( |      | XPRLST                  | Price List Listings |
| Program Type       | Out  | Executable              |                     |
| Oracle Reports     | TEXT | QPXPRLST                |                     |

#### 10 Parameters

| Seq | Parameter                       | Value Set                   | Default  |
|-----|---------------------------------|-----------------------------|--|
| 1   | Set of Books Id                 | QP: Integer                 | OE_SET_OF_BOOKS_ID   |
| 2   | Organization Id                 | QP: Integer                 | OE_ORGANIZATION_ID   |
| 3   | Price List (Low)                | QP_SRS_PRICE_LIST_NA<br>MES |  |
| 4   | Price List (High)               | QP_SRS_PRICE_LIST_NA<br>MES |  |
| 5   | Effective Date (Low)            | FND_STANDARD_DATE           |  |
| 6   | Effective Date (HIGH)           | FND_STANDARD_DATE           | select<br>fnd_date.date_to_chardate(fnd_date<br>.canonical_to_date(:\$FLEX\$.FND_S<br>TANDARD_DATE),0) from sys.dual |
| 7   | Active Price List Only          | QP: Yes/No                  | select meaning from fnd_lookups<br>where lookup_type = 'YES_NO' and<br>lookup_code = 'Y'                             |
| 8   | Active Price List Lines<br>Only | QP: Yes/No                  | select meaning from fnd_lookups<br>where lookup_type = 'YES_NO' and<br>lookup_code = 'Y'                             |
| 9   | Item Display                    | QP_SRS_ITEM_DISPLAY         | select meaning from qp_lookups<br>where lookup_type =<br>'ITEM_DISPLAY' and lookup_code =<br>'D'                     |
| 10  | Item                            | QP: Item                    |  |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

### [Application: Advanced Pricing]

| Application        |      | ogram Code | Program Name |
|--------------------|------|------------|--------------|
| Advanced Pricing C |      | XPRCST     | Price Lists  |
| Program Type       | Out  | Executable |              |
| Oracle Reports     | TEXT | QPXPRCST   |              |

#### 18 Parameters

| Seq | Parameter                       | Value Set                       | Default   |
|-----|---------------------------------|---------------------------------|---|
| 1   | Set Of Books Id                 | QP: Integer                     |   |
| 2   | Organization Id                 | QP: Integer                     |   |
| 4   | Price List From                 | QP_SRS_PRICE_LIST_RE PORTS      |   |
| 6   | Price List To                   | QP_SRS_PRICE_LIST_RE<br>PORTS   |   |
| 8   | Start Date Active               | FND_STANDARD_DATE               |   |
| 10  | End Date Active                 | FND_STANDARD_DATE               | select fnd_date.date_to_chardate(fnd_date .canonical_to_date(:\$FLEX\$.FND_S TANDARD_DATE),0) from sys.dual |
| 12  | Active Flag                     | QP: Yes/No                      |   |
| 14  | Active Price List Lines<br>Only | QP: Yes/No                      | select meaning from fnd_lookups<br>where lookup_type = 'YES_NO' and<br>lookup_code = 'Y                     |
| 16  | Qualifier Context               | QP_QUALIFIER_CONTEX T           |   |
| 18  | Qualifier Attribute Value From  | QP_QUALIFIER_ATTRIBU<br>TE_FROM |   |
| 20  | Qualifier Attribute Value To    | QP_QUALIFIER_ATTRIBU TE_TO      |   |
| 22  | Product Context                 | QP_PRODUCT_CONTEXT              |   |
| 24  | Product Attribute               | 15 Characters                   |   |
| 26  | Product Attribute Value         | QP_PRODUCT_VALUE                |   |
| 27  | To Currency Code                | QP_CURRENCY                     |   |
| 28  | Item Validation<br>Organization | QP: Integer                     | select QP_UTIL.Get_Item_Validation_Org from dual  |
| 29  | User Name                       | QP: Text                        | select fnd_global.user_name from dual   |
| 30  | Responsibility Id               | QP: Integer                     | select fnd_global.resp_id from dual   |

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

[Application: Advanced Pricing]

| Application             |             | Program Code |                 |    | Program Name      |  |
|-------------------------|-------------|--------------|-----------------|----|-------------------|--|
| Advanced Pricing        | QPXPRCST_XM |              | XPRCST_XML      |    | Price Lists (XML) |  |
| Program Type            | Out         |              | Executable      |    |                   |  |
| Java Concurrent Program | XM          | L            | JCP4XDODataEngi | ne |                   |  |
| Data Template           |             |              |                 | •  |                   |  |

Data Template

QPXPRCST\_XML.xml

#### 19 Parameters

| Seq | Parameter                       | Value Set                       | Default  |
|-----|---------------------------------|---------------------------------|--|
| 1   | Set Of Books Id                 | QP: Integer                     |  |
| 2   | Organization Id                 | QP: Integer                     |  |
| 4   | Price List From                 | QP_SRS_PRICE_LIST_RE<br>PORTS   |  |
| 6   | Price List To                   | QP_SRS_PRICE_LIST_RE PORTS      |  |
| 8   | Start Date Active               | FND_STANDARD_DATE               |  |
| 10  | End Date Active                 | FND_STANDARD_DATE               | select<br>fnd_date.date_to_chardate(fnd_date<br>.canonical_to_date(:\$FLEX\$.FND_S<br>TANDARD_DATE),0) from sys.dual |
| 12  |                                 | QP: Yes/No                      |  |
| 14  | Active Price List Lines Only    | QP: Yes/No                      | select meaning from fnd_lookups<br>where lookup_type = 'YES_NO' and<br>lookup_code = 'Y                              |
| 16  | Qualifier Context               | QP_QUALIFIER_CONTEX T           |  |
| 18  | Qualifier Attribute Value From  | QP_QUALIFIER_ATTRIBU<br>TE_FROM |  |
| 20  | Qualifier Attribute Value To    | QP_QUALIFIER_ATTRIBU TE_TO      |  |
| 22  | Product Context                 | QP_PRODUCT_CONTEXT              |  |
| 24  | Product Attribute               | 15 Characters                   |  |
| 26  | Product Attribute Value         | QP_PRODUCT_VALUE                |  |
| 27  | To Currency Code                | QP_CURRENCY                     |  |
| 28  | Item Validation<br>Organization | QP: Integer                     | select QP_UTIL.Get_Item_Validation_Org from dual   |
| 29  | User Name                       | QP: Text                        | select fnd_global.user_name from dual  |
| 30  | Responsibility Id               | QP: Integer                     | select fnd_global.resp_id from dual  |
| 31  | DebugFlag                       | Yes/No                          | N  |

### 0 Request Groups

### 1 Templates

| Template     | Lang | Terr | File              |
|--------------|------|------|-------------------|
| QPXPRCST_XML | en   | US   | QPXPRCST_XML.rtf* |

[Application: Advanced Pricing]

| Application P       |      | ogram Code | Program Name            |
|---------------------|------|------------|-------------------------|
| Advanced Pricing OE |      | XPRDPC     | Pricing Columns Listing |
| Program Type        | Out  | Executable |                         |
| R                   | TEXT | OEXPRDPC   |                         |

0 Parameters

### [Application: Advanced Pricing]

| Application Program     |      | gram Code Program Name |                             |
|-------------------------|------|------------------------|-----------------------------|
| Advanced Pricing        | QP   | XJPECB                 | Pricing Engine Type Control |
| Program Type            | Out  | Executable             |                             |
| PL/SQL Stored Procedure | TEXT | qp_jpe_ctrl_pvt.switch |                             |

#### 1 Parameters

| Seq | Parameter   | Value Set      | Default                |  |
|-----|-------------|----------------|------------------------|--|
| 1   | Engine Type | QP_ENGINE_TYPE | QP_PRICING_ENGINE_TYPE |  |

| Application      | Request Group                |
|------------------|------------------------------|
| Advanced Pricing | QP Admin Concurrent Programs |

[Application: Advanced Pricing]

| Application Pr   |      | ogram Code | Program Name                       |
|------------------|------|------------|------------------------------------|
| Advanced Pricing | OE   | XPRPFC     | Pricing Formula Components Listing |
| Program Type     | Out  | Executable |                                    |
| R                | TEXT | OEXPRPFC   |                                    |

0 Parameters

### [Application: Advanced Pricing]

| Application Pro  |      | ogram Code | Program Name     |
|------------------|------|------------|------------------|
| Advanced Pricing | QP   | XPRFOR     | Pricing Formulas |
| Program Type     | Out  | Executable |                  |
| Oracle Reports   | TEXT | QPXPRFOR   |                  |

#### 7 Parameters

| Seq | Parameter         | Value Set            | Default                            |
|-----|-------------------|----------------------|------------------------------------|
| 1   | Set Of Books Id   | QP: Integer          |                                    |
| 3   | Formula From      | QP_SRS_PRICING_FORM  |                                    |
|     |                   | ULAS                 |                                    |
| 5   | Formula To        | QP_SRS_PRICING_FORM  |                                    |
|     |                   | ULAS                 |                                    |
| 7   | Price List From   | QP_SRS_PRICE_LIST_RE |                                    |
|     |                   | PORTS                |                                    |
| 9   | Price List To     | QP_SRS_PRICE_LIST_RE |                                    |
|     |                   | PORTS                |                                    |
| 11  | Start Date Active | FND_STANDARD_DATE    |                                    |
| 13  | End Date Active   | FND_STANDARD_DATE    | select                             |
|     |                   |                      | fnd_date.date_to_chardate(fnd_date |
|     |                   |                      | .canonical_to_date(:\$FLEX\$.FND_S |
|     |                   |                      | TANDARD_DATE),0) from sys.dual     |

| Application      | Request Group             |  |  |  |
|------------------|---------------------------|--|--|--|
| Advanced Pricing | QP Concurrent Programs    |  |  |  |
| Advanced Pricing | QP PO Concurrent Programs |  |  |  |

### [Application: Advanced Pricing]

| Application             |     | Pro | ogram Code        | Program Name           |
|-------------------------|-----|-----|-------------------|------------------------|
| Advanced Pricing        |     | QP  | XPRFOR_XML        | Pricing Formulas (XML) |
| Program Type            | Out |     | Executable        |                        |
| Java Concurrent Program | XM  | L   | JCP4XDODataEngine |                        |
| Data Template           |     |     |                   |                        |

Data Template

QPXPRFOR\_XML.xml

#### 8 Parameters

| Seq | Parameter         | Value Set                     | Default  |
|-----|-------------------|-------------------------------|--|
| 1   | Set Of Books Id   | QP: Integer                   |  |
| 3   | Formula From      | QP_SRS_PRICING_FORM ULAS      |  |
| 5   | Formula To        | QP_SRS_PRICING_FORM ULAS      |  |
| 7   | Price List From   | QP_SRS_PRICE_LIST_RE<br>PORTS |  |
| 9   | Price List To     | QP_SRS_PRICE_LIST_RE<br>PORTS |  |
| 11  | Start Date Active | FND_STANDARD_DATE             |  |
| 13  | End Date Active   | FND_STANDARD_DATE             | select<br>fnd_date.date_to_chardate(fnd_date<br>.canonical_to_date(:\$FLEX\$.FND_S<br>TANDARD_DATE),0) from sys.dual |
| 14  | DebugFlag         | Yes/No                        | N  |

### 0 Request Groups

### 1 Templates

| Template     | Lang | Terr | File              |
|--------------|------|------|-------------------|
| QPXPRFOR_XML | en   | US   | QPXPRFOR_XML.rtf* |

[Application: Advanced Pricing]

| Application      |      | ogram Code | Program Name               |
|------------------|------|------------|----------------------------|
| Advanced Pricing |      | XPRITG     | Pricing Item Group Listing |
| Program Type Out |      | Executable |                            |
| X                | TEXT | OEXPRITG   |                            |

0 Parameters

### [Application: Advanced Pricing]

| Application        |                 | ogram Code | Program Name           |
|--------------------|-----------------|------------|------------------------|
| Advanced Pricing ( |                 | XPRRUL     | Pricing Rules Listings |
| Program Type       | rogram Type Out |            |                        |
| Oracle Reports     | TEXT            | QPXPRRUL   |                        |

#### 3 Parameters

| Seq | Parameter       | Value Set                | Default            |
|-----|-----------------|--------------------------|--------------------|
| 1   | Set of Books Id | QP: Integer              | OE_SET_OF_BOOKS_ID |
| 2   | Rule Name (Low) | QP_SRS_PRICING_RULE<br>S |                    |
| 3   | Rule Name(High) | QP_SRS_PRICING_RULE<br>S |                    |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

### [Application: Advanced Pricing]

| Application             |      | ogram Code         | Program Name                  |
|-------------------------|------|--------------------|-------------------------------|
| Advanced Pricing Q      |      | XDLDBB             | Purge Pricing Engine Requests |
| Program Type Out        |      | Executable         |                               |
| PL/SQL Stored Procedure | Text | QP_PURGE_PRICING_F | REQUESTS.PURGE                |

#### 2 Parameters

| Seq | Parameter             | Value Set   | Default |
|-----|-----------------------|-------------|---------|
| 1   | Keep Last (N) Days of | QP: Integer |         |
|     | Requests              | -           |         |
| 2   | Request Name          | QP: Text    |         |

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

[Application: Advanced Pricing]

| Application             |      | ogram Code                   | Program Name         |
|-------------------------|------|------------------------------|----------------------|
| Advanced Pricing        | QP   | XPURGB                       | Purge Pricing Entity |
| Program Type            | Out  | Executable                   |                      |
| PL/SQL Stored Procedure | TEXT | QP_PURGE_ENTITY.PURGE_ENTITY |                      |

0 Parameters

### [Application: Advanced Pricing]

| Application             |      | ogram Code        | Program Name                  |
|-------------------------|------|-------------------|-------------------------------|
| Advanced Pricing        | QP   | XVBLK             | QP: Bulk Import of Price List |
| Program Type Out        |      | Executable        |                               |
| PL/SQL Stored Procedure | TEXT | QP_BULK_LOADER_PU | B.Load_Pricing_Data           |

#### 10 Parameters

| Seq | Parameter             | Value Set            | Default |
|-----|-----------------------|----------------------|---------|
| 1   | Entity                | QP_BULK_LIST_TYPE    | PRL     |
| 2   | Entity Name           | QP_INT_PRICELIST_NAM |         |
|     | ·                     | E                    |         |
| 3   | Process ID            | QP: Integer          |         |
| 4   | Process Type          | QP: Text             |         |
| 5   | Process Parent        | QP: Yes/No           | Yes     |
| 6   | No of Threads         | QP: Integer          | 1       |
| 7   | Spawned Request       | QP: Yes/No           | No      |
| 8   | Request ID            | QP: Integer          |         |
| 9   | Turn Debug On         | QP: Yes/No           | No      |
| 10  | Enable Duplicate Line | QP: Yes/No           | Yes     |
|     | Check                 |                      |         |

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

### [Application: Advanced Pricing]

| Application             |      | Program Code |                        | Program Name                  |
|-------------------------|------|--------------|------------------------|-------------------------------|
| Advanced Pricing        |      | QPXJCCVB-M   |                        | QP: Java Pricing Engine Cache |
|                         |      |              |                        | Manager                       |
| Program Type            | Out  |              | Executable             |                               |
| PL/SQL Stored Procedure | TEXT |              | qp_java_engine_cache_p | ovt.manage                    |

### 5 Parameters

| Seq | Parameter    | Value Set           | Default |
|-----|--------------|---------------------|---------|
| 1   | Action       | QP_JAVA_ENGINE_CACH |         |
|     |              | E_MGR_ACT           |         |
| 2   | Dump Type    | QP_JAVA_ENGINE_CACH |         |
|     |              | E_DUMP_TYPE         |         |
| 3   | Dump Input 1 | QP: Text            |         |
| 4   | Dump Input 2 | QP: Text            |         |
| 5   | Dump Input 3 | QP: Text            |         |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

### [Application: Advanced Pricing]

| Application                   |  | Pro | gram Code              | Program Name                 |
|-------------------------------|--|-----|------------------------|------------------------------|
| Advanced Pricing              |  | QP  | XJCCDS                 | QP: Java Pricing Engine Data |
|                               |  |     |                        | Synchronization              |
| Program Type C                |  |     | Executable             |                              |
| PL/SQL Stored Procedure   TEX |  | T   | qp_java_engine_cache_p | ovt.synchronize              |

### 5 Parameters

| Seq | Parameter                  | Value Set            | Default |
|-----|----------------------------|----------------------|---------|
| 1   | Price List / Modifier List | QP_LIST_HEADER_ID_EX |         |
|     |                            | CL_FACTOR            |         |
| 2   | Pricing Formula            | QP_PRICE_FORMULA_ID  |         |
| 3   | Multi-Currency             | QP_MULTI_CURRENCY_H  |         |
|     | Conversion List            | EADER_ID             |         |
| 4   | All Other Pricing Setup    | QP: Yes/No           |         |
| 5   | Full Synchronization       | QP: Yes/No           |         |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

[Application: Advanced Pricing]

| Application             |      | ogram Code             | Program Name                    |
|-------------------------|------|------------------------|---------------------------------|
| Advanced Pricing        |      | XJCCWU                 | QP: Java Pricing Engine Warm Up |
| Program Type            | Out  | Executable             |                                 |
| PL/SQL Stored Procedure | TEXT | qp_java_engine_cache_r | ovt.warm_up                     |

#### 0 Parameters

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

### [Application: Advanced Pricing]

| Application                |     | Pro | gram Code           | Program Name                   |
|----------------------------|-----|-----|---------------------|--------------------------------|
| Advanced Pricing           |     | QP  | XDENOB              | QP: Maintains the denormalized |
| _                          |     |     |                     | data in QP Qualifiers          |
| Program Type               | Out |     | Executable          |                                |
| PL/SQL Stored Procedure TE |     | T   | QP_MAINTAIN_Denorma | alized_Data.Update_Qualifiers  |

#### 4 Parameters

| Seq | Parameter             | Value Set               | Default  |
|-----|-----------------------|-------------------------|--|
| 1   | LIST_HEADER_ID_LO     | QP_LIST_NAME            |  |
|     | W                     |                         |  |
| 2   | List Header ID (High) | QP_LIST_NAME            |  |
| 3   | Update Type           | QP_CONC_UPDATE_TYP<br>E | ALL  |
| 4   | Dummy                 | 100 Characters          | SELECT DECODE(SUBSTR(:\$FLEX\$.QP_C ONC_UPDATE_TYPE,1,LENGTH(:\$ FLEX\$.QP_CONC_UPDATE_TYPE) ),'ALL',:\$FLEX\$.LIST_HEADER_ID_ LOW:NULL,'HEADER_PHASE',:\$FL EX\$.LIST_HEADER_ID_LOW:NULL ,'DENORMALIZED',:\$FLEX\$.LIST_ HEADER_ID_LOW:NULL,'QUAL_IN D',:\$FLEX\$.LIST_HEADER_ID_LO W:NULL,'~') FROM DUAL |

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

### [Application: Advanced Pricing]

| Application             |      | ogram Code         | Program Name        |
|-------------------------|------|--------------------|---------------------|
| Advanced Pricing        |      | XVATG              | QP: Pattern Upgrade |
| Program Type            | Out  | Executable         |                     |
| PL/SQL Stored Procedure | TEXT | QP_ATTR_GRP_PVT.Pa | attern_Upgrade      |

#### 6 Parameters

| Seq | Parameter           | Value Set            | Default |
|-----|---------------------|----------------------|---------|
| 1   | List Header ID      | QP_LIST_HEADER_ID_EX |         |
|     |                     | CL_FACTOR            |         |
| 2   | p_low_list_line_id  | QP: Integer          |         |
| 3   | p_high_list_line_id | QP: Integer          |         |
| 4   | p_no_of_threads     | QP: Integer          | 1       |
| 5   | p_spawned_request   | QP: Text             | N       |
| 6   | p_debug             | QP: Yes/No           | No      |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

[Application: Advanced Pricing]

| Application             | Pr   | ogram Code        | Program Name                |
|-------------------------|------|-------------------|-----------------------------|
| Advanced Pricing        | QF   | PXPRBKB           | QP: Price Book Generate and |
|                         |      |                   | Publish                     |
| Program Type            | Out  | Executable        |                             |
| PL/SQL Stored Procedure | TEXT | QP_PRICE_BOOK_PVT | .Price_Book_Conc_Pgm        |

0 Parameters

### [Application: Advanced Pricing]

| Application             |     |                     | gram Code         | Program Name                     |
|-------------------------|-----|---------------------|-------------------|----------------------------------|
| Advanced Pricing        |     | QP_BLK_LOAD_UPG_LIN |                   | QP: Upgrade Price List Lines for |
|                         |     | E_I                 | MGR               | Bulk Loader                      |
| Program Type            | Out |                     | Executable        |                                  |
| PL/SQL Stored Procedure | TEX | T                   | QP_BLK_LOAD_UPG_P | KG.Blk_Load_Upg_Line_MGR         |

### 2 Parameters

| Se | eq | Parameter   | Value Set | Default |
|----|----|-------------|-----------|---------|
|    | 1  | BATCH_SIZE  | 15 Number | 1000    |
|    | 2  | NUM_WORKERS | 15 Number | 3       |

[Application: Advanced Pricing]

| Application             |     | rogram Code Program Name                  |           |
|-------------------------|-----|---|-----------|
| Advanced Pricing        | (   | RP_BLK_LOAD_UPG_LIN                       | Lines for |
| _                       |     | _WKR Bulk Loader 12.0 (Second             | ondary)   |
| Program Type            | Out | Executable                                |           |
| PL/SQL Stored Procedure | TEX | QP_BLK_LOAD_UPG_PKG.Blk_Load_Upg_Line_WKR |           |

0 Parameters

### [Application: Advanced Pricing]

| Application             | Р    | Program Code       | Program Name                          |
|-------------------------|------|--------------------|---------------------------------------|
| Advanced Pricing        | C    | QP_BLK_LOAD_UPG_QU | QP: Upgrade Price List Qualifiers for |
| -                       | Α    | \L_MGR             | Bulk Loader 12.0                      |
| Program Type            | Out  | Executable         |                                       |
| PL/SQL Stored Procedure | TEXT | QP_BLK_LOAD_UPG_P  | KG.Blk_Load_Upg_Qual_MGR              |

### 2 Parameters

|   | Seq | Parameter   | Value Set | Default |
|---|-----|-------------|-----------|---------|
| Ī | 1   | BATCH_SIZE  | 15 Number | 1000    |
| ſ | 2   | NUM_WORKERS | 15 Number | 3       |

[Application: Advanced Pricing]

| Application             |             | Pro | gram Code         | Program Name                          |
|-------------------------|-------------|-----|-------------------|---------------------------------------|
| Advanced Pricing        | ced Pricing |     | _BLK_LOAD_UPG_QU  | QP: Upgrade Price List Qualifiers for |
|                         | AL_         |     | _WKR              | Bulk Loader 12.0 (Secondary)          |
| Program Type            | Out         |     | Executable        |                                       |
| PL/SQL Stored Procedure | TEX         | T   | QP_BLK_LOAD_UPG_P | KG.Blk_Load_Upg_Qual_WKR              |

0 Parameters

### [Application: Advanced Pricing]

| Application             |     |    | ogram Code        | Program Name                       |
|-------------------------|-----|----|-------------------|------------------------------------|
| Advanced Pricing        |     |    | _BLK_LOAD_UPG_PA_ | QP: Upgrade Pricing Attributes for |
| _                       |     | MG | SR .              | Bulk Loader 12.0                   |
| Program Type            | Out |    | Executable        |                                    |
| PL/SQL Stored Procedure | TE  | T  | QP_BLK_LOAD_UPG_P | KG.Blk_Load_Upg_PA_MGR             |

### 2 Parameters

|   | Seq | Parameter   | Value Set | Default |
|---|-----|-------------|-----------|---------|
| Ī | 1   | BATCH_SIZE  | 15 Number | 1000    |
| ſ | 2   | NUM_WORKERS | 15 Number | 3       |

[Application: Advanced Pricing]

| Application             |     |                     | ogram Code                              | Program Name                       |
|-------------------------|-----|---------------------|---|------------------------------------|
| Advanced Pricing        |     | QP_BLK_LOAD_UPG_PA_ |   | QP: Upgrade Pricing Attributes for |
|                         | WK  |                     | (R                                      | Bulk Loader 12.0 (Secondary)       |
| Program Type            | Out |                     | Executable                              |                                    |
| PL/SQL Stored Procedure | TE  | ΚT                  | QP_BLK_LOAD_UPG_PKG.Blk_Load_Upg_PA_WKR |                                    |

0 Parameters

[Application: Advanced Pricing]

| Application F           |     |     | ogram Code                               | Program Name                     |
|-------------------------|-----|-----|--|----------------------------------|
| Advanced Pricing        | ng  |     | _BLK_LOAD_UPG_HD                         | QP: Upgrade Pricing Data Header  |
|                         |     | R_\ | WKR                                      | for Bulk Loader 12.0 (Secondary) |
| Program Type            | Out |     | Executable                               |                                  |
| PL/SQL Stored Procedure | TE  | 〈Τ  | QP_BLK_LOAD_UPG_PKG.Blk_Load_Upg_Hdr_WKR |                                  |

0 Parameters

### [Application: Advanced Pricing]

| Application             |     |     | gram Code         | Program Name                      |
|-------------------------|-----|-----|-------------------|-----------------------------------|
| Advanced Pricing        |     |     | _BLK_LOAD_UPG_HD  | QP: Upgrade Pricing Data for Bulk |
|                         |     | R_N | MGR               | Loader                            |
| Program Type            | Out |     | Executable        |                                   |
| PL/SQL Stored Procedure | TEX | T   | QP_BLK_LOAD_UPG_P | KG.Blk_Load_Upg_Hdr_MGR           |

### 2 Parameters

|   | Seq | Parameter   | Value Set | Default |
|---|-----|-------------|-----------|---------|
| Ī | 1   | BATCH_SIZE  | 15 Number | 1000    |
| ſ | 2   | NUM_WORKERS | 15 Number | 3       |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

[Application: Advanced Pricing]

| Application      |     | Program Code | Program Name                   |
|------------------|-----|--------------|--------------------------------|
| Advanced Pricing |     | OEXPRDIS     | QP_DISCOUNT_DETAIL_LISTING_OBS |
| Program Type     | Out | Executable   |                                |
| Oracle Reports   | TEX | T OEXPRDIS   |                                |

0 Parameters

[Application: Advanced Pricing]

| Application      |      | ogram Code | Program Name              |  |
|------------------|------|------------|---------------------------|--|
| Advanced Pricing |      | XPRLST     | QP_PRICE_LIST_LISTING_OBS |  |
| Program Type Out |      | Executable |                           |  |
| Oracle Reports   | TEXT | OEXPRLST   |                           |  |

0 Parameters

[Application: Advanced Pricing]

| Application      |     | Pro      | gram Code  | Program Name                 |
|------------------|-----|----------|------------|------------------------------|
| Advanced Pricing |     | OEXPRRUL |            | QP_PRICING_RULE_LISTING_OB S |
| Program Type     | Out |          | Executable |                              |
| Oracle Reports   | TEX | T        | OEXPRRUL   |                              |

0 Parameters

### [Application: Advanced Pricing]

| Application      |      | ogram Code | Program Name       |
|------------------|------|------------|--------------------|
| Advanced Pricing |      | XPRQFS     | Qualifier Grouping |
| Program Type Ou  |      | Executable |                    |
| Oracle Reports   | TEXT | QPXPRQFS   |                    |

#### 6 Parameters

| Seq | Parameter                      | Value Set                       | Default  |
|-----|--------------------------------|---------------------------------|--|
| 1   | Set of Books Id                | QP: Integer                     |  |
| 3   | Qualifier Context              | QP_QUALIFIER_CONTEX T           |  |
| 5   | Qualifier Attribute Value From | QP_QUALIFIER_ATTRIBU<br>TE_FROM |  |
| 7   | Qualifier Attribute Value      | QP_QUALIFIER_ATTRIBU            |  |
|     | То                             | TE_TO                           |  |
| 9   | Start Date Active              | FND_STANDARD_DATE               |  |
| 11  | End Date Active                | FND_STANDARD_DATE               | select   |
|     |                                |                                 | fnd_date.date_to_chardate(fnd_date .canonical_to_date(:\$FLEX\$.FND_S TANDARD_DATE),0) from sys.dual |

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

#### [Application: Advanced Pricing]

| Application                |  | Program Code |             | Program Name             |
|----------------------------|--|--------------|-------------|--------------------------|
| Advanced Pricing           |  | QPXPRQFS_    | XML         | Qualifier Grouping (XML) |
| Program Type Ou            |  | Executa      | ole         |                          |
| Java Concurrent Program XM |  | JCP4XD       | DDataEngine |                          |
| Data Template              |  |              |             |                          |
| QPXPRQFS_XML.xml           |  |              |             |                          |

| 7 Par | 7 Parameters                   |                                 |  |  |  |  |  |  |
|-------|--------------------------------|---------------------------------|--|--|--|--|--|--|
| Seq   | Parameter                      | Value Set                       | Default  |  |  |  |  |  |
| 1     | Set of Books Id                | QP: Integer                     |  |  |  |  |  |  |
| 3     | Qualifier Context              | QP_QUALIFIER_CONTEX T           |  |  |  |  |  |  |
| 5     | Qualifier Attribute Value From | QP_QUALIFIER_ATTRIBU<br>TE_FROM |  |  |  |  |  |  |
| 7     | Qualifier Attribute Value To   | QP_QUALIFIER_ATTRIBU<br>TE_TO   |  |  |  |  |  |  |
| 9     | Start Date Active              | FND_STANDARD_DATE               |  |  |  |  |  |  |
| 11    | End Date Active                | FND_STANDARD_DATE               | select<br>fnd_date.date_to_chardate(fnd_date<br>.canonical_to_date(:\$FLEX\$.FND_S<br>TANDARD_DATE),0) from sys.dual |  |  |  |  |  |
| 12    | DebugFlag                      | Yes/No                          | N  |  |  |  |  |  |

### 0 Request Groups

### 1 Templates

| Template     | Lang | Terr | File              |
|--------------|------|------|-------------------|
| QPXPRQFS_XML | en   | US   | QPXPRQFS_XML.rtf* |

### [Application: Advanced Pricing]

| Application             | Pro  | ogram Code              | Program Name     |
|-------------------------|------|-------------------------|------------------|
| Advanced Pricing        | QP   | XSECCB                  | Security Control |
| Program Type            | Out  | Executable              |                  |
| PL/SQL Stored Procedure | TEXT | qp_secu_ctrl_pvt.switch |                  |

#### 1 Parameters

| Seq | Parameter        | Value Set           | Default             |
|-----|------------------|---------------------|---------------------|
| 1   | Security Control | QP_SECURITY_CONTROL | QP_SECURITY_CONTROL |

| Application      | Request Group                |
|------------------|------------------------------|
| Advanced Pricing | QP Admin Concurrent Programs |

[Application: Advanced Pricing]

| Application Pr          |      | ogram Code        | Program Name                    |
|-------------------------|------|-------------------|---------------------------------|
| Advanced Pricing        | QP   | XVUFPB            | Update Formula Price            |
| Program Type            | Out  | Executable        |                                 |
| PL/SQL Stored Procedure | TEXT | QP_UPDATE_FORMULA | APRICE_PVT.Update_Formula_Price |

0 Parameters

### [Application: Advanced Pricing]

| <u>-                                    </u> |      |            |                                    |
|--|------|------------|------------------------------------|
| Application                                  | Pr   | ogram Code | Program Name                       |
| Advanced Pricing                             | QI   | PXMCUPD    | Update Price Lists with            |
| _  |      |            | Multi-Currency Conversion Criteria |
| Program Type                                 | Out  | Executable |                                    |
| SQL*Plus                                     | TEXT | QPXMCUPD   |                                    |

#### 1 Parameters

| Seq | Parameter | Value Set | Default |
|-----|-----------|-----------|---------|
| 10  | continue  | Yes_No    |         |

| Application      | Request Group             |
|------------------|---------------------------|
| Advanced Pricing | QP Concurrent Programs    |
| Advanced Pricing | QP PO Concurrent Programs |

### [Application: Advanced Pricing]

| Application Pr          |      | ogram Code         | Program Name                      |
|-------------------------|------|--------------------|-----------------------------------|
| Advanced Pricing        | QP   | XTRANB             | Update Promotional Limit Balances |
| Program Type            | Out  | Executable         |                                   |
| PL/SQL Stored Procedure | TEXT | QP_LIMIT_CONC_REQ. | UPDATE_BALANCES                   |

#### 4 Parameters

| Seq | Parameter          | Value Set             | Default |
|-----|--------------------|-----------------------|---------|
| 1   | p_list_header_id   | QP_LIMITS_MOD_LIST    |         |
| 2   | p_list_line_id     | QP_LIMIT_LIST_LINE_NO |         |
| 3   | p_limit_id         | QP_LIMIT_NUMBER       |         |
| 4   | p_limit_balance_id | 10/Number             |         |

| Application      | Request Group          |
|------------------|------------------------|
| Advanced Pricing | QP Concurrent Programs |

[Application: Advanced Pricing]

| Application Pr          |      | ogram Code        | Program Name                |
|-------------------------|------|-------------------|-----------------------------|
| Advanced Pricing        | QP   | XVURPB            | Update Rule Prices          |
| Program Type            | Out  | Executable        |                             |
| PL/SQL Stored Procedure | TEXT | QP_UPDATE_RULE_PR | ICES_PVT.Update_Rule_Prices |

0 Parameters