

GET

The screenshot displays the Postman API client interface. On the left, a sidebar shows a collection named 'DesafioFinalAPI' with a sub-collection 'DesafioFinalAPI' containing several endpoints. The 'ObtenerUsuario' endpoint is selected, showing a GET request to 'https://reqres.in/api/users'. The 'Send' button is visible. Below the URL bar, the 'Query Params' section is empty. The 'Body' tab is active, showing a JSON response with a status of '200 OK', a response time of '60 ms', and a size of '1.51 KB'. The JSON response is as follows:

```
1 {
2   "page": 1,
3   "per_page": 6,
4   "total": 12,
5   "total_pages": 2,
6   "data": [
7     {
8       "id": 1,
9       "email": "george.bluth@reqres.in",
10      "first_name": "George",
11      "last_name": "Bluth",
12      "avatar": "https://reqres.in/img/faces/1-image.jpg"
13    },
14    {
15      "id": 2,
16      "email": "janet.weaver@reqres.in",
17      "first_name": "Janet",
18      "last_name": "Weaver",
19      "avatar": "https://reqres.in/img/faces/2-image.jpg"
20    },
21    {
22      "id": 3,
```

The bottom status bar includes options for 'Online', 'Find and replace', 'Console', 'Postbot', 'Runner', 'Start Proxy', 'Cookies', 'Vault', 'Trash', and a help icon.

HEAD

The screenshot shows the Postman interface with a workspace named 'My Workspace'. The left sidebar displays a collection of API requests under the 'DesafioFinalAPI' folder, including 'VerificarUsuario'. The main panel shows the details of the 'HEAD VerificarUsuario' request. The URL is 'https://reqres.in/api/users?id=10'. The 'Query Params' section shows a table with 'Id' set to '10'. The 'Body' tab is selected, showing a '200 OK' status with a response time of 281 ms and a body size of 1.09 KB. The response body is empty, as expected for a HEAD request.

Key	Value	Description
<input checked="" type="checkbox"/> Id	10	
<input type="checkbox"/> Id	15	
Key	Value	Description

Body: 200 OK · 281 ms · 1.09 KB

The screenshot shows the Postman interface with the same workspace. The 'HEAD VerificarUsuario' request is now configured with the URL 'https://reqres.in/api/users?id=15'. The 'Query Params' section shows a table with 'Id' set to '15'. The 'Body' tab is selected, showing a '404 Not Found' status with a response time of 397 ms and a body size of 1.08 KB. The response body is empty.

Key	Value	Description
<input type="checkbox"/> Id	10	
<input checked="" type="checkbox"/> Id	15	
Key	Value	Description

Body: 404 Not Found · 397 ms · 1.08 KB

POST

The screenshot displays the Postman interface with a workspace named "My Workspace". The left sidebar shows a collection of API endpoints under the "DesafioFinalAPI" environment. The main panel shows a POST request to "https://reqres.in/api/users" with a JSON body. The response is a 201 status code, indicating a successful user creation.

Request Details:

- Method: POST
- URL: https://reqres.in/api/users
- Body (raw):

```
{  "id": "28",  "name": "Brenda",  "job": "QA"}
```

Response Details:

- Status: 201 Created
- Time: 399 ms
- Size: 1.11 KB
- Body (JSON):

```
{  "id": "28",  "name": "Brenda",  "job": "QA",  "createdAt": "2025-04-08T21:12:12.942Z"}
```

PUT

The screenshot displays the Postman API client interface. The left sidebar shows a collection named 'DesafioFinalAPI' with a sub-collection 'DesafioFinalAPI' containing several endpoints. The 'PUT ActualizaUsuario' endpoint is selected. The main panel shows the request configuration: Method 'PUT', URL 'https://reqres.in/api/users/', and a JSON body with the following data:

```
{  "id": 20,  "name": "BrendaF",  "job": "Senior Tester"}
```

The response tab at the bottom shows a successful status of 200 OK, with a response time of 278 ms and a body size of 1.17 KB. The response body is a JSON object:

```
{  "id": 20,  "name": "BrendaF",  "job": "Senior Tester",  "updatedAt": "2025-04-08T21:19:05.413Z"}
```

PATCH

The screenshot displays the Postman interface with a workspace named "My Workspace". The left sidebar shows a collection of API requests under the "DesafioFinalAPI" folder, including "ActualizarUnCampoUsuario" which is currently selected. The main panel shows the details of this PATCH request to the URL "https://reqres.in/api/users/". The request body is a JSON object: {"job": "team lead"}. The response is a 200 OK status with a response time of 281 ms and a body of {"job": "team lead", "updatedAt": "2025-04-08T21:32:44.094Z"}. The bottom status bar indicates the request was successful and provides links to Postbot, Runner, Start Proxy, Cookies, Vault, and Trash.

My Workspace

DesafioFinalAPI / ActualizaUnCampoUsuario

PATCH https://reqres.in/api/users/ Send

Params Authorization Headers (8) Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "job": "team lead"
3 }
```

Body Cookies Headers (16) Test Results

200 OK · 281 ms · 1.13 KB Save Response

{ JSON Preview Visualize

```
1 {
2   "job": "team lead",
3   "updatedAt": "2025-04-08T21:32:44.094Z"
4 }
```

Online Find and replace Console Postbot Runner Start Proxy Cookies Vault Trash

DEL

The screenshot displays the Postman API client interface. The top navigation bar includes 'Home', 'Workspaces', and 'API Network'. A search bar labeled 'Search Postman' and a 'Ctrl K' shortcut are present. On the right, there are buttons for 'Invite', 'Upgrade', and window controls.

The left sidebar, titled 'My Workspace', shows a tree view of collections. The 'DesafioFinalAPI' collection is expanded, revealing several endpoints. The 'BorrarUsuario' endpoint is selected and highlighted.

The main panel shows the configuration for the 'BorrarUsuario' endpoint. The method is 'DELETE' and the URL is 'https://reqres.in/api/users?name=BrendaF'. A 'Send' button is located to the right of the URL. Below the URL bar, tabs for 'Params', 'Authorization', 'Headers (6)', 'Body', 'Scripts', and 'Settings' are visible. The 'Params' tab is active, showing a table of query parameters:

Key	Value	Description
<input checked="" type="checkbox"/> Key		
<input checked="" type="checkbox"/> name	BrendaF	
Key	Value	Description

Below the parameters table, the 'Body' tab is selected. It shows a status bar indicating '204 No Content', '356 ms', and '1010 B'. A 'Save Response' button is visible. The body content area is currently empty, with a 'Raw' tab selected.

The bottom status bar contains various utility icons: 'Online', 'Find and replace', 'Console', 'Postbot', 'Runner', 'Start Proxy', 'Cookies', 'Vault', 'Trash', and a help icon.