

Pings:

Desde PC_Internal:

```
Cisco Packet Tracer PC Command Line 1.0
C:\> ping 192.168.1.1

Pinging 192.168.1.1 with 32 bytes of data:

Reply from 192.168.1.1: bytes=32 time<1ms TTL=255
Reply from 192.168.1.1: bytes=32 time<1ms TTL=255
Reply from 192.168.1.1: bytes=32 time<1ms TTL=255
Reply from 192.168.1.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.1.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

Desde Server-PT Web_DMZ: Falla debido a la seguridad aplicada

```
C:\>ping 192.168.1.10

Pinging 192.168.1.10 with 32 bytes of data:

Reply from 192.168.2.1: Destination host unreachable.
Reply from 192.168.2.1: Destination host unreachable.
Reply from 192.168.2.1: Destination host unreachable.
Reply from 192.168.2.1: Destination host unreachable.

Ping statistics for 192.168.1.10:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Desde PC_External: Falla debido a la seguridad aplicada

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.3.1

Pinging 192.168.3.1 with 32 bytes of data:


Reply from 192.168.3.1: Destination host unreachable.
Reply from 192.168.3.1: Destination host unreachable.
Reply from 192.168.3.1: Destination host unreachable.
Reply from 192.168.3.1: Destination host unreachable.

Ping statistics for 192.168.3.1:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),


C:\>
```

Prueba de Acceso Web Inicial


Desde PC_External



Desde PC_Internal:



Resultado:



Expand/Collapse All Show Incorrect Items

| Assessment Item | Status | Points | Component(s) | Feedback |
|-----------------|---------|--------|--------------|----------|
| ✓ Network | Correct | 0 | Other | |

Score : 9/9
Item Count : 6/9

| Component | Items/Total | Score |
|--------------------|-------------|-------|
| Connectivity | | |
| Connectivity Tests | 6/6 | 9/9 |