# NFA/DFA Equivalence CSCI 338

## Definitions


#### DFAs consist of:

- 1. Finite set of states, Q.
- 2. Finite alphabet,  $\Sigma$ .
- 3. Transition function,  $\delta: Q \times \Sigma \to Q$ .
- 4. Start state,  $q_0 \in Q$ .
- 5. Set of accept states,  $F \subseteq Q$ .

# 

#### NFAs consist of:

- 1. Finite set of states, Q.
- 2. Finite alphabet,  $\Sigma$ .
- 3. Transition function,  $\delta: Q \times (\Sigma \cup \{\varepsilon\}) \to \mathcal{P}(Q)$ .
- 4. Start state,  $q_0 \in Q$ .
- 5. Set of accept states,  $F \subseteq Q$ .



## Definitions


#### DFAs consist of:

- 1. Finite set of states, Q.
- 2. Finite alphabet,  $\Sigma$ .
- 3. Transition function,  $\delta: Q \times \Sigma \to Q$ .
- 4. Start state,  $q_0 \in Q$ .
- 5. Set of accept states,  $F \subseteq Q$ .

# $\begin{array}{c|c} 0 & 1 & 0 \\ \hline q_1 & q_2 & q_3 \\ \hline 0, 1 & q_3 \end{array}$

#### NFAs consist of:

- 1. Finite set of states, Q.
- 2. Finite alphabet,  $\Sigma$ .
- 3. Transition function,  $\delta: Q \times (\Sigma \cup \{\varepsilon\}) \to \mathcal{P}(Q)$ .
- 4. Start state,  $q_0 \in Q$ .
- 5. Set of accept states,  $F \subseteq Q$ .



NFA's have a lot of shiny features, but do they actually get us any new capability?

How would we prove that NFA's **do** provide new capability?

NFA's have a lot of shiny features, but do they actually get us any new capability?

How would we prove that NFA's <u>do</u> provide new capability? Find some language that can be recognized by an NFA, but not a DFA.

NFA's have a lot of shiny features, but do they actually get us any new capability?

How would we prove that NFA's <u>do</u> provide new capability? Find some language that can be recognized by an NFA, but not a DFA.

How would we prove that NFA's **do not** provide new capability?

NFA's have a lot of shiny features, but do they actually get us any new capability?

How would we prove that NFA's <u>do</u> provide new capability? Find some language that can be recognized by an NFA, but not a DFA.

How would we prove that NFA's <u>do not</u> provide new capability? Show that every language recognized by an NFA can be recognized by a DFA.

NFA's have a lot of shiny features, but do they actually get us any new capability?

How would we prove that NFA's <u>do</u> provide new capability? Find some language that can be recognized by an NFA, but not a DFA.

How would we prove that NFA's <u>do not</u> provide new capability? Show that every language recognized by an NFA can be recognized by a DFA.


Claim: Every NFA has an equivalent DFA.


Proof Approach:
For any NFA, turn it into a DFA.

Claim: Every NFA has an equivalent DFA.

Proof Approach:

How did we keep track of our location in a DFA?







Claim: Every NFA has an equivalent DFA.

Proof Approach:

How did we keep track of our location in an NFA?







Claim: Every NFA has an equivalent DFA.

#### **Proof Approach:**

How did we keep track of our location in an NFA? Set of all states we could possibly be in.







Claim: Every NFA has an equivalent DFA.

#### **Proof Approach:**

How did we keep track of our location in an NFA? Set of all states we could possibly be in.







Claim: Every NFA has an equivalent DFA.

#### **Proof Approach:**

How did we keep track of our location in an NFA? Set of all states we could possibly be in.







Claim: Every NFA has an equivalent DFA.

#### Proof Approach:

How did we keep track of our location in an NFA? Set of all states we could possibly be in.

What is the set of all possible locations?







Claim: Every NFA has an equivalent DFA.

#### **Proof Approach:**


How did we keep track of our location in an NFA? Set of all states we could possibly be in.


What is the set of all possible locations? Power set! (set of all subsets)






NFA DFA






DFA states = Power set of NFA states.




DFA states = Power set of NFA states. Start state = ?



DFA states = Power set of NFA states.


Start state = NFA's start state.



DFA states = Power set of NFA states.

Start state = NFA's start state.


Accept states = ?




DFA states = Power set of NFA states.

Start state = NFA's start state.


Accept states = Any state that includes accept state from NFA.




Where should transition out of {S<sub>1</sub>} with character 1 go?




Where should transition out of  $\{S_1\}$  with character 1 go? Wherever  $S_1$  goes with 1 in the NFA.




Where should transition out of  $\{S_1\}$  with character 1 go? Wherever  $S_1$  goes with 1 in the NFA.




Where should transition out of {S<sub>1</sub>} with character 0 go?




Where should transition out of  $\{S_1\}$  with character 0 go? If transition is not handled by NFA, send it to  $\emptyset$  (junk state).




Where should transition out of {S<sub>2</sub>} with character 0 go?




Where should transition out of  $\{S_2\}$  with character 0 go? NFA could stay in  $S_2$  or go to  $S_3$ , so  $\{S_2, S_3\}$ 




Where should transition out of {S<sub>2</sub>} with character 1 go?




Where should transition out of {S<sub>2</sub>} with character 1 go?




Where should transition out of  $\{S_1, S_3\}$  with character 1 go?




Where should transition out of  $\{S_1, S_3\}$  with character 1 go?



Where should transition out of  $\{S_1, S_3\}$  with character 0 go?




Where should transition out of  $\{S_1, S_3\}$  with character 0 go?




#### Rule?


DFA state transitions to DFA state consisting of all states it's NFA states transition to.




Rule? For each DFA state R and  $e \in \Sigma$ , transition $(R, e) = \{q \in NFA: q \in transition(r, e) \text{ for some } r \in R\}$ 




Rule? For each DFA state R and  $e \in \Sigma$ , transition $(R, e) = \{q \in \text{NFA}: q \in \text{transition}(r, e) \text{ for some } r \in R\}$  transition $(\{S_2\}, 0) = \{S_2, S_3\}$ 



Rule? For each DFA state R and  $e \in \Sigma$ , transition $(R, e) = \{q \in NFA: q \in transition(r, e) \text{ for some } r \in R\}$  transition $(\{S_1\}, 0) = \{\}$ 







What about  $\varepsilon$ -transitions?

Define extension of DFA state R:


 $E(R) = \{q \in NFA: q \text{ reachable from } r \in R \text{ with } \geq 0 \text{ } \epsilon\text{-transitions} \}$ 




 $E(R) = \{q \in NFA: q \text{ reachable from } r \in R \text{ with } \geq 0 \text{ } \epsilon - \text{transitions} \}$ Example:  $E(\{S_2, S_3\}) = ?$ 




$$E(R) = \{q \in \text{NFA}: q \text{ reachable from } r \in R \text{ with } \geq 0 \text{ } \epsilon - \text{transitions} \}$$
  
Example:  $E(\{S_2, S_3\}) = \{S_2, S_3\}$   
 $E(\{S_1, S_2\}) = ?$ 




$$E(R) = \{q \in \text{NFA}: q \text{ reachable from } r \in R \text{ with } \geq 0 \text{ $\epsilon$-transitions} \}$$
  
Example:  $E(\{S_2, S_3\}) = \{S_2, S_3\}$   
 $E(\{S_1, S_2\}) = \{S_1, S_2, S_3\}$ 





Make start state = ?





Make start state =  $E(\{S_1\}) = \{S_1, S_3\}$ 

















Finite set of states? Finite Alphabet?
Transition function for every state/character pair?
Single start state? Set of accept states?




Finite set of states? Yes Finite Alphabet?
Transition function for every state/character pair?
Single start state? Set of accept states?




Finite set of states? Yes Finite Alphabet? Yes Transition function for every state/character pair? Single start state? Set of accept states?




Finite set of states? Yes Finite Alphabet? Yes Transition function for every state/character pair? Yes Single start state? Set of accept states?



Finite set of states? Yes Finite Alphabet? Yes Transition function for every state/character pair? Yes Single start state? Yes Set of accept states?




Finite set of states? Yes Finite Alphabet? Yes Transition function for every state/character pair? Yes Single start state? Yes Set of accept states? Yes




Finite set of \ Single start s

Transition full t's a DFA


Iphabet? Yes ter pair? Yes ccept states? Yes




Equivalent?




Suppose w accepted by NFA.




Suppose w accepted by NFA. At each step of its processing, DFA will be in state that corresponds to all possible NFA states.




Suppose w accepted by NFA. At each step of its processing, DFA will be in state that corresponds to all possible NFA states. If NFA ends on accept state, corresponding DFA state will accept too.




Suppose w accepted by DFA.



Suppose w accepted by DFA. At each step of its processing, DFA will be in state that corresponds to all possible NFA states.



Suppose w accepted by DFA. At each step of its processing, DFA will be in state that corresponds to all possible NFA states. If DFA ends on accept state, it includes an NFA accept state.



DFA will be in state that corresponds to all possible NFA states. If DFA ends on accept state, it includes an NFA accept state.

A language is called a <u>regular language</u> if some DFA recognizes it.

A language is called a <u>regular language</u> if some DFA **or NFA** recognizes it.

A language is called a <u>regular language</u> if some DFA **or NFA** recognizes it.

How do you prove a language is regular? Make a DFA that recognizes it.

A language is called a <u>regular language</u> if some DFA **or NFA** recognizes it.

How do you prove a language is regular?

Make a DFA or NFA that recognizes it.

Make an NFA with three states for:  $\{\omega: \omega \text{ has the form } 0^*1^*0^+.\}$ 

Proof:

Additional string notation:


 $0^*$ : Zero or more 0s (e.g. 0, 0000,  $\varepsilon$ )

# Make an NFA with three states for: $\{\omega: \omega \text{ has the form } 0^*1^*0^+.\}$

Proof:

Additional string notation:

 $0^*$ : Zero or more 0s (e.g.  $0,0000, \varepsilon$ )



# Make an NFA with three states for: $\{\omega: \omega \text{ has the form } 1^*(001^+)^*.\}$

e.g. 0010011111, 11100111001

Proof:

Additional string notation:

 $0^*$ : Zero or more 0s (e.g.  $0,0000, \varepsilon$ )

# Make an NFA with three states for: $\{\omega: \omega \text{ has the form } 1^*(001^+)^*.\}$

e.g. 0010011111, 11100111001

**Proof:** 

Additional string notation:

 $0^*$ : Zero or more 0s (e.g.  $0,0000, \varepsilon$ )

