IBPSA Project 1 Expert Meeting

10/1/2018



David Blum, Ph.D.

Principal Scientific Engineering Associate Lawrence Berkeley National Laboratory, U.S.A

Office: 90-3145

Phone: +1 (510) 486-4741

Email: dhblum@lbl.gov

- Motivation and Objective
- Collaboration and Support
- Development Progress
- Next Steps

Purpose


Develop a framework to enable **testing**, **benchmarking**, **and comparison** of advanced building control strategies.

Impact

- Establish state-of-the-art
- Development playground
- Demonstrate performance

Example Applications

- Optimal control and MPC
- Advanced control sequences



Key Performance Indicator Scale

Components

Test Cases

- Building emulator models
- Exogenous data sets
- Control signals & measurements
- Key performance indicators (KPI)


Software Infrastructure

- Test API
- Model simulation control
- Documentation
- Software maintenance









- Motivation and Objective
- Collaboration and Support
- Development Progress
- Next Steps

IBPSA Project 1 Collaboration Activities

- Specific working group meetings on 4/11, 5/9, 6/12
- LBNL, PNNL, NREL, KU Leuven, University of Southern Denmark, 3E, Engie Lab, Engie Axima, Ingersoll Rand
- Functional requirements
- Building emulator model development
- KPI selection and development
- MPC testing

U.S. Funding

- U.S. DOE support for FY19, anticipated through FY22
- Funding for three national labs: LBNL, PNNL, NREL
- LBNL/PNNL primarily on model and KPI development and control testing
- NREL primarily on platform architecture and development
 - Building on http://alfalfastack.net/ for EnergyPlus emulation
- Emphasize collaboration with IBPSA Project 1
- Formation of technical advisory group (TAG)





- Motivation and Objective
- Collaboration and Support
- Development Progress
- Next Steps

Emulator Selection and Development

	Zone	Hydronic	Air
Residential	Single	BESTest Envelope + Hydronic (KU Leuven)	BESTest Envelope + Air (LBNL)
	Multi	8-Zone Radiator + Split for Cooling (EngieLab)	Detached House Central Air (TBD)
Office	Single	Single Zone of OU44 (SDU)	Single Zone VAV for Retail (LBNL)
	Multi- Simple	INFRAX (KU Leuven)	5-Zone VAV Office (LBNL)
	Multi- Complex	SolarWind (KU Leuven)	15-Zone VAV + Plant Office (PNNL)

- Peer review process
- Templates/guidelines for development
- More development on infrastructure required before continuing


KPI Specification and Development

	Var 1	Var 2	Var 3	Var 4
KPI 1	X	X		
KPI 2	X		X	
KPI 3		X	X	X


- Matrix informs emulation model development template
- Python module for KPI calculation to be developed

Signal Exchange Modelica Block

- Overwrite actuator signals or setpoints and measure model variables
- Flexibility in enabling/disabling control signals and sensors in model
- Convenience in model development for signal routing
- Collaboration with WP1.1. to add block to IBPSA Library



Prototype Architecture



dhb-lx@dhb-lx:~/git/ibpsa/boptest/project1-boptest/examples\$ python szvav-sup.py

- Motivation and Objective
- Collaboration and Support
- Development Progress
- Next Steps

Next Steps

- Finalize signal exchange block implementation
- Feedback on functional requirements
- Handle exogenous data (e.g. weather, internal loads) and forecasts
- Templates/guidelines for emulator development
- Add KPI calculation module
- Documentation (User Guide)
- Upgrade platform architecture leveraging Alfalfastack project
- Development of emulator models
- MPC Testing