

`/api-docs`

Explore

TDD Projeto API ^{v1} OAS 3.0

[/api-docs](#)

Documentação API - AC2

Servers

`http://localhost:8080 - Generated server url`

usuario-controller

**DELETE** `/api/v1/usuarios/{id}`

Parameters

Try it out

Name	Description
------	-------------

id * required`integer($int64)`
(path)

Responses

Code	Description	Links
200	OK	No links

GET `/api/v1/usuarios/{id}`

Parameters

Try it out

Name	Description
------	-------------

id * requiredinteger(\$int64)
(path)

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

Example Value Schema

```
{
  "id": 0,
  "nome": "string",
  "email": "string",
  "pontuacaoTotal": 0,
  "dataCadastro": "2025-11-17T14:04:18.330Z",
  "ativo": true
}
```

GET

/api/v1/usuarios



Parameters

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

Example Value Schema

Code	Description	Links
	<pre>[{ "id": 0, "nome": "string", "email": "string", "pontuacaoTotal": 0, "dataCadastro": "2025-11-17T14:04:18.332Z", "ativo": true }]</pre>	

GET /api/v1/usuarios/ranking**Parameters**[Try it out](#)

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

[application/json](#)

Controls Accept header.

Example Value Schema

```
[
  {
    "id": 0,
    "nome": "string",
    "email": "string",
    "pontuacaoTotal": 0,
    "dataCadastro": "2025-11-17T14:04:18.334Z",
    "ativo": true
  }
]
```

POST /api/v1/usuarios**Parameters**[Try it out](#)

No parameters

Request body required[application/json](#)

Example Value Schema

```
{
  "id": 0,
  "nome": "string",
  "email": "string",
  "pontuacaoTotal": 0,
  "dataCadastro": "2025-11-17T14:04:18.336Z",
  "ativo": true
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "id": 0,
  "nome": "string",
  "email": "string",
  "pontuacaoTotal": 0,
  "dataCadastro": "2025-11-17T14:04:18.336Z",
  "ativo": true
}
```

POST /api/v1/usuarios/{id}/pontos



Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	id
pontos * required integer(\$int32) (query)	pontos

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "nome": "string", "email": "string", "pontuacaoTotal": 0, "dataCadastro": "2025-11-17T14:04:18.339Z", "ativo": true}</pre></div>	No links

PUT

/api/v1/usuarios/{id}

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>integer(\$int64)</div><div>(path)</div></div>	<div>id</div>

Request body required

application/json

Example Value Schema

```
{  "id": 0,  "nome": "string",  "email": "string",  "pontuacaoTotal": 0,  "dataCadastro": "2025-11-17T14:04:18.341Z",  "ativo": true}
```

Responses

Code	Description	Links
200	OK	No links

Code	Description	Links
	<div>Media type</div> <div><div>application/json</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div><pre>{ "id": 0, "nome": "string", "email": "string", "pontuacaoTotal": 0, "dataCadastro": "2025-11-17T14:04:18.341Z", "ativo": true }</pre></div>	

Schemas	
UsuarioDTO	