mysql> create database testsql; Query OK, 1 row affected (0.00 sec)

// AFTER DATABASE IS CREATED

mysql> show databases;


mysql> use testsql;

mysql> show tables;

Empty set (0.00 sec)

mysql> CREATE TABLE Movies (Id int NOT NULL UNIQUE, Title varchar(255), Director varchar(255), Year int, Minutes int); Query OK, 0 rows affected (0.05 sec)

#### mysql> show tables;



#### mysql> describe Movies;

[mysql> DESCRIBE MOVIES;

Field	Туре	Null	Key	Default	Extra
Id Title Director Year Minutes	int(11)   varchar(255)   varchar(255)   int(11)   int(11)	NO YES YES YES YES	PRI     	NULL NULL NULL NULL NULL	

5 rows in set (0.01 sec)

INSERT INTO Movies2 (Id, Title, Director, Year, Minutes) VALUES ('4', 'Wall-E', 'Andrew Scanton', '2008', '104'), ('5', 'Toy Story 2', 'John Lasseter', '1999', '93'), ('6', 'The Incredibles', 'Brad Bird', '2004', '116'), ('7', 'Finding Nemo', 'Andrew Stanton', '2003', '107');

DELETE from Movies2 WHERE Id=2; SELECT \* FROM Movies; [mysql> SELECT \* FROM Movies;

11	
1   Cars 2   John Lasseter   20:   2   Up   Pete Docter   20:   3   Toy Story   John Lasseter   19:   4   Cars   John Lasseter   20:   5   Brave   Brenda Chapman   20:   6   Toy Story 3   Lee Unkrich   20:   7   A Bugs Life   John Lasseter   19:	09   101   95   81   96   117   12   102   10   103

<sup>7</sup> rows in set (0.01 sec)

#### mysql> SELECT Title, Year FROM movies;

#### mysql> SELECT \* FROM movies WHERE Id=1;

### mysql> SELECT \* FROM movies WHERE Year > 1999 AND Year < 2011; OR

### mysql> SELECT \* FROM movies WHERE Year BETWEEN 2000 AND 2010;

[mysql> SELECT \* FROM movies WHERE Year > 1999 AND Year < 2011;

Id   Title	Director	Year	Minutes
2   Up	Pete Docter	2009	101
4   Cars	John Lasseter	2006	117
6   Toy Story 3	Lee Unkrich	2010	103

<sup>3</sup> rows in set (0.01 sec)

#### SELECT \* FROM movies WHERE Year NOT BETWEEN 2000 AND 2010;

[mysql> SELECT \* FROM movies WHERE Year NOT BETWEEN 2000 AND 2010;

Id	+   Title	Director	Year	Minutes
5	Toy Story	John Lasseter John Lasseter Brenda Chapman John Lasseter	2011   1995   2012   1998	120   81   102   95

4 rows in set (A.AA sec)

#### SELECT \* FROM movies WHERE Title LIKE "%Toy Story%";

[mysql> SELECT \* FROM movies WHERE Title LIKE "%Toy Story%";

Id   Title	Director	Year	Minutes
3   Toy Story		1995	81
6   Toy Story 3		2010	103

2 rows in set (0.01 sec)

#### SELECT \* FROM movies WHERE Director NOT LIKE "%John Lasseter%";

mysql> SELECT \* FROM movies WHERE Director NOT LIKE "%John Lasseter%";

Id   Title	Director	Year	Minutes
2   Up	Pete Docter	2009	101
	Brenda Chapman	2012	102
	Lee Unkrich	2010	103

3 rows in set (0.00 sec)

#### SELECT \* FROM movies WHERE Director="John Lasseter";


[mysql> SELECT \* FROM movies WHERE Director="John Lasseter";

Id   Title	Director	Year	Minutes
1   Cars 2   3   Toy Story     4   Cars   7   A Bugs Life	John Lasseter John Lasseter John Lasseter John Lasseter	1995 2006	120   81   117   95

4 rows in set (0.00 sec)

### // Get all unique directors list alphabetically by first name SELECT DISTINCT Director FROM movies ORDER BY Director ASC;

[mysql> SELECT DISTINCT Director FROM movies ORDER BY Director ASC;



4 rows in set (0.00 sec)

\_

### // List 4 most recent movies ordered by most recent SELECT \* FROM movies ORDER BY Year DESC LIMIT 4;

## Select First Five movies sorted alphabetically SELECT title FROM movies ORDER BY title LIMIT 5;

## Select the next 2 movies listed alphabetically AFTER the first five SELECT title FROM movies ORDER BY title LIMIT 2 OFFSET 5;

# mysql> SELECT \* FROM Movies WHERE Director="John Lasseter" ORDER BY Year DESC;

List all the cities west of Chicago, ordered from west to east SELECT city
FROM north\_american\_cities

WHERE longitude < -87.629798 ORDER BY Longitude ASC;

