APT Overlap (Enterprise): APT28 vs APT29 vs Lazarus Group vs APT41 (Parent T-codes)

Technique overlap across 4 selected groups | 141 parent T-codes (sub-techniques rolled up) | campaigns included | software-derived excluded

29 RED techniques
Used by ALL 4 groups

24 ORANGE techniques
Used by exactly 3 of 4 groups

35 YELLOW techniques
Used by exactly 2 of 4 groups

53 LIGHT GREEN techniques
Used by only ONE group

Selected Groups

ID	Group	Aliases	T-codes
G0007	**APT28**	IRON TWILIGHT, SNAKEMACKEREL, Swallowtail, Group 74, Sednit, Sofacy, Pawn Storm, Fancy Bear, STRONTIUM, Tsar Team, Threat Group-4127, TG-4127, Forest Blizzard, FROZENLAKE, GruesomeLarch	77
G0016	**APT29**	IRON RITUAL, IRON HEMLOCK, NobleBaron, Dark Halo, NOBELIUM, UNC2452, YTTRIUM, The Dukes, Cozy Bear, CozyDuke, SolarStorm, Blue Kitsune, UNC3524, Midnight Blizzard	72
G0032	**Lazarus Group**	Labyrinth Chollima, HIDDEN COBRA, Guardians of Peace, ZINC, NICKEL ACADEMY, Diamond Sleet	81
G0096	**APT41**	Wicked Panda, Brass Typhoon, BARIUM	81

Coverage by Tactic

Tactic	RED	ORANGE	YELLOW	LIGHT GREEN	Total
Reconnaissance	0	2	3	2	**7**
Resource Development	2	2	2	1	**7**
Initial Access	2	2	3	2	**9**
Execution	2	3	1	5	**11**
Persistence	4	5	2	4	**15**
Privilege Escalation	3	4	4	1	**12**
Stealth	6	3	5	9	**23**
Defense Impairment	1	2	1	3	**7**
Credential Access	1	2	3	8	**14**
Discovery	2	3	7	9	**21**
Lateral Movement	1	1	0	4	**6**
Collection	3	2	3	3	**11**
Command and Control	6	0	3	4	**13**
Exfiltration	1	1	2	0	**4**
Impact	0	0	1	7	**8**

Technique Matrix

parent T-codes only (sub-technique use rolled up into the parent)

RED (29) ORANGE (24) YELLOW (35) LIGHT GREEN (53)

Reconnaissance
7 techniques

- **T1589** 3/4 Gather Victim Identity Information
- **T1595** 3/4 Active Scanning
- **T1591** 2/4 Gather Victim Org Information
- **T1593** 2/4 Search Open Websites/Domains
- **T1596** 2/4 Search Open Technical Databases
- **T1594** 1/4 Search Victim-Owned Websites
- **T1598** 1/4 Phishing for Information

Resource Development
7 techniques

- **T1583** 4/4 Acquire Infrastructure
- **T1588** 4/4 Obtain Capabilities
- **T1584** 3/4 Compromise Infrastructure
- **T1586** 3/4 Compromise Accounts
- **T1585** 2/4 Establish Accounts
- **T1587** 2/4 Develop Capabilities
- **T1608** 1/4 Stage Capabilities

Initial Access
9 techniques

- **T1078** 4/4 Valid Accounts
- **T1566** 4/4 Phishing
- **T1133** 3/4 External Remote Services
- **T1190** 3/4 Exploit Public-Facing Application
- **T1189** 2/4 Drive-by Compromise
- **T1195** 2/4 Supply Chain Compromise
- **T1199** 2/4 Trusted Relationship
- **T1091** 1/4 Replication Through Removable Media
- **T1669** 1/4 Wi-Fi Networks

Execution
11 techniques

- **T1059** 4/4 Command and Scripting Interpreter
- **T1203** 4/4 Exploitation for Client Execution
- **T1047** 3/4 Windows Management Instrumentation
- **T1053** 3/4 Scheduled Task/Job
- **T1204** 3/4 User Execution
- **T1574** 2/4 Hijack Execution Flow
- **T1106** 1/4 Native API
- **T1197** 1/4 BITS Jobs
- **T1559** 1/4 Inter-Process Communication
- **T1569** 1/4 System Services
- **T1651** 1/4 Cloud Administration Command

Persistence
15 techniques

- **T1078** 4/4 Valid Accounts
- **T1098** 4/4 Account Manipulation
- **T1505** 4/4 Server Software Component
- **T1547** 4/4 Boot or Logon Autostart Execution
- **T1037** 3/4 Boot or Logon Initialization Scripts
- **T1053** 3/4 Scheduled Task/Job
- **T1133** 3/4 External Remote Services
- **T1542** 3/4 Pre-OS Boot
- **T1546** 3/4 Event Triggered Execution
- **T1136** 2/4 Create Account
- **T1543** 2/4 Create or Modify System Process
- **T1112** 1/4 Modify Registry
- **T1137** 1/4 Office Application Startup
- **T1197** 1/4 BITS Jobs
- **T1556** 1/4 Modify Authentication Process

Privilege Escalation
12 techniques

- **T1078** 4/4 Valid Accounts
- **T1098** 4/4 Account Manipulation
- **T1547** 4/4 Boot or Logon Autostart Execution
- **T1037** 3/4 Boot or Logon Initialization Scripts
- **T1053** 3/4 Scheduled Task/Job
- **T1134** 3/4 Access Token Manipulation
- **T1546** 3/4 Event Triggered Execution
- **T1055** 2/4 Process Injection
- **T1068** 2/4 Exploitation for Privilege Escalation
- **T1484** 2/4 Domain or Tenant Policy Modification
- **T1543** 2/4 Create or Modify System Process
- **T1548** 1/4 Abuse Elevation Control Mechanism

Stealth
23 techniques

- **T1027** 4/4 Obfuscated Files or Information
- **T1036** 4/4 Masquerading
- **T1070** 4/4 Indicator Removal
- **T1078** 4/4 Valid Accounts
- **T1140** 4/4 Deobfuscate/Decode Files or Information
- **T1218** 4/4 System Binary Proxy Execution
- **T1134** 3/4 Access Token Manipulation
- **T1542** 3/4 Pre-OS Boot
- **T1684** 3/4 Social Engineering
- **T1014** 2/4 Rootkit
- **T1055** 2/4 Process Injection
- **T1221** 2/4 Template Injection
- **T1564** 2/4 Hide Artifacts
- **T1574** 2/4 Hijack Execution Flow
- **T1006** 1/4 Direct Volume Access
- **T1197** 1/4 BITS Jobs
- **T1202** 1/4 Indirect Command Execution
- **T1211** 1/4 Exploitation for Stealth
- **T1220** 1/4 XSL Script Processing
- **T1480** 1/4 Execution Guardrails
- **T1497** 1/4 Virtualization/Sandbox Evasion
- **T1620** 1/4 Reflective Code Loading
- **T1622** 1/4 Debugger Evasion

Defense Impairment
7 techniques

- **T1685** 4/4 Disable or Modify Tools
- **T1553** 3/4 Subvert Trust Controls
- **T1686** 3/4 Disable or Modify System Firewall
- **T1484** 2/4 Domain or Tenant Policy Modification
- **T1112** 1/4 Modify Registry
- **T1556** 1/4 Modify Authentication Process
- **T1599** 1/4 Network Boundary Bridging

Credential Access
14 techniques

- **T1110** 4/4 Brute Force
- **T1003** 3/4 OS Credential Dumping
- **T1056** 3/4 Input Capture
- **T1528** 2/4 Steal Application Access Token
- **T1555** 2/4 Credentials from Password Stores
- **T1557** 2/4 Adversary-in-the-Middle
- **T1040** 1/4 Network Sniffing
- **T1539** 1/4 Steal Web Session Cookie
- **T1552** 1/4 Unsecured Credentials
- **T1556** 1/4 Modify Authentication Process
- **T1558** 1/4 Steal or Forge Kerberos Tickets
- **T1606** 1/4 Forge Web Credentials
- **T1621** 1/4 Multi-Factor Authentication Reque...
- **T1649** 1/4 Steal or Forge Authentication Certific...

Discovery
21 techniques

- **T1016** 4/4 System Network Configuration Discovery
- **T1083** 4/4 File and Directory Discovery
- **T1057** 3/4 Process Discovery
- **T1087** 3/4 Account Discovery
- **T1680** 3/4 Local Storage Discovery
- **T1012** 2/4 Query Registry
- **T1018** 2/4 Remote System Discovery
- **T1033** 2/4 System Owner/User Discovery
- **T1046** 2/4 Network Service Discovery
- **T1049** 2/4 System Network Connections Discovery
- **T1069** 2/4 Permission Groups Discovery
- **T1082** 2/4 System Information Discovery
- **T1010** 1/4 Application Window Discovery
- **T1040** 1/4 Network Sniffing
- **T1120** 1/4 Peripheral Device Discovery
- **T1124** 1/4 System Time Discovery
- **T1135** 1/4 Network Share Discovery
- **T1482** 1/4 Domain Trust Discovery
- **T1497** 1/4 Virtualization/Sandbox Evasion
- **T1614** 1/4 System Location Discovery
- **T1622** 1/4 Debugger Evasion

Lateral Movement
6 techniques

- **T1021** 4/4 Remote Services
- **T1550** 3/4 Use Alternate Authentication Material
- **T1091** 1/4 Replication Through Removable Media
- **T1210** 1/4 Exploitation of Remote Services
- **T1534** 1/4 Internal Spearphishing
- **T1570** 1/4 Lateral Tool Transfer

Collection
11 techniques

- **T1005** 4/4 Data from Local System
- **T1074** 4/4 Data Staged
- **T1560** 4/4 Archive Collected Data
- **T1056** 3/4 Input Capture
- **T1213** 3/4 Data from Information Repositories
- **T1114** 2/4 Email Collection
- **T1119** 2/4 Automated Collection
- **T1557** 2/4 Adversary-in-the-Middle
- **T1025** 1/4 Data from Removable Media
- **T1039** 1/4 Data from Network Shared Drive
- **T1113** 1/4 Screen Capture

Command and Control
13 techniques

- **T1001** 4/4 Data Obfuscation
- **T1071** 4/4 Application Layer Protocol
- **T1090** 4/4 Proxy
- **T1102** 4/4 Web Service
- **T1105** 4/4 Ingress Tool Transfer
- **T1573** 4/4 Encrypted Channel
- **T1008** 2/4 Fallback Channels
- **T1104** 2/4 Multi-Stage Channels
- **T1568** 2/4 Dynamic Resolution
- **T1092** 1/4 Communication Through Removable ...
- **T1132** 1/4 Data Encoding
- **T1571** 1/4 Non-Standard Port
- **T1665** 1/4 Hide Infrastructure

Exfiltration
4 techniques

- **T1048** 4/4 Exfiltration Over Alternative Protocol
- **T1567** 3/4 Exfiltration Over Web Service
- **T1030** 2/4 Data Transfer Size Limits
- **T1041** 2/4 Exfiltration Over C2 Channel

Impact
8 techniques

- **T1561** 2/4 Disk Wipe
- **T1485** 1/4 Data Destruction
- **T1486** 1/4 Data Encrypted for Impact
- **T1489** 1/4 Service Stop
- **T1491** 1/4 Defacement
- **T1496** 1/4 Resource Hijacking
- **T1498** 1/4 Network Denial of Service
- **T1529** 1/4 System Shutdown/Reboot

Technique Detail

Overlap	Groups	ID	Technique / Sub-technique	Tactics	APT28	APT29	Lazarus Group	APT41
RED	4/4	T1001	Data Obfuscation	Command and Control	✔	✔	✔	✔
RED	4/4	T1005	Data from Local System	Collection	✔	✔	✔	✔
RED	4/4	T1016	System Network Configuration Discovery	Discovery	✔	✔	✔	✔
RED	4/4	T1021	Remote Services	Lateral Movement	✔	✔	✔	✔
RED	4/4	T1027	Obfuscated Files or Information	Stealth	✔	✔	✔	✔
RED	4/4	T1036	Masquerading	Stealth	✔	✔	✔	✔
RED	4/4	T1048	Exfiltration Over Alternative Protocol	Exfiltration	✔	✔	✔	✔
RED	4/4	T1059	Command and Scripting Interpreter	Execution	✔	✔	✔	✔
RED	4/4	T1070	Indicator Removal	Stealth	✔	✔	✔	✔
RED	4/4	T1071	Application Layer Protocol	Command and Control	✔	✔	✔	✔
RED	4/4	T1074	Data Staged	Collection	✔	✔	✔	✔
RED	4/4	T1078	Valid Accounts	Initial Access, Persistence, Privilege Escalation, Stealth	✔	✔	✔	✔
RED	4/4	T1083	File and Directory Discovery	Discovery	✔	✔	✔	✔
RED	4/4	T1090	Proxy	Command and Control	✔	✔	✔	✔
RED	4/4	T1098	Account Manipulation	Persistence, Privilege Escalation	✔	✔	✔	✔
RED	4/4	T1102	Web Service	Command and Control	✔	✔	✔	✔
RED	4/4	T1105	Ingress Tool Transfer	Command and Control	✔	✔	✔	✔
RED	4/4	T1110	Brute Force	Credential Access	✔	✔	✔	✔
RED	4/4	T1140	Deobfuscate/Decode Files or Information	Stealth	✔	✔	✔	✔
RED	4/4	T1203	Exploitation for Client Execution	Execution	✔	✔	✔	✔
RED	4/4	T1218	System Binary Proxy Execution	Stealth	✔	✔	✔	✔
RED	4/4	T1505	Server Software Component	Persistence	✔	✔	✔	✔
RED	4/4	T1547	Boot or Logon Autostart Execution	Persistence, Privilege Escalation	✔	✔	✔	✔
RED	4/4	T1560	Archive Collected Data	Collection	✔	✔	✔	✔
RED	4/4	T1566	Phishing	Initial Access	✔	✔	✔	✔
RED	4/4	T1573	Encrypted Channel	Command and Control	✔	✔	✔	✔
RED	4/4	T1583	Acquire Infrastructure	Resource Development	✔	✔	✔	✔
RED	4/4	T1588	Obtain Capabilities	Resource Development	✔	✔	✔	✔
RED	4/4	T1685	Disable or Modify Tools	Defense Impairment	✔	✔	✔	✔
ORANGE	3/4	T1003	OS Credential Dumping	Credential Access	✔	✔		✔
ORANGE	3/4	T1037	Boot or Logon Initialization Scripts	Persistence, Privilege Escalation	✔	✔		✔
ORANGE	3/4	T1047	Windows Management Instrumentation	Execution		✔	✔	✔
ORANGE	3/4	T1053	Scheduled Task/Job	Execution, Persistence, Privilege Escalation		✔	✔	✔
ORANGE	3/4	T1056	Input Capture	Credential Access, Collection	✔		✔	✔
ORANGE	3/4	T1057	Process Discovery	Discovery	✔	✔	✔	
ORANGE	3/4	T1087	Account Discovery	Discovery		✔	✔	✔
ORANGE	3/4	T1133	External Remote Services	Initial Access, Persistence	✔	✔		✔

Overlap	Groups	ID	Technique / Sub-technique	Tactics	APT28	APT29	Lazarus Group	APT41
ORANGE	3/4	T1134	Access Token Manipulation	Privilege Escalation, Stealth	✔		✔	✔
ORANGE	3/4	T1190	Exploit Public-Facing Application	Initial Access	✔	✔		✔
ORANGE	3/4	T1204	User Execution	Execution	✔	✔	✔	
ORANGE	3/4	T1213	Data from Information Repositories	Collection	✔	✔		✔
ORANGE	3/4	T1542	Pre-OS Boot	Persistence, Stealth	✔		✔	✔
ORANGE	3/4	T1546	Event Triggered Execution	Persistence, Privilege Escalation	✔	✔		✔
ORANGE	3/4	T1550	Use Alternate Authentication Material	Lateral Movement	✔	✔		✔
ORANGE	3/4	T1553	Subvert Trust Controls	Defense Impairment		✔	✔	✔
ORANGE	3/4	T1567	Exfiltration Over Web Service	Exfiltration	✔		✔	✔
ORANGE	3/4	T1584	Compromise Infrastructure	Resource Development	✔	✔	✔	
ORANGE	3/4	T1586	Compromise Accounts	Resource Development	✔	✔		✔
ORANGE	3/4	T1589	Gather Victim Identity Information	Reconnaissance	✔	✔	✔	
ORANGE	3/4	T1595	Active Scanning	Reconnaissance	✔	✔		✔
ORANGE	3/4	T1680	Local Storage Discovery	Discovery		✔	✔	✔
ORANGE	3/4	T1684	Social Engineering	Stealth	✔		✔	✔
ORANGE	3/4	T1686	Disable or Modify System Firewall	Defense Impairment	✔	✔	✔	
YELLOW	2/4	T1008	Fallback Channels	Command and Control			✔	✔
YELLOW	2/4	T1012	Query Registry	Discovery			✔	✔
YELLOW	2/4	T1014	Rootkit	Stealth	✔			✔
YELLOW	2/4	T1018	Remote System Discovery	Discovery		✔		✔
YELLOW	2/4	T1030	Data Transfer Size Limits	Exfiltration	✔			✔
YELLOW	2/4	T1033	System Owner/User Discovery	Discovery			✔	✔
YELLOW	2/4	T1041	Exfiltration Over C2 Channel	Exfiltration			✔	✔
YELLOW	2/4	T1046	Network Service Discovery	Discovery			✔	✔
YELLOW	2/4	T1049	System Network Connections Discovery	Discovery			✔	✔
YELLOW	2/4	T1055	Process Injection	Privilege Escalation, Stealth			✔	✔
YELLOW	2/4	T1068	Exploitation for Privilege Escalation	Privilege Escalation	✔	✔		
YELLOW	2/4	T1069	Permission Groups Discovery	Discovery		✔		✔
YELLOW	2/4	T1082	System Information Discovery	Discovery			✔	✔
YELLOW	2/4	T1104	Multi-Stage Channels	Command and Control			✔	✔
YELLOW	2/4	T1114	Email Collection	Collection	✔	✔		
YELLOW	2/4	T1119	Automated Collection	Collection	✔			✔
YELLOW	2/4	T1136	Create Account	Persistence		✔		✔
YELLOW	2/4	T1189	Drive-by Compromise	Initial Access	✔		✔	
YELLOW	2/4	T1195	Supply Chain Compromise	Initial Access		✔		✔
YELLOW	2/4	T1199	Trusted Relationship	Initial Access	✔	✔		
YELLOW	2/4	T1221	Template Injection	Stealth	✔		✔	

Overlap	Groups	ID	Technique / Sub-technique	Tactics	APT28	APT29	Lazarus Group	APT41
YELLOW	2/4	T1484	Domain or Tenant Policy Modification	Privilege Escalation, Defense Impairment		✔		✔
YELLOW	2/4	T1528	Steal Application Access Token	Credential Access	✔	✔		
YELLOW	2/4	T1543	Create or Modify System Process	Persistence, Privilege Escalation			✔	✔
YELLOW	2/4	T1555	Credentials from Password Stores	Credential Access		✔		✔
YELLOW	2/4	T1557	Adversary-in-the-Middle	Credential Access, Collection	✔		✔	
YELLOW	2/4	T1561	Disk Wipe	Impact	✔		✔	
YELLOW	2/4	T1564	Hide Artifacts	Stealth	✔		✔	
YELLOW	2/4	T1568	Dynamic Resolution	Command and Control		✔		✔
YELLOW	2/4	T1574	Hijack Execution Flow	Execution, Stealth			✔	✔
YELLOW	2/4	T1585	Establish Accounts	Resource Development		✔	✔	
YELLOW	2/4	T1587	Develop Capabilities	Resource Development		✔	✔	
YELLOW	2/4	T1591	Gather Victim Org Information	Reconnaissance	✔		✔	
YELLOW	2/4	T1593	Search Open Websites/Domains	Reconnaissance			✔	✔
YELLOW	2/4	T1596	Search Open Technical Databases	Reconnaissance	✔			✔
LIGHT GREEN	1/4	T1006	Direct Volume Access	Stealth	✔			
LIGHT GREEN	1/4	T1010	Application Window Discovery	Discovery			✔	
LIGHT GREEN	1/4	T1025	Data from Removable Media	Collection	✔			
LIGHT GREEN	1/4	T1039	Data from Network Shared Drive	Collection	✔			
LIGHT GREEN	1/4	T1040	Network Sniffing	Credential Access, Discovery	✔			
LIGHT GREEN	1/4	T1091	Replication Through Removable Media	Initial Access, Lateral Movement	✔			
LIGHT GREEN	1/4	T1092	Communication Through Removable Media	Command and Control	✔			
LIGHT GREEN	1/4	T1106	Native API	Execution			✔	
LIGHT GREEN	1/4	T1112	Modify Registry	Persistence, Defense Impairment				✔
LIGHT GREEN	1/4	T1113	Screen Capture	Collection	✔			
LIGHT GREEN	1/4	T1120	Peripheral Device Discovery	Discovery	✔			
LIGHT GREEN	1/4	T1124	System Time Discovery	Discovery			✔	
LIGHT GREEN	1/4	T1132	Data Encoding	Command and Control			✔	
LIGHT GREEN	1/4	T1135	Network Share Discovery	Discovery				✔
LIGHT GREEN	1/4	T1137	Office Application Startup	Persistence	✔			
LIGHT GREEN	1/4	T1197	BITS Jobs	Execution, Persistence, Stealth				✔
LIGHT GREEN	1/4	T1202	Indirect Command Execution	Stealth			✔	
LIGHT GREEN	1/4	T1210	Exploitation of Remote Services	Lateral Movement	✔			
LIGHT GREEN	1/4	T1211	Exploitation for Stealth	Stealth	✔			
LIGHT GREEN	1/4	T1220	XSL Script Processing	Stealth			✔	
LIGHT GREEN	1/4	T1480	Execution Guardrails	Stealth				✔
LIGHT GREEN	1/4	T1482	Domain Trust Discovery	Discovery		✔		
LIGHT GREEN	1/4	T1485	Data Destruction	Impact			✔	

Overlap	Groups	ID	Technique / Sub-technique	Tactics	APT28	APT29	Lazarus Group	APT41
LIGHT GREEN	1/4	T1486	Data Encrypted for Impact	Impact				✔
LIGHT GREEN	1/4	T1489	Service Stop	Impact			✔	
LIGHT GREEN	1/4	T1491	Defacement	Impact			✔	
LIGHT GREEN	1/4	T1496	Resource Hijacking	Impact				✔
LIGHT GREEN	1/4	T1497	Virtualization/Sandbox Evasion	Stealth, Discovery			✔	
LIGHT GREEN	1/4	T1498	Network Denial of Service	Impact	✔			
LIGHT GREEN	1/4	T1529	System Shutdown/Reboot	Impact			✔	
LIGHT GREEN	1/4	T1534	Internal Spearphishing	Lateral Movement			✔	
LIGHT GREEN	1/4	T1539	Steal Web Session Cookie	Credential Access		✔		
LIGHT GREEN	1/4	T1548	Abuse Elevation Control Mechanism	Privilege Escalation		✔		
LIGHT GREEN	1/4	T1552	Unsecured Credentials	Credential Access		✔		
LIGHT GREEN	1/4	T1556	Modify Authentication Process	Persistence, Defense Impairment, Credential Access		✔		
LIGHT GREEN	1/4	T1558	Steal or Forge Kerberos Tickets	Credential Access		✔		
LIGHT GREEN	1/4	T1559	Inter-Process Communication	Execution	✔			
LIGHT GREEN	1/4	T1569	System Services	Execution				✔
LIGHT GREEN	1/4	T1570	Lateral Tool Transfer	Lateral Movement				✔
LIGHT GREEN	1/4	T1571	Non-Standard Port	Command and Control			✔	
LIGHT GREEN	1/4	T1594	Search Victim-Owned Websites	Reconnaissance				✔
LIGHT GREEN	1/4	T1598	Phishing for Information	Reconnaissance	✔			
LIGHT GREEN	1/4	T1599	Network Boundary Bridging	Defense Impairment				✔
LIGHT GREEN	1/4	T1606	Forge Web Credentials	Credential Access		✔		
LIGHT GREEN	1/4	T1608	Stage Capabilities	Resource Development			✔	
LIGHT GREEN	1/4	T1614	System Location Discovery	Discovery			✔	
LIGHT GREEN	1/4	T1620	Reflective Code Loading	Stealth			✔	
LIGHT GREEN	1/4	T1621	Multi-Factor Authentication Request Generation	Credential Access		✔		
LIGHT GREEN	1/4	T1622	Debugger Evasion	Stealth, Discovery			✔	
LIGHT GREEN	1/4	T1649	Steal or Forge Authentication Certificates	Credential Access		✔		
LIGHT GREEN	1/4	T1651	Cloud Administration Command	Execution		✔		
LIGHT GREEN	1/4	T1665	Hide Infrastructure	Command and Control		✔		
LIGHT GREEN	1/4	T1669	Wi-Fi Networks	Initial Access	✔			