```
<iati-activities generated-datetime="2014-09-10T07:15:37Z" version="2.02" linked-data-
default="http://data.example.org/">
<!-- iati-activity starts -->
<iati-activity xml:lang="en" default-currency="USD" last-updated-datetime="2014-09-10T07:15:37Z"
humanitarian="1" linked-data-uri="http://data.example.org/123456789" hierarchy="1">
<!-- iati-identifier starts -->
<iati-identifier>AA-AAA-123456789-ABC123</iati-identifier>
<!-- iati-identifier ends -->
<!-- reporting-org starts -->
<reporting-org ref="AA-AAA-123456789" type="40" secondary-reporter="0">
<narrative>Organisation name</narrative>
</reporting-org>
<!-- reporting-org ends -->
<!-- title starts -->
<title>
<narrative>Activity title</narrative>
</title>
<!-- title ends -->
<!-- description starts -->
<description type="1">
<narrative>
General activity description text. Long description of the activity with no particular structure.
</narrative>
</description>
<!-- description ends -->
<!-- participating-org starts -->
<participating-org ref="AA-AAA-123456789" role="3" type="21" activity-id="AA-AAA-123456789-1234">
<narrative>Name of Agency A</narrative>
</participating-org>
<!-- participating-org ends -->
<!-- activity-status starts -->
<activity-status code="2"/>
<!-- activity-status ends -->
<!-- activity-date starts -->
<activity-date iso-date="2012-04-15" type="1">
</activity-date>
<!-- activity-date ends -->
<!-- contact-info starts -->
<contact-info type="1">
<organisation>
<narrative>Agency A</narrative>
</organisation>
```

```
<person-name>
<narrative>A. Example</narrative>
</person-name>
<job-title>
<narrative>Transparency Lead
</job-title>
<email>transparency@example.org/email>
<website>http://www.example.org</website>
</contact-info>
<!-- contact-info ends -->
<!-- recipient-country starts -->
<recipient-country code="AF" percentage="100"/>
<!-- recipient-country ends -->
<!-- location-single starts -->
<location>
<name>
<narrative>Location name</narrative>
</name>
<pos>31.616944 65.716944</pos>
</location>
<!-- location-single ends -->
<!-- related-activity starts -->
<related-activity ref="AA-AAA-123456789-6789" type="1"/>
<!-- related-activity ends -->
<!-- result starts -->
<result type="1" aggregation-status="1">
<title>
<narrative>Result title</narrative>
</title>
<description>
<narrative>Result description text
</description>
</result>
<!-- result ends -->
</iati-activity>
<!-- iati-activity ends -->
</iati-activities>
```