# Paper Plots V1

**Brett Stacy** 

2024-11-25


### Introduction

Plots for paper:


- 1. Time series of new ISS vs old. Accompanied by number of hauls, nominal sample size, and possibly RSS boxplots. RSS boxplots may help justify focusing in on 20 sample size meidan for later plots to get an apples to apples, granular test of impact of sample size and expansion complexity.
- 2. ISS full, ISS without expansion, ISS without sampling strata, ISS without either.
- 3. 3x3 grid: sample size 10, 20, 30 fixed X expansion none, haul only, haul+month. With sampling strata.

3.supp.1: same as above but without sampling strata. 3.supp.2: same as above but without bootstrapping trip. 3.supp.3: same as above but without either.


Plot 1.1 baseISS with assessment ISS



## All together 4 panel



### All together 3 panel




Inspect R-squared Fit models to number of hauls.

Plot 2.1


Deconstruct the contributors to baseISS


#### All together 1

Subtracting things from baseISS




All together  ${f 2}$  Adding things to baseISS







 $\mathbf{sub}\;\mathbf{range}\;\mathbf{1}$ 




reorder long



reorder short



reorder short with half trips and half hauls




 ${\bf reorder\; short\; 2}$ 

Plot 3.1

3x3 grid.

 $\label{eq:Data} \mbox{With sampling strata}$ 



### Without sampling strata

