

Notice: Function `_load_textdomain_just_in_time` was called **incorrectly**. Translation loading for the `acf` domain was triggered too early. This is usually an indicator for some code in the plugin or theme running too early. Translations should be loaded at the `init` action or later. Please see [Debugging in WordPress](#) for more information. (This message was added in version 6.7.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `_load_textdomain_just_in_time` was called **incorrectly**. Translation loading for the `wp-grid-builder` domain was triggered too early. This is usually an indicator for some code in the plugin or theme running too early. Translations should be loaded at the `init` action or later. Please see [Debugging in WordPress](#) for more information. (This message was added in version 6.7.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Warning: Cannot modify header information - headers already sent by (output started at `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php:6131`) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/gtranslate/gtranslate.php` on line **84**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "e_display_conditions_trigger". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "e_display_conditions". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_motion_fx_scrolling". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_translateY_effect". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_translateY_direction". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_translateY_speed". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_translateY_affectedRange". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_translateX_effect". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_translateX_direction". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_translateX_speed". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_translateX_affectedRange". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same name "motion_fx_opacity_effect". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in `/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php` on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "motion_fx_devices". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in /home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "motion_fx_motion_fx_mouse". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "motion_fx_mouseTrack_direction". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "motion_fx_tilt_effect". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "motion_fx_tilt_speed". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in /home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_offset". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in /home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_offset_mobile". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in [/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php](#) on line **6131**

Notice: Function `Elementor\Controls_Manager::add_control_to_stack` was called **incorrectly**. Cannot redeclare control with same

name "sticky_effects_offset". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_effects_offset_tablet". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_effects_offset_mobile". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_anchor_link_offset". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_anchor_link_offset_tablet". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_anchor_link_offset_mobile". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "anchor_offset_description". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_parent". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_divider". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Deprecated: Creation of dynamic property Social_Rocket_Buffer::\$countable is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-buffer.php** on line **56**

Deprecated: Creation of dynamic property Social_Rocket_Buffer::\$api_url is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-buffer.php** on line **57**

Deprecated: Creation of dynamic property Social_Rocket_Buffer::\$api_throttle is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-buffer.php** on line **58**

Deprecated: Creation of dynamic property Social_Rocket_Facebook::\$countable is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-facebook.php** on line **58**

Deprecated: Creation of dynamic property Social_Rocket_Facebook::\$api_throttle is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-facebook.php** on line **61**

Deprecated: Creation of dynamic property Social_Rocket_Pinterest::\$anchor_data is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-pinterest.php** on line **44**

Deprecated: Creation of dynamic property Social_Rocket_Pinterest::\$countable is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-pinterest.php** on line **56**

Deprecated: Creation of dynamic property Social_Rocket_Pinterest::\$api_url is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-**

social-rocket-pinterest.php on line **57**

Deprecated: Creation of dynamic property Social_Rocket_Pinterest::\$api_throttle is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-pinterest.php** on line **58**

Deprecated: Creation of dynamic property Social_Rocket_Reddit::\$countable is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-reddit.php** on line **56**

Deprecated: Creation of dynamic property Social_Rocket_Reddit::\$api_url is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-reddit.php** on line **57**

Deprecated: Creation of dynamic property Social_Rocket_Reddit::\$api_throttle is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-reddit.php** on line **58**

Deprecated: Creation of dynamic property Social_Rocket_Twitter::\$countable is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-twitter.php** on line **58**

Deprecated: Creation of dynamic property Social_Rocket_Twitter::\$api_throttle is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/networks/class-social-rocket-twitter.php** on line **60**



Deprecated: Creation of dynamic property Social_Rocket_Facebook::\$wrapper_class is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/class-social-rocket.php** on line **355**

Deprecated: Creation of dynamic property Social_Rocket_Facebook::\$anchor_data is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/class-social-rocket.php** on line **292**

Deprecated: Creation of dynamic property Social_Rocket_Email::\$anchor_data is deprecated in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-content/plugins/social-rocket/includes/class-social-rocket.php** on line **292**

CenExel Anaheim, CA

2441 W La Palma, #140, Anaheim, 92801

Phone 714-774-7777

Available Clinical Trial Studies

Please select the studies you’re interested in:

☐ **Bunion Removal Clinical Trials**

Join Our Bunion Removal Study at CenExel

☐ **Chinese Bridging Clinical Trials**

CenExel is recruiting participants for Chinese Bridging clinical trials aimed at better understanding medication effectiveness in this population

☐ **E. Coli Vaccine Clinical Trials**

CenExel is searching for volunteers to participate in E. Coli Vaccine clinical trials

☐ **Eczema Clinical Trials**

Join an Eczema clinical trial at CenExel

☐ **Healthy Volunteer Clinical Trial**

CenExel is looking for healthy participants to join clinical trials

☐ **Hernia Repair Clinical Trials**

CenExel is seeking adult participants with a hernia for a clinical trial

☐ **Human Papillomavirus Vaccine Clinical Trials**

CenExel is searching for volunteers to participate in HPV Vaccine clinical trials

☐ **Hypertension Clinical Trials**

Participate in a Hypertension clinical trial at CenExel

☐ **Influenza or Flu Vaccine Clinical Trials**

CenExel invites volunteers to participate in Influenza or Flu Vaccine clinical trials

☐ **Japanese Bridging Clinical Trials**

CenExel ACT is seeking volunteers to participate in diverse Japanese Bridging clinical trials

☐ **Obesity or Overweight**

CenExel is looking for volunteers who are living with obesity to take part in our clinical trial

☐ **Respiratory Syncytial Virus (RSV) Vaccine Clinical Trials**

CenExel is searching for adult volunteers to participate in Respiratory Syncytial Virus (RSV) Vaccine clinical trials

☐ **Type 2 Diabetes Clinical Trials**

Participate with CenExel in a Type 2 Diabetes Clinical Trial

Continue

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "e_display_conditions_trigger". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "e_display_conditions". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "motion_fx_motion_fx_scrolling". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

name "motion_fx_blur_range". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "motion_fx_mouseTrack_speed". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_parent". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

Notice: Function Elementor\Controls_Manager::add_control_to_stack was called **incorrectly**. Cannot redeclare control with same name "sticky_divider". Please see [Debugging in WordPress](#) for more information. (This message was added in version 1.0.0.) in **/home/customer/www/cenexelclinicaltrials.com/public_html/wp-includes/functions.php** on line **6131**

FIND A CLINICAL TRIAL



[Sponsor Services](#)

[News](#)

[Careers](#)

[Privacy Policy and Terms](#)

[Sitemap](#)

English ▼

© 2026 CenExel