

## gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs Library

---

Cell Groups
GF180MCU_OSU_SC_GP9T3V3__ADDF_1
GF180MCU_OSU_SC_GP9T3V3__ADDH_1
GF180MCU_OSU_SC_GP9T3V3__AND2_1
GF180MCU_OSU_SC_GP9T3V3__AOI21_1
GF180MCU_OSU_SC_GP9T3V3__AOI22_1
GF180MCU_OSU_SC_GP9T3V3__BUF_16
GF180MCU_OSU_SC_GP9T3V3__BUF_1
GF180MCU_OSU_SC_GP9T3V3__BUF_2
GF180MCU_OSU_SC_GP9T3V3__BUF_4
GF180MCU_OSU_SC_GP9T3V3__BUF_8
GF180MCU_OSU_SC_GP9T3V3__CLKBUF_16
GF180MCU_OSU_SC_GP9T3V3__CLKBUF_1
GF180MCU_OSU_SC_GP9T3V3__CLKBUF_2
GF180MCU_OSU_SC_GP9T3V3__CLKBUF_4
GF180MCU_OSU_SC_GP9T3V3__CLKBUF_8
GF180MCU_OSU_SC_GP9T3V3__CLKINV_16
GF180MCU_OSU_SC_GP9T3V3__CLKINV_1
GF180MCU_OSU_SC_GP9T3V3__CLKINV_2
GF180MCU_OSU_SC_GP9T3V3__CLKINV_4
GF180MCU_OSU_SC_GP9T3V3__CLKINV_8
GF180MCU_OSU_SC_GP9T3V3__DFFN_1
GF180MCU_OSU_SC_GP9T3V3__DFFSR_1
GF180MCU_OSU_SC_GP9T3V3__DFF_1

GF180MCU_OSU_SC_GP9T3V3__DLATN_1
GF180MCU_OSU_SC_GP9T3V3__DLAT_1
GF180MCU_OSU_SC_GP9T3V3__INV_16
GF180MCU_OSU_SC_GP9T3V3__INV_1
GF180MCU_OSU_SC_GP9T3V3__INV_2
GF180MCU_OSU_SC_GP9T3V3__INV_4
GF180MCU_OSU_SC_GP9T3V3__INV_8
GF180MCU_OSU_SC_GP9T3V3__MUX2_1
GF180MCU_OSU_SC_GP9T3V3__NAND2_1
GF180MCU_OSU_SC_GP9T3V3__NOR2_1
GF180MCU_OSU_SC_GP9T3V3__OAI21_1
GF180MCU_OSU_SC_GP9T3V3__OAI22_1
GF180MCU_OSU_SC_GP9T3V3__OAI31_1
GF180MCU_OSU_SC_GP9T3V3__OR2_1
GF180MCU_OSU_SC_GP9T3V3__TBUF_1
GF180MCU_OSU_SC_GP9T3V3__TIEH
GF180MCU_OSU_SC_GP9T3V3__TIEL
GF180MCU_OSU_SC_GP9T3V3__TINV_1
GF180MCU_OSU_SC_GP9T3V3__XNOR2_1
GF180MCU_OSU_SC_GP9T3V3__XOR2_1

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_ADDF\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT			OUTPUT	
A	B	CI	CO	S
0	0	0	0	0
0	0	1	0	1
0	1	0	0	1
0	1	1	1	0
1	0	0	0	1
1	0	1	1	0
1	1	0	1	0
1	1	1	1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__addf_1	86.10000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)			Max Cap(pf)	
	A	B	CI	CO	S
gf180mcu_osu_sc_gp9t3v3__addf_1	0.01543	0.01458	0.01139	1.55550	1.54990

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__addf_1	0.00000	0.00434	0.00459

## Delay Information

Delay(ns) to CO rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__addf_1	A->CO (RR)	0.20585	0.69708	7.28378
	B->CO (RR)	0.21739	0.80653	7.77409
	CI->CO (RR)	0.19557	0.74488	7.27903

Delay(ns) to CO falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__addf_1	A->CO (FF)	0.23716	0.87562	8.06347
	B->CO (FF)	0.22283	0.98240	8.62006
	CI->CO (FF)	0.18799	0.95206	8.30552

Delay(ns) to S rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__addf_1	A->S (-R)	0.41926	1.03203	8.51167
	B->S (-R)	0.40253	1.16425	9.24794
	CI->S (-R)	0.36765	1.08439	8.80527

Delay(ns) to S falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__addf_1	A->S (-F)	0.24727	1.06331	9.07279
	B->S (-F)	0.29334	1.01143	8.75645
	CI->S (-F)	0.31546	0.93878	8.32990

## Power Information

Internal switching power(pJ) to CO rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__addf_1	A	0.04887	0.07881	0.36336
	A	0.08870	0.11843	0.40215
	B	0.04926	0.07537	0.32982
	B	0.08995	0.11667	0.37156
	CI	0.03598	0.06575	0.28970
	CI	0.07624	0.10309	0.32645

Internal switching power(pJ) to CO falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__addf_1	A	0.10044	0.13016	0.41358
	A	0.06316	0.09294	0.37677
	B	0.08219	0.10990	0.36674
	B	0.04008	0.06796	0.32534
	CI	0.07598	0.10643	0.33568
	CI	0.04283	0.07338	0.30256

Internal switching power(pJ) to S rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__addf_1	A	0.02661	0.06920	0.48450
	A	0.11051	0.15362	0.56919
	B	0.03099	0.08080	0.53364
	B	0.11235	0.16171	0.61364
	CI	0.04272	0.09607	0.60594
	CI	0.11962	0.17269	0.68256

**Internal switching power(pJ) to S falling :**

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__addf_1	A	0.10615	0.15186	0.57105
	A	0.01921	0.06505	0.48432
	B	0.10833	0.15763	0.61211
	B	0.03144	0.08092	0.53586
	CI	0.11726	0.17157	0.68970
	CI	0.05203	0.10650	0.62457

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_ADDH\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT	
A	B	CO	S
0	0	0	0
0	1	0	1
1	0	0	1
1	1	1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__addh_1	52.89000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)	
	A	B	CO	S
gf180mcu_osu_sc_gp9t3v3__addh_1	0.00767	0.00696	1.55628	1.55391

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__addh_1	0.00000	0.00347	0.00375

## Delay Information

Delay(ns) to CO rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__addh_1	A->CO (RR)	0.15467	0.64985	7.36131
	B->CO (RR)	0.14895	0.72422	7.77768

Delay(ns) to CO falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__addh_1	A->CO (FF)	0.13279	0.75995	7.69113
	B->CO (FF)	0.12077	0.69463	7.25277

Delay(ns) to S rising (conditional):

Cell Name	Timing Arc(Dir)	When	Delay(ns)		
			First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__addh_1	A->S (RR)	!B	0.16270	0.71195	7.61725
	A->S (FR)	B	0.23655	0.87707	8.21953
	B->S (RR)	!A	0.13015	0.60051	6.99760
	B->S (FR)	A	0.25391	0.83110	7.75742

Delay(ns) to S falling (conditional):

Cell Name	Timing Arc(Dir)	When	Delay(ns)		
			First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__addh_1	A->S (FF)	!B	0.17120	0.73500	7.50836
	A->S (RF)	B	0.25202	0.67477	6.32892
	B->S (FF)	!A	0.14725	0.81531	8.02549
	B->S (RF)	A	0.24585	0.75724	6.87189



## Power Information

Internal switching power(pJ) to CO rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__addh_1	A	0.04299	0.08223	0.37997
	A	0.06130	0.10052	0.39863
	B	0.04770	0.08520	0.35633
	B	0.05977	0.09719	0.36744

Internal switching power(pJ) to CO falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__addh_1	A	0.06008	0.10355	0.40474
	A	0.04178	0.08525	0.38649
	B	0.05943	0.09650	0.36742
	B	0.04816	0.08534	0.35620

Internal switching power(pJ) to S rising (conditional):

Cell Name	Input	When	Power(pJ)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__addh_1	A	B	0.06012	0.10349	0.40495
	A	B	0.04182	0.08524	0.38660
	A	!B	0.02997	0.09205	0.56649
	A	!B	0.08213	0.14414	0.61727
	B	A	0.05948	0.09652	0.36619
	B	A	0.04820	0.08530	0.35514
	B	!A	0.02096	0.07904	0.49045
	B	!A	0.05887	0.11686	0.52826

Internal switching power(pJ) to S falling (conditional):

Cell Name	Input	When	Power(pJ)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__addh_1	A	B	0.04297	0.08214	0.37910
	A	B	0.06128	0.10039	0.39736
	A	!B	0.07202	0.13255	0.60704
	A	!B	0.01999	0.08077	0.55544
	B	A	0.04768	0.08502	0.35523
	B	A	0.05975	0.09696	0.36673
	B	!A	0.06365	0.12211	0.53310
	B	!A	0.02516	0.08378	0.49494

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_AND2\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
A	B	Y
0	x	0
1	0	0
1	1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__and2_1	25.21500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	A	B	Y
gf180mcu_osu_sc_gp9t3v3__and2_1	0.00404	0.00402	1.54145

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__and2_1	0.00000	0.00146	0.00208

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__and2_1	A->Y (RR)	0.12091	0.65220	7.57945
	B->Y (RR)	0.12636	0.58968	7.19291

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__and2_1	A->Y (FF)	0.10143	0.62890	7.06634
	B->Y (FF)	0.11392	0.70107	7.52062

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__and2_1	A	0.02791	0.10203	0.60267
	A	0.05101	0.12515	0.62581
	B	0.02663	0.10507	0.66141
	B	0.05501	0.13318	0.68909

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__and2_1	A	0.04428	0.11969	0.62096
	A	0.02100	0.09659	0.60403
	B	0.05603	0.13811	0.69514
	B	0.02773	0.11005	0.66733

Passive power(pJ) for A rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__and2_1	(!B * !Y)	-0.01400	-0.01412	-0.01413
	(!B * !Y)	0.00187	0.00189	0.00178

Passive power(pJ) for A falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__and2_1	(!B * !Y)	0.01420	0.01431	0.01418
	(!B * !Y)	-0.00176	-0.00177	-0.00175

Passive power(pJ) for B rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__and2_1	(!A * !Y)	-0.01352	-0.01360	-0.01352
	(!A * !Y)	0.00648	0.00654	0.00646

**Passive power(pJ) for B falling (conditional):**

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__and2_1	(!A * !Y)	0.01358	0.01367	0.01355
	(!A * !Y)	-0.00640	-0.00652	-0.00646

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_AOI21\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT			OUTPUT
A0	A1	B	Y
0	x	0	1
x	x	1	0
1	0	0	1
1	1	x	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__aoi21_1	23.98500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)			Max Cap(pf)
	A0	A1	B	Y
gf180mcu_osu_sc_gp9t3v3__aoi21_1	0.00395	0.00398	0.00404	0.78130

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__aoi21_1	0.00000	0.00095	0.00180

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	A0->Y (FR)	0.12548	0.84857	8.60718
	A1->Y (FR)	0.10104	0.81316	8.52901
	B->Y (FR)	0.09169	1.00457	9.87220

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	A0->Y (RF)	0.09477	0.58210	6.15213
	A1->Y (RF)	0.08832	0.72225	7.33025
	B->Y (RF)	0.04221	0.47554	5.35620



## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	A0	0.04812	0.08538	0.28720
	A0	0.01017	0.04724	0.24915
	A1	0.03578	0.07111	0.25783
	A1	0.00294	0.03791	0.22455
	B	0.02638	0.07697	0.30014
	B	0.00387	0.05445	0.27768

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	A0	0.01571	0.05307	0.23767
	A0	0.05345	0.09097	0.27532
	A1	0.01624	0.05172	0.21206
	A1	0.04889	0.08447	0.24502
	B	0.00014	0.04677	0.25198
	B	0.02266	0.06934	0.27849

Passive power(pJ) for A0 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	(A1 * B * !Y)	-0.01313	-0.01339	-0.01331
	(A1 * B * !Y)	0.00659	0.00658	0.00651
	(!A1 * B * !Y)	-0.01352	-0.01358	-0.01352
	(!A1 * B * !Y)	0.00649	0.00654	0.00647
	(!A1 * !B * Y)	-0.01351	-0.01352	-0.01352
	(!A1 * !B * Y)	0.00649	0.00646	0.00646

Passive power(pJ) for A0 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	(A1 * B * !Y)	0.01337	0.01339	0.01331
	(A1 * B * !Y)	-0.00648	-0.00652	-0.00649
	(!A1 * B * !Y)	0.01367	0.01367	0.01355
	(!A1 * B * !Y)	-0.00639	-0.00652	-0.00647
	(!A1 * !B * Y)	0.01358	0.01366	0.01355
	(!A1 * !B * Y)	-0.00639	-0.00646	-0.00646

Passive power(pJ) for A1 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	(B * !Y)	-0.01315	-0.01339	-0.01333
	(B * !Y)	0.00656	0.00658	0.00651
	(!A0 * !B * Y)	-0.01399	-0.01412	-0.01413
	(!A0 * !B * Y)	0.00187	0.00188	0.00178

Passive power(pJ) for A1 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	(B * !Y)	0.01337	0.01339	0.01333
	(B * !Y)	-0.00649	-0.00651	-0.00649
	(!A0 * !B * Y)	0.01424	0.01430	0.01418
	(!A0 * !B * Y)	-0.00176	-0.00177	-0.00175

Passive power(pJ) for B rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	(A0 * A1 * !Y)	-0.00461	-0.00456	-0.00451
	(A0 * A1 * !Y)	0.00790	0.00786	0.00780

**Passive power(pJ) for B falling (conditional):**

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi21_1	(A0 * A1 * !Y)	0.00495	0.00497	0.00463
	(A0 * A1 * !Y)	-0.00734	-0.00745	-0.00779

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_AOI22\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT				OUTPUT
A0	A1	B0	B1	Y
0	x	0	x	1
0	x	1	0	1
x	x	1	1	0
1	0	0	x	1
1	0	1	0	1
1	1	x	x	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__aoi22_1	33.21000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)				Max Cap(pf)
	A0	A1	B0	B1	Y
gf180mcu_osu_sc_gp9t3v3__aoi22_1	0.00395	0.00398	0.00404	0.00402	0.77202

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__aoi22_1	0.00000	0.00123	0.00180

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	A0->Y (FR)	0.17213	0.89100	8.57616
	A1->Y (FR)	0.14831	0.85632	8.49813
	B0->Y (FR)	0.10389	0.98572	9.65346
	B1->Y (FR)	0.12623	1.01964	9.71440

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	A0->Y (RF)	0.13668	0.63055	6.18231
	A1->Y (RF)	0.12991	0.77413	7.35755
	B0->Y (RF)	0.06829	0.68232	7.25666
	B1->Y (RF)	0.07320	0.54700	6.07316

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	A0	0.05781	0.09406	0.30180
	A0	0.01022	0.04639	0.25415
	A1	0.04575	0.07997	0.27119
	A1	0.00309	0.03698	0.22854
	B0	0.02810	0.06829	0.24370
	B0	0.00430	0.04440	0.21941
	B1	0.03957	0.08293	0.27062
	B1	0.01079	0.05417	0.24150

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	A0	0.03098	0.06975	0.27357
	A0	0.07847	0.11725	0.32086
	A1	0.03154	0.06898	0.24727
	A1	0.07376	0.11141	0.28950
	B0	0.00664	0.04533	0.21440
	B0	0.03044	0.06925	0.24098
	B1	0.00547	0.04572	0.23691
	B1	0.03429	0.07470	0.26575

Passive power(pJ) for A0 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	(A1 * B0 * B1 * !Y)	-0.01304	-0.01331	-0.01331
	(A1 * B0 * B1 * !Y)	0.00654	0.00658	0.00651
	(!A1 * B0 * B1 * !Y)	-0.01354	-0.01355	-0.01352
	(!A1 * B0 * B1 * !Y)	0.00649	0.00647	0.00646
	(!A1 * B0 * !B1 * Y)	-0.01353	-0.01356	-0.01352
	(!A1 * B0 * !B1 * Y)	0.00650	0.00650	0.00648
	(!A1 * !B0 * Y)	-0.01353	-0.01356	-0.01352
	(!A1 * !B0 * Y)	0.00650	0.00650	0.00648

Passive power(pJ) for A0 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	(A1 * B0 * B1 * !Y)	0.01333	0.01331	0.01331
	(A1 * B0 * B1 * !Y)	-0.00648	-0.00649	-0.00649
	(!A1 * B0 * B1 * !Y)	0.01358	0.01367	0.01355
	(!A1 * B0 * B1 * !Y)	-0.00639	-0.00647	-0.00646
	(!A1 * B0 * !B1 * Y)	0.01358	0.01366	0.01355
	(!A1 * B0 * !B1 * Y)	-0.00641	-0.00650	-0.00647
	(!A1 * !B0 * Y)	0.01358	0.01366	0.01355
	(!A1 * !B0 * Y)	-0.00641	-0.00650	-0.00647

Passive power(pJ) for A1 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	$(B0 * B1 * !Y)$	-0.01310	-0.01337	-0.01331
	$(B0 * B1 * !Y)$	0.00654	0.00658	0.00651
	$(!A0 * B0 * !B1 * Y)$	-0.01410	-0.01412	-0.01413
	$(!A0 * B0 * !B1 * Y)$	0.00190	0.00188	0.00178
	$(!A0 * !B0 * Y)$	-0.01410	-0.01412	-0.01413
	$(!A0 * !B0 * Y)$	0.00190	0.00188	0.00178

Passive power(pJ) for A1 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	$(B0 * B1 * !Y)$	0.01335	0.01337	0.01331
	$(B0 * B1 * !Y)$	-0.00649	-0.00650	-0.00649
	$(!A0 * B0 * !B1 * Y)$	0.01422	0.01430	0.01418
	$(!A0 * B0 * !B1 * Y)$	-0.00175	-0.00177	-0.00175
	$(!A0 * !B0 * Y)$	0.01422	0.01430	0.01418
	$(!A0 * !B0 * Y)$	-0.00175	-0.00177	-0.00175

Passive power(pJ) for B0 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	$(A0 * A1 * !Y)$	-0.00456	-0.00456	-0.00451
	$(A0 * A1 * !Y)$	0.00780	0.00786	0.00780
	$(!A1 * !B1 * Y)$	-0.01407	-0.01403	-0.01414
	$(!A1 * !B1 * Y)$	0.00189	0.00187	0.00178
	$(!A0 * A1 * !B1 * Y)$	-0.01407	-0.01403	-0.01414
	$(!A0 * A1 * !B1 * Y)$	0.00189	0.00187	0.00178

Passive power(pJ) for B0 falling (conditional):



Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	(A0 * A1 * !Y)	0.00509	0.00511	0.00465
	(A0 * A1 * !Y)	-0.00719	-0.00730	-0.00777
	(!A1 * !B1 * Y)	0.01422	0.01428	0.01417
	(!A1 * !B1 * Y)	-0.00178	-0.00177	-0.00175
	(!A0 * A1 * !B1 * Y)	0.01421	0.01428	0.01417
	(!A0 * A1 * !B1 * Y)	-0.00178	-0.00177	-0.00175

Passive power(pJ) for B1 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	(A0 * A1 * !Y)	-0.00453	-0.00456	-0.00451
	(A0 * A1 * !Y)	0.00782	0.00785	0.00780
	(!A1 * !B0 * Y)	-0.01351	-0.01359	-0.01352
	(!A1 * !B0 * Y)	0.00645	0.00651	0.00644
	(!A0 * A1 * !B0 * Y)	-0.01351	-0.01359	-0.01352
	(!A0 * A1 * !B0 * Y)	0.00645	0.00651	0.00644

Passive power(pJ) for B1 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__aoi22_1	(A0 * A1 * !Y)	0.00509	0.00510	0.00465
	(A0 * A1 * !Y)	-0.00718	-0.00730	-0.00777
	(!A1 * !B0 * Y)	0.01355	0.01364	0.01354
	(!A1 * !B0 * Y)	-0.00642	-0.00651	-0.00644
	(!A0 * A1 * !B0 * Y)	0.01355	0.01364	0.01354
	(!A0 * A1 * !B0 * Y)	-0.00642	-0.00651	-0.00644

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_BUF\_16

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__buf_16	97.17000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__buf_16	0.00404	24.76612

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__buf_16	0.00000	0.01267	0.01499

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_16	A->Y (RR)	0.33754	0.79801	7.91918

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_16	A->Y (FF)	0.36409	0.97238	8.58056

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_16	A	0.71260	0.73169	1.14194
	A	0.73444	0.75355	1.14522

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_16	A	0.78739	0.77302	1.12733
	A	0.76551	0.75116	1.10816

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_BUF\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__buf_1	19.68000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__buf_1	0.00405	1.55566

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__buf_1	0.00000	0.00149	0.00149

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_1	A->Y (RR)	0.08426	0.50781	6.93348

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_1	A->Y (FF)	0.09264	0.66519	7.59185

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_1	A	0.02013	0.10920	0.69832
	A	0.04198	0.13108	0.72018

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_1	A	0.04221	0.13434	0.72073
	A	0.02040	0.11249	0.69903

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_BUF\_2

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__buf_2	23.98500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__buf_2	0.00404	3.10294

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__buf_2	0.00000	0.00224	0.00239



## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_2	A->Y (RR)	0.10055	0.47431	7.01509

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_2	A->Y (FF)	0.10963	0.64043	7.67275

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_2	A	0.04221	0.13201	0.71774
	A	0.06414	0.15388	0.73960

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_2	A	0.06406	0.15612	0.73814
	A	0.04206	0.13431	0.71640

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_BUF\_4

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__buf_4	35.05500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__buf_4	0.00404	6.15334

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__buf_4	0.00000	0.00373	0.00419

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_4	A->Y (RR)	0.13464	0.50150	7.13109

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_4	A->Y (FF)	0.14592	0.67397	7.79491

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_4	A	0.09366	0.18701	0.76428
	A	0.11572	0.20872	0.78373

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_4	A	0.11749	0.21027	0.78112
	A	0.09536	0.18852	0.76264

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_BUF\_8

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__buf_8	55.65750

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__buf_8	0.00404	12.28096

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__buf_8	0.00000	0.00671	0.00779

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_8	A->Y (RR)	0.20308	0.60328	7.39814

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__buf_8	A->Y (FF)	0.21924	0.78004	8.06740

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_8	A	0.23904	0.33421	0.87603
	A	0.26101	0.35591	0.88880

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__buf_8	A	0.27241	0.35418	0.87944
	A	0.25041	0.33282	0.86069



# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKBUF\_16

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkbuf_16	97.17000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkbuf_16	0.00404	24.76612

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkbuf_16	0.00000	0.01267	0.01499

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_16	A->Y (RR)	0.33754	0.79801	7.91918

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_16	A->Y (FF)	0.36409	0.97238	8.58056

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_16	A	0.71260	0.73169	1.14194
	A	0.73444	0.75355	1.14522

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_16	A	0.78739	0.77302	1.12733
	A	0.76551	0.75116	1.10816

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKBUF\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkbuf_1	19.68000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkbuf_1	0.00405	1.55566

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkbuf_1	0.00000	0.00149	0.00149

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_1	A->Y (RR)	0.08426	0.50781	6.93348

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_1	A->Y (FF)	0.09264	0.66519	7.59185

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_1	A	0.02013	0.10920	0.69832
	A	0.04198	0.13108	0.72018

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_1	A	0.04221	0.13434	0.72073
	A	0.02040	0.11249	0.69903

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKBUF\_2

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkbuf_2	23.98500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkbuf_2	0.00404	3.10294

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkbuf_2	0.00000	0.00224	0.00239

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_2	A->Y (RR)	0.10055	0.47431	7.01509

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_2	A->Y (FF)	0.10963	0.64043	7.67275



## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_2	A	0.04221	0.13201	0.71774
	A	0.06414	0.15388	0.73960

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_2	A	0.06406	0.15612	0.73814
	A	0.04206	0.13431	0.71640

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKBUF\_4

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkbuf_4	34.74750

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkbuf_4	0.00404	6.15334

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkbuf_4	0.00000	0.00373	0.00419

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_4	A->Y (RR)	0.13464	0.50150	7.13109

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_4	A->Y (FF)	0.14592	0.67397	7.79491

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_4	A	0.09366	0.18701	0.76428
	A	0.11572	0.20872	0.78373

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_4	A	0.11749	0.21027	0.78112
	A	0.09536	0.18852	0.76264

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKBUF\_8

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkbuf_8	55.65750

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkbuf_8	0.00404	12.28096

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkbuf_8	0.00000	0.00671	0.00779

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_8	A->Y (RR)	0.20308	0.60328	7.39814

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkbuf_8	A->Y (FF)	0.21924	0.78004	8.06740

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_8	A	0.23904	0.33421	0.87603
	A	0.26101	0.35591	0.88880

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkbuf_8	A	0.27241	0.35418	0.87944
	A	0.25041	0.33282	0.86069

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKINV\_16

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ecs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkinv_16	92.25000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkinv_16	0.06466	23.87903

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkinv_16	0.00000	0.01192	0.01439



## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_16	A->Y (FR)	0.03956	0.49677	9.96266

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_16	A->Y (RF)	0.03092	0.29391	8.47767

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_16	A	0.35769	1.48564	4.08772
	A	0.00871	1.13458	3.73679

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_16	A	0.00389	1.07024	3.39414
	A	0.35277	1.42158	3.74746

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKINV\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkinv_1	13.53000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkinv_1	0.00404	1.50748

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkinv_1	0.00000	0.00075	0.00090

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_1	A->Y (FR)	0.04498	0.84197	10.02570

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_1	A->Y (RF)	0.03639	0.64312	8.53517

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_1	A	0.02226	0.07404	0.25366
	A	0.00038	0.05208	0.23179

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_1	A	-0.00053	0.04771	0.21052
	A	0.02128	0.06976	0.23249

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKINV\_2

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkinv_2	19.68000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkinv_2	0.00808	2.98498

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkinv_2	0.00000	0.00149	0.00180

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_2	A->Y (FR)	0.04172	0.72858	9.96233

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_2	A->Y (RF)	0.03307	0.52906	8.47738

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_2	A	0.04475	0.15897	0.51097
	A	0.00091	0.11480	0.46711

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_2	A	-0.00109	0.10609	0.42288
	A	0.04270	0.15004	0.46704



# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKINV\_4

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkinv_4	29.52000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkinv_4	0.01616	5.97048

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkinv_4	0.00000	0.00298	0.00360

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_4	A->Y (FR)	0.04000	0.63574	9.96289

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_4	A->Y (RF)	0.03137	0.43650	8.47788

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_4	A	0.08959	0.33578	1.02191
	A	0.00205	0.24768	0.93418

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_4	A	-0.00200	0.23109	0.84572
	A	0.08550	0.31888	0.93405

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_CLKINV\_8

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__clkinv_8	50.43000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__clkinv_8	0.03232	11.94140

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__clkinv_8	0.00000	0.00596	0.00720

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_8	A->Y (FR)	0.03912	0.55929	9.96313

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__clkinv_8	A->Y (RF)	0.03045	0.35837	8.47809

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_8	A	0.17894	0.70851	2.04380
	A	0.00445	0.53241	1.86833

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__clkinv_8	A	-0.00375	0.49690	1.69140
	A	0.17077	0.67287	1.86807

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_DFFN\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT	
D	CLK	Q	QN
0	F	0	1
1	F	1	0
x	x	IQ	IQN

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__dffn_1	95.32500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)	
	D	CLK	Q	QN
gf180mcu_osu_sc_gp9t3v3__dffn_1	0.00393	0.00405	1.55346	1.56080

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__dffn_1	0.00000	0.00670	0.00720

## Delay Information

Delay(ns) to Q rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dffn_1	CLK->Q (FR)	0.36265	1.51904	17.95310
	QN->Q (FR)	0.04498	0.85011	10.22050

Delay(ns) to Q falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dffn_1	CLK->Q (FF)	0.44375	1.57085	17.66500
	QN->Q (RF)	0.03639	0.65089	8.70942

Delay(ns) to QN rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dffn_1	CLK->QN (FR)	0.40891	1.04648	8.44575

Delay(ns) to QN falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dffn_1	CLK->QN (FF)	0.32445	0.93879	7.71483



## Constraint Information

Constraints(ns) for D rising :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	hold	CLK (F)	-0.01800	0.13413	2.01011
	setup	CLK (F)	0.02066	-0.14062	-2.02848

Constraints(ns) for D falling :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	hold	CLK (F)	-0.13072	-0.17523	-0.85072
	setup	CLK (F)	0.14055	0.19037	0.87879

Constraints(ns) for CLK rising (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	min_pulse_width	CLK ()	0.16309	1.45630	16.50020
	min_pulse_width	CLK ()	0.17345	1.45630	16.50020

Constraints(ns) for CLK falling (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	min_pulse_width	CLK ()	0.18123	1.45630	16.50020
	min_pulse_width	CLK ()	0.19937	1.45630	16.50020

## Power Information

Internal switching power(pJ) to Q rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	CLK	0.08873	0.14461	0.56027
	CLK	0.07771	0.13398	0.55157

Internal switching power(pJ) to Q falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	CLK	0.09067	0.14336	0.54613
	CLK	0.07973	0.13217	0.53465

Internal switching power(pJ) to QN rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	CLK	0.09068	0.14334	0.54412
	CLK	0.07974	0.13214	0.53285

Internal switching power(pJ) to QN falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	CLK	0.08864	0.14452	0.55546
	CLK	0.07763	0.13355	0.54614

Passive power(pJ) for D rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	$(CLK * Q * !QN) + (CLK * !Q * QN)$	0.05987	0.13585	0.71350
	$(CLK * Q * !QN) + (CLK * !Q * QN)$	0.08137	0.15740	0.73486
	$!CLK$	-0.01340	-0.01346	-0.01345
	$!CLK$	0.00655	0.00649	0.00648

Passive power(pJ) for D falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	$(CLK * Q * !QN) + (CLK * !Q * QN)$	0.09188	0.16881	0.74738
	$(CLK * Q * !QN) + (CLK * !Q * QN)$	0.07038	0.14734	0.72595
	$!CLK$	0.01361	0.01361	0.01345
	$!CLK$	-0.00644	-0.00649	-0.00648

Passive power(pJ) for CLK rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	$(D * Q * !QN)$	0.04584	0.13712	0.76361
	$(D * Q * !QN)$	0.06788	0.15926	0.78563
	$(D * !Q * QN)$	0.12295	0.21583	0.83745
	$(D * !Q * QN)$	0.14587	0.23883	0.86039
	$(!D * Q * !QN)$	0.11967	0.21824	0.88437
	$(!D * Q * !QN)$	0.14107	0.23984	0.90580
	$(!D * !Q * QN)$	0.05254	0.14492	0.77131
	$(!D * !Q * QN)$	0.07438	0.16690	0.79321

Passive power(pJ) for CLK falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffn_1	(D * Q * !QN)	0.06828	0.16271	0.78851
	(D * Q * !QN)	0.04616	0.14053	0.76653
	(!D * !Q * QN)	0.07493	0.16778	0.79394
	(!D * !Q * QN)	0.05294	0.14588	0.77210

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_DFFSR\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT				OUTPUT	
D	RN	SN	CLK	Q	QN
0	1	1	R	0	1
1	1	1	R	1	0
x	0	x	x	0	1
x	1	0	x	1	0
x	1	1	x	IQ	IQN

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__dffsr_1	126.07500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)				Max Cap(pf)	
	D	RN	SN	CLK	Q	QN
gf180mcu_osu_sc_gp9t3v3__dffsr_1	0.00393	0.00405	0.00802	0.01039	1.54794	1.55977

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__dffsr_1	0.00000	0.00708	0.00862

## Delay Information

Delay(ns) to Q rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK->Q (RR)	0.39152	1.36998	16.45910
	QN->Q (FR)	0.04498	0.84959	10.19690
	RN->Q (RR)	0.28691	1.26458	16.47060
	SN->Q (FR)	0.26970	1.36489	17.32290

Delay(ns) to Q falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK->Q (RF)	0.44884	1.38495	16.25880
	QN->Q (RF)	0.03639	0.65027	8.68858
	RN->Q (FF)	0.25479	1.37924	17.40650

Delay(ns) to QN rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK->QN (RR)	0.41343	0.86099	7.09321
	RN->QN (FR)	0.21980	0.85598	8.24101

Delay(ns) to QN falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK->QN (RF)	0.34947	0.79178	6.28325
	RN->QN (RF)	0.24559	0.68577	6.29256
	SN->QN (FF)	0.22847	0.78577	7.14017

## Constraint Information

Constraints(ns) for D rising :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	hold	CLK (R)	-0.15713	-0.13413	0.53527
	setup	CLK (R)	0.17498	0.14711	0.18893

Constraints(ns) for D falling :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	hold	CLK (R)	-0.24669	-0.61871	-5.11295
	setup	CLK (R)	0.25033	0.62304	5.14531

Constraints(ns) for D rising (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	hold	CLK (R)	-0.15713	-0.13413	0.53527
	setup	CLK (R)	0.17498	0.14711	0.18893

Constraints(ns) for D falling (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	hold	CLK (R)	-0.24669	-0.61871	-5.11295
	setup	CLK (R)	0.25033	0.62304	5.14531

Constraints(ns) for RN rising :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	recovery	CLK (R)	0.05316	0.04859	1.06403
	removal	CLK (R)	-0.01563	-0.01947	-0.04919
	hold	SN (R)	-0.21059	-0.41752	-0.83190
	setup	SN (R)	0.24963	0.43483	3.52980

Constraints(ns) for RN rising (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	recovery	CLK (R)	0.05316	0.04859	1.06403
	removal	CLK (R)	-0.01563	-0.01947	-0.04919
	hold	SN (R)	-0.21059	-0.41752	-0.83192
	hold	SN (R)	-0.21242	-0.41968	-0.83190
	setup	SN (R)	0.24529	0.43050	3.43412
	setup	SN (R)	0.24963	0.43483	3.52980

Constraints(ns) for RN falling (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	min_pulse_width	RN ()	0.16568	1.45630	16.50020
	min_pulse_width	RN ()	0.16568	1.45630	16.50020

Constraints(ns) for SN rising :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	recovery	CLK (R)	0.04145	0.09302	2.68444
	removal	CLK (R)	-0.03673	-0.08870	-0.61887

Constraints(ns) for SN rising (conditional):



Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	recovery	CLK (R)	0.04145	0.09302	2.68444
	removal	CLK (R)	-0.03673	-0.08870	-0.61887

Constraints(ns) for SN falling (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	min_pulse_width	SN ()	0.22788	1.45630	16.50020
	min_pulse_width	SN ()	0.23047	1.45630	16.50020

Constraints(ns) for CLK rising (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	min_pulse_width	CLK ()	0.19678	1.45630	16.50020
	min_pulse_width	CLK ()	0.22010	1.45630	16.50020

Constraints(ns) for CLK falling (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	min_pulse_width	CLK ()	0.24083	1.45630	16.50020
	min_pulse_width	CLK ()	0.21233	1.45630	16.50020

## Power Information

Internal switching power(pJ) to Q rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK	0.06467	0.13937	0.65038
	CLK	0.08972	0.16530	0.67768
	RN	0.10502	0.15566	0.55926
	RN	0.12178	0.17262	0.57788
	SN	0.09520	0.15571	0.62174
	SN	0.07891	0.14051	0.60644

Internal switching power(pJ) to Q falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK	0.06770	0.11451	0.50899
	CLK	0.09222	0.13887	0.53172
	RN	0.11637	0.17244	0.59300
	RN	0.09957	0.15467	0.57629

Internal switching power(pJ) to QN rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK	0.06763	0.11443	0.50805
	CLK	0.09215	0.13878	0.53208
	RN	0.11635	0.17181	0.59143
	RN	0.09955	0.15509	0.57434

Internal switching power(pJ) to QN falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK	0.06458	0.13962	0.64790
	CLK	0.08963	0.16459	0.67511
	RN	0.10495	0.15575	0.55607
	RN	0.12171	0.17250	0.57349
	SN	0.09512	0.15609	0.61949
	SN	0.07882	0.13985	0.60344

Passive power(pJ) for D rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK	-0.01322	-0.01337	-0.01335
	CLK	0.00655	0.00647	0.00649
	(!CLK * RN * SN * Q * !QN) + (!CLK * RN * SN * !Q * QN)	0.08460	0.15229	0.71637
	(!CLK * RN * SN * Q * !QN) + (!CLK * RN * SN * !Q * QN)	0.11017	0.17788	0.74184
	(!CLK * RN * !SN * Q * !QN)	0.03740	0.10128	0.62199
	(!CLK * RN * !SN * Q * !QN)	0.06908	0.13307	0.65351
	(!CLK * !RN * SN * !Q * QN)	0.03715	0.10059	0.62211
	(!CLK * !RN * SN * !Q * QN)	0.06896	0.13235	0.65366
	(!CLK * !RN * !SN * !Q * QN)	0.03740	0.10128	0.62199
	(!CLK * !RN * !SN * !Q * QN)	0.06908	0.13307	0.65351

Passive power(pJ) for D falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	CLK	0.01350	0.01350	0.01335
	CLK	-0.00644	-0.00647	-0.00648
	(!CLK * RN * SN * Q * !QN) + (!CLK * RN * SN * !Q * QN)	0.10616	0.17651	0.74263
	(!CLK * RN * SN * Q * !QN) + (!CLK * RN * SN * !Q * QN)	0.08055	0.15087	0.71713
	(!CLK * RN * !SN * Q * !QN)	0.04832	0.11362	0.63649
	(!CLK * RN * !SN * Q * !QN)	0.01674	0.08188	0.60486
	(!CLK * !RN * SN * !Q * QN)	0.04844	0.11347	0.63632
	(!CLK * !RN * SN * !Q * QN)	0.01680	0.08179	0.60475
	(!CLK * !RN * !SN * !Q * QN)	0.04832	0.11362	0.63650
	(!CLK * !RN * !SN * !Q * QN)	0.01674	0.08186	0.60486

Passive power(pJ) for RN rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	(CLK * SN * !Q * QN) + (!CLK * !D * SN * !Q * QN)	0.00945	0.09340	0.67565
	(CLK * SN * !Q * QN) + (!CLK * !D * SN * !Q * QN)	0.03159	0.11551	0.69779
	(!CLK * D * SN * !Q * QN)	0.05546	0.14345	0.75218
	(!CLK * D * SN * !Q * QN)	0.07230	0.16042	0.76910

Passive power(pJ) for RN falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	$(CLK * SN * !Q * QN) + (!CLK * !D * SN * !Q * QN)$	0.03774	0.12507	0.70816
	$(CLK * SN * !Q * QN) + (!CLK * !D * SN * !Q * QN)$	0.01557	0.10282	0.68608
	$(!CLK * D * SN * !Q * QN)$	0.07901	0.17019	0.78403
	$(!CLK * D * SN * !Q * QN)$	0.06214	0.15344	0.76718

Passive power(pJ) for SN rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	$(CLK * RN * Q * !QN) + (!CLK * D * RN * Q * !QN)$	-0.02793	-0.02816	-0.02827
	$(CLK * RN * Q * !QN) + (!CLK * D * RN * Q * !QN)$	0.00386	0.00388	0.00366
	$(!RN * !Q * QN)$	-0.02694	-0.02702	-0.02698
	$(!RN * !Q * QN)$	0.01311	0.01316	0.01302
	$(!CLK * !D * RN * Q * !QN)$	0.02956	0.08801	0.55614
	$(!CLK * !D * RN * Q * !QN)$	0.06710	0.12577	0.59362

Passive power(pJ) for SN falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	$(CLK * RN * Q * !QN) + (!CLK * D * RN * Q * !QN)$	0.02846	0.02860	0.02836
	$(CLK * RN * Q * !QN) + (!CLK * D * RN * Q * !QN)$	-0.00361	-0.00364	-0.00359
	$(!RN * !Q * QN)$	0.02707	0.02702	0.02698
	$(!RN * !Q * QN)$	-0.01298	-0.01298	-0.01298
	$(!CLK * !D * RN * Q * !QN)$	0.06258	0.11848	0.58926
	$(!CLK * !D * RN * Q * !QN)$	0.02492	0.08071	0.55161

Passive power(pJ) for CLK rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	$(D * RN * Q * !QN)$	-0.00022	0.08422	0.66646
	$(D * RN * Q * !QN)$	0.04664	0.13103	0.71314
	$(D * !RN * SN * !Q * QN)$	0.03593	0.12442	0.73405
	$(D * !RN * SN * !Q * QN)$	0.08031	0.16869	0.77671
	$(D * !RN * !SN * !Q * QN)$	0.03580	0.12436	0.73378
	$(D * !RN * !SN * !Q * QN)$	0.08025	0.16861	0.77637
	$(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)$	-0.00083	0.08455	0.66610
	$(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)$	0.05312	0.13834	0.71997
	$(!D * RN * !SN * Q * !QN)$	0.02509	0.16620	1.15806
	$(!D * RN * !SN * Q * !QN)$	0.08159	0.22280	1.21437

Passive power(pJ) for CLK falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dffsr_1	(D * RN * SN * !Q * QN)	0.14915	0.23727	1.00237
	(D * RN * SN * !Q * QN)	0.10132	0.18958	0.95592
	(D * RN * Q * !QN)	0.04729	0.13513	0.71738
	(D * RN * Q * !QN)	0.00048	0.08852	0.67051
	(D * !RN * SN * !Q * QN)	0.09406	0.18881	0.79676
	(D * !RN * SN * !Q * QN)	0.04959	0.14470	0.75327
	(D * !RN * !SN * !Q * QN)	0.09424	0.18910	0.79678
	(D * !RN * !SN * !Q * QN)	0.04977	0.14491	0.75318
	(!D * RN * SN * Q * !QN)	0.13537	0.28452	1.17447
	(!D * RN * SN * Q * !QN)	0.08472	0.23384	1.12334
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	0.05373	0.13922	0.72024
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	-0.00033	0.08498	0.66631
	(!D * RN * !SN * Q * !QN)	0.06924	0.21479	1.20685
	(!D * RN * !SN * Q * !QN)	0.01269	0.15837	1.15038

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_DFF\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT	
D	CLK	Q	QN
0	R	0	1
1	R	1	0
x	x	IQ	IQN

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__dff_1	89.17500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)	
	D	CLK	Q	QN
gf180mcu_osu_sc_gp9t3v3__dff_1	0.00393	0.01039	1.56141	1.56075

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__dff_1	0.00000	0.00595	0.00661



## Delay Information

Delay(ns) to Q rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK->Q (RR)	0.26942	1.25620	16.48390
	QN->Q (FR)	0.04498	0.85148	10.25460

Delay(ns) to Q falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK->Q (RF)	0.35742	1.28545	16.29670
	QN->Q (RF)	0.03639	0.65226	8.74007

Delay(ns) to QN rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK->QN (RR)	0.32250	0.75813	6.99720

Delay(ns) to QN falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK->QN (RF)	0.23125	0.67320	6.16788

## Constraint Information

Constraints(ns) for D rising :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	hold	CLK (R)	-0.10837	-0.09951	0.55856
	setup	CLK (R)	0.11748	0.10817	0.37404

Constraints(ns) for D falling :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	hold	CLK (R)	-0.21621	-0.61006	-5.04240
	setup	CLK (R)	0.21824	0.61222	5.16013

Constraints(ns) for CLK rising (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	min_pulse_width	CLK ()	0.14754	1.45630	16.50020
	min_pulse_width	CLK ()	0.18123	1.45630	16.50020

Constraints(ns) for CLK falling (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	min_pulse_width	CLK ()	0.18382	1.45630	16.50020
	min_pulse_width	CLK ()	0.17604	1.45630	16.50020

## Power Information

Internal switching power(pJ) to Q rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK	0.04946	0.12984	0.64377
	CLK	0.07753	0.15803	0.67514

Internal switching power(pJ) to Q falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK	0.05842	0.10745	0.50368
	CLK	0.07991	0.12830	0.52377

Internal switching power(pJ) to QN rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK	0.05840	0.10719	0.50270
	CLK	0.07989	0.12852	0.52401

Internal switching power(pJ) to QN falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK	0.04937	0.12979	0.64122
	CLK	0.07744	0.15791	0.67139

Passive power(pJ) for D rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK	-0.01322	-0.01338	-0.01335
	CLK	0.00655	0.00647	0.00649
	$(!CLK * Q * !QN) + (!CLK * !Q * QN)$	0.05982	0.13524	0.71342
	$(!CLK * Q * !QN) + (!CLK * !Q * QN)$	0.09138	0.16690	0.74479

Passive power(pJ) for D falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	CLK	0.01350	0.01350	0.01335
	CLK	-0.00644	-0.00647	-0.00648
	$(!CLK * Q * !QN) + (!CLK * !Q * QN)$	0.09185	0.16885	0.74724
	$(!CLK * Q * !QN) + (!CLK * !Q * QN)$	0.06027	0.13728	0.71567

Passive power(pJ) for CLK rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	$(D * Q * !QN)$	-0.00022	0.08422	0.66646
	$(D * Q * !QN)$	0.04664	0.13102	0.71314
	$(!D * !Q * QN)$	-0.00083	0.08453	0.66610
	$(!D * !Q * QN)$	0.05312	0.13836	0.71997

Passive power(pJ) for CLK falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dff_1	(D * Q * !QN)	0.04730	0.13539	0.71738
	(D * Q * !QN)	0.00048	0.08841	0.67051
	(D * !Q * QN)	0.12427	0.21430	0.99209
	(D * !Q * QN)	0.08251	0.17233	0.94983
	(!D * Q * !QN)	0.12089	0.27488	1.16805
	(!D * Q * !QN)	0.06421	0.21785	1.11108
	(!D * !Q * QN)	0.05375	0.13922	0.72024
	(!D * !Q * QN)	-0.00032	0.08498	0.66630

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_DLATN\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
D	CLK	Q
0	0	0
x	1	IQ
1	0	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__dlatn_1	69.49500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	D	CLK	Q
gf180mcu_osu_sc_gp9t3v3__dlatn_1	0.00395	0.00404	1.56469

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__dlatn_1	0.00000	0.00487	0.00534

## Delay Information

Delay(ns) to Q rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	CLK->Q (FR)	0.34347	0.97913	8.41150
	D->Q (RR)	0.29675	0.73072	6.97299

Delay(ns) to Q falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	CLK->Q (FF)	0.40078	0.97658	7.65747
	D->Q (FF)	0.32831	0.89660	7.71021

## Constraint Information

Constraints(ns) for D rising :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	hold	CLK (R)	-0.11447	-0.17739	-0.64081
	setup	CLK (R)	0.12096	0.17956	1.00982

Constraints(ns) for D falling :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	hold	CLK (R)	-0.09933	-0.17307	-1.25025
	setup	CLK (R)	0.10645	0.17523	1.26225

Constraints(ns) for CLK falling (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	min_pulse_width	CLK ()	0.17086	1.45630	16.50020
	min_pulse_width	CLK ()	0.18641	1.45630	16.50020



## Power Information

Internal switching power(pJ) to Q rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	CLK	0.15800	0.26367	0.93251
	CLK	0.13689	0.24235	0.91127
	D	0.09616	0.17470	0.76381
	D	0.11758	0.19601	0.78519

Internal switching power(pJ) to Q falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	CLK	0.16083	0.25900	0.88284
	CLK	0.13833	0.23702	0.86077
	D	0.12188	0.20029	0.78765
	D	0.10035	0.17908	0.76662

Passive power(pJ) for D rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	CLK	-0.01335	-0.01350	-0.01346
	CLK	0.00662	0.00651	0.00649

Passive power(pJ) for D falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	CLK	0.01342	0.01361	0.01346
	CLK	-0.00641	-0.00651	-0.00647

Passive power(pJ) for CLK rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	(D * Q)	0.03320	0.12708	0.75302
	(D * Q)	0.05503	0.14896	0.77483
	(!D * !Q)	0.03637	0.13061	0.75694
	(!D * !Q)	0.05836	0.15280	0.77887

Passive power(pJ) for CLK falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlatn_1	(D * Q)	0.05518	0.15146	0.77647
	(D * Q)	0.03329	0.12958	0.75466
	(!D * !Q)	0.05864	0.15408	0.77925
	(!D * !Q)	0.03658	0.13192	0.75729

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_DLAT\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
D	CLK	Q
x	0	IQ
0	1	0
1	1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__dlat_1	58.42500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	D	CLK	Q
gf180mcu_osu_sc_gp9t3v3__dlat_1	0.00395	0.00812	1.56358

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__dlat_1	0.00000	0.00418	0.00475

## Delay Information

Delay(ns) to Q rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dlat_1	CLK->Q (RR)	0.26321	0.74398	6.94335
	D->Q (RR)	0.29531	0.73056	6.96558

Delay(ns) to Q falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__dlat_1	CLK->Q (RF)	0.33278	0.70064	6.22097
	D->Q (FF)	0.32836	0.89642	7.70570

## Constraint Information

Constraints(ns) for D rising :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlat_1	hold	CLK (F)	-0.17417	-0.36560	-2.23157
	setup	CLK (F)	0.18181	0.39424	5.47468

Constraints(ns) for D falling :

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlat_1	hold	CLK (F)	-0.15692	-0.19037	0.12822
	setup	CLK (F)	0.16091	0.19254	-0.12498

Constraints(ns) for CLK rising (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlat_1	min_pulse_width	CLK ()	0.15013	1.45630	16.50020
	min_pulse_width	CLK ()	0.17345	1.45630	16.50020

## Power Information

Internal switching power(pJ) to Q rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlat_1	CLK	0.09253	0.24889	1.13079
	CLK	0.13707	0.29348	1.17570
	D	0.08989	0.16843	0.75443
	D	0.11759	0.19603	0.78214

Internal switching power(pJ) to Q falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlat_1	CLK	0.11208	0.20101	0.81578
	CLK	0.13878	0.22776	0.84295
	D	0.12857	0.20696	0.79445
	D	0.10028	0.17900	0.76670

Passive power(pJ) for D rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlat_1	!CLK	-0.01334	-0.01350	-0.01346
	!CLK	0.00659	0.00649	0.00646

Passive power(pJ) for D falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlat_1	!CLK	0.01344	0.01354	0.01346
	!CLK	-0.00639	-0.00649	-0.00646

Passive power(pJ) for CLK rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlat_1	(D * Q)	-0.00054	0.08676	0.67099
	(D * Q)	0.03387	0.12148	0.70541
	(!D * !Q)	-0.00068	0.08702	0.67094
	(!D * !Q)	0.03723	0.12494	0.70871

Passive power(pJ) for CLK falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__dlat_1	(D * Q)	0.03505	0.12500	0.70878
	(D * Q)	0.00046	0.09045	0.67426
	(!D * !Q)	0.03797	0.12641	0.70996
	(!D * !Q)	-0.00001	0.08839	0.67209

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_INV\_16

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__inv_16	92.25000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__inv_16	0.06466	23.87903

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__inv_16	0.00000	0.01192	0.01439



## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_16	A->Y (FR)	0.03956	0.49677	9.96266

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_16	A->Y (RF)	0.03092	0.29391	8.47767

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_16	A	0.35769	1.48564	4.08772
	A	0.00871	1.13458	3.73679

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_16	A	0.00389	1.07024	3.39414
	A	0.35277	1.42158	3.74746

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_INV\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__inv_1	13.53000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__inv_1	0.00404	1.50748

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__inv_1	0.00000	0.00075	0.00090

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_1	A->Y (FR)	0.04498	0.84197	10.02570

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_1	A->Y (RF)	0.03639	0.64312	8.53517

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_1	A	0.02226	0.07404	0.25366
	A	0.00038	0.05208	0.23179

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_1	A	-0.00053	0.04771	0.21052
	A	0.02128	0.06976	0.23249

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_INV\_2

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__inv_2	19.68000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__inv_2	0.00808	2.98498

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__inv_2	0.00000	0.00149	0.00180

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_2	A->Y (FR)	0.04172	0.72858	9.96233

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_2	A->Y (RF)	0.03307	0.52906	8.47738

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_2	A	0.04475	0.15897	0.51097
	A	0.00091	0.11480	0.46711

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_2	A	-0.00109	0.10609	0.42288
	A	0.04270	0.15004	0.46704



# GF180MCU\_OSU\_SC\_GP9T3V3\_\_INV\_4

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__inv_4	29.52000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__inv_4	0.01616	5.97048

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__inv_4	0.00000	0.00298	0.00360

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_4	A->Y (FR)	0.04000	0.63574	9.96289

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_4	A->Y (RF)	0.03137	0.43650	8.47788

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_4	A	0.08959	0.33578	1.02191
	A	0.00205	0.24768	0.93418

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_4	A	-0.00200	0.23109	0.84572
	A	0.08550	0.31888	0.93405

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_INV\_8

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__inv_8	50.43000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
	A	Y
gf180mcu_osu_sc_gp9t3v3__inv_8	0.03232	11.94140

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__inv_8	0.00000	0.00596	0.00720

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_8	A->Y (FR)	0.03912	0.55929	9.96313

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__inv_8	A->Y (RF)	0.03045	0.35837	8.47809

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_8	A	0.17894	0.70851	2.04380
	A	0.00445	0.53241	1.86833

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__inv_8	A	-0.00375	0.49690	1.69140
	A	0.17077	0.67287	1.86807

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_MUX2\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT			OUTPUT
A	B	Sel	Y
0	0	x	0
0	1	0	0
x	1	1	1
1	x	0	1
1	0	1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__mux2_1	31.36500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)			Max Cap(pf)
	A	B	Sel	Y
gf180mcu_osu_sc_gp9t3v3__mux2_1	0.24485	0.24485	0.00808	0.24039

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__mux2_1	0.00000	0.00201	0.00207

## Delay Information

Delay(ns) to Y rising (conditional):

Cell Name	Timing Arc(Dir)	When	Delay(ns)		
			First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__mux2_1	A->Y (RR)	-	0.02333	0.10898	0.80157
	B->Y (RR)	-	0.02529	0.10981	0.80245
	Sel->Y (RR)	(!A * B)	0.07429	0.23298	0.84092
	Sel->Y (FR)	(A * !B)	0.05563	0.41382	2.58659

Delay(ns) to Y falling (conditional):

Cell Name	Timing Arc(Dir)	When	Delay(ns)		
			First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__mux2_1	A->Y (FF)	-	0.02811	0.11506	0.84003
	B->Y (FF)	-	0.02571	0.11405	0.83896
	Sel->Y (FF)	(!A * B)	0.08564	0.41550	2.08689
	Sel->Y (RF)	(A * !B)	0.04719	0.24437	1.46441



## Power Information

Internal switching power(pJ) to Y rising (conditional):

Cell Name	Input	When	Power(pJ)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__mux2_1	A	-	-0.03048	-0.03051	-0.03049
	A	-	0.01297	0.01301	0.01300
	B	-	-0.02387	-0.02386	-0.02388
	B	-	0.02376	0.02377	0.02378
	Sel	(A * !B)	0.01192	0.10175	0.68712
	Sel	(A * !B)	0.00927	0.09899	0.68458
	Sel	(!A * B)	-0.01752	0.06847	0.65235
	Sel	(!A * B)	0.05188	0.13862	0.72483

Internal switching power(pJ) to Y falling (conditional):

Cell Name	Input	When	Power(pJ)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__mux2_1	A	-	0.03048	0.03051	0.03054
	A	-	-0.01297	-0.01301	-0.01300
	B	-	0.02387	0.02389	0.02390
	B	-	-0.02376	-0.02377	-0.02378
	Sel	(A * !B)	0.01619	0.10391	0.68925
	Sel	(A * !B)	0.01876	0.10709	0.69450
	Sel	(!A * B)	0.06024	0.14739	0.73129
	Sel	(!A * B)	-0.00917	0.07800	0.66226

Passive power(pJ) for A rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__mux2_1	(B * Sel * Y) + (!B * Sel * !Y)	-0.00715	-0.00717	-0.00714
	(B * Sel * Y) + (!B * Sel * !Y)	0.00469	0.00472	0.00470

Passive power(pJ) for A falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__mux2_1	$(B * Sel * Y) + (!B * Sel * !Y)$	0.00720	0.00717	0.00714
	$(B * Sel * Y) + (!B * Sel * !Y)$	-0.00469	-0.00472	-0.00470

Passive power(pJ) for B rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__mux2_1	$(A * !Sel * Y) + (!A * !Sel * !Y)$	-0.00843	-0.00846	-0.00842
	$(A * !Sel * Y) + (!A * !Sel * !Y)$	0.00407	0.00409	0.00407

Passive power(pJ) for B falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__mux2_1	$(A * !Sel * Y) + (!A * !Sel * !Y)$	0.00843	0.00846	0.00842
	$(A * !Sel * Y) + (!A * !Sel * !Y)$	-0.00407	-0.00409	-0.00407

Passive power(pJ) for Sel rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__mux2_1	$(A * B * Y)$	-0.00072	0.08697	0.67095
	$(A * B * Y)$	0.03710	0.12490	0.70871
	$(!A * !B * !Y)$	-0.00068	0.08657	0.67087
	$(!A * !B * !Y)$	0.03358	0.12111	0.70522

Passive power(pJ) for Sel falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__mux2_1	(A * B * Y)	0.03787	0.12605	0.70976
	(A * B * Y)	-0.00007	0.08814	0.67191
	(!A * !B * !Y)	0.03459	0.12426	0.70857
	(!A * !B * !Y)	0.00021	0.08986	0.67424

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_NAND2\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
A	B	Y
0	x	1
1	0	1
1	1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__nand2_1	19.06500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	A	B	Y
gf180mcu_osu_sc_gp9t3v3__nand2_1	0.00404	0.00402	1.04725

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__nand2_1	0.00000	0.00079	0.00118

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__nand2_1	A->Y (FR)	0.05391	0.73458	7.95705
	B->Y (FR)	0.06585	0.76115	7.99777

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__nand2_1	A->Y (RF)	0.06150	0.77694	9.03370
	B->Y (RF)	0.06617	0.63493	7.88183

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nand2_1	A	0.02371	0.06746	0.23835
	A	0.00059	0.04432	0.21361
	B	0.03513	0.08287	0.26647
	B	0.00703	0.05453	0.23683

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nand2_1	A	0.00588	0.04849	0.21421
	A	0.02905	0.07189	0.23791
	B	0.00459	0.04928	0.23854
	B	0.03280	0.07788	0.26777

Passive power(pJ) for A rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nand2_1	(!B * Y)	-0.01402	-0.01412	-0.01414
	(!B * Y)	0.00188	0.00188	0.00178

Passive power(pJ) for A falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nand2_1	(!B * Y)	0.01426	0.01431	0.01418
	(!B * Y)	-0.00177	-0.00177	-0.00175

Passive power(pJ) for B rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nand2_1	(!A * Y)	-0.01352	-0.01358	-0.01352
	(!A * Y)	0.00650	0.00654	0.00648

Passive power(pJ) for B falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nand2_1	(!A * Y)	0.01367	0.01367	0.01355
	(!A * Y)	-0.00639	-0.00652	-0.00647

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_NOR2\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
A	B	Y
0	0	1
x	1	0
1	x	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__nor2_1	17.22000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	A	B	Y
gf180mcu_osu_sc_gp9t3v3__nor2_1	0.00398	0.00404	0.78121

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__nor2_1	0.00000	0.00084	0.00180



## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__nor2_1	A->Y (FR)	0.09194	0.83618	8.71519
	B->Y (FR)	0.07001	0.97901	9.85004

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__nor2_1	A->Y (RF)	0.05934	0.50696	5.37174
	B->Y (RF)	0.04320	0.46109	5.29400

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nor2_1	A	0.03440	0.08071	0.32284
	A	0.00253	0.04853	0.29057
	B	0.02602	0.07081	0.26848
	B	0.00354	0.04821	0.24589

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nor2_1	A	0.01134	0.05559	0.25578
	A	0.04303	0.08747	0.29150
	B	0.00064	0.04168	0.21929
	B	0.02314	0.06435	0.24590

Passive power(pJ) for A rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nor2_1	(B * !Y)	-0.01310	-0.01344	-0.01336
	(B * !Y)	0.00654	0.00659	0.00651

Passive power(pJ) for A falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nor2_1	(B * !Y)	0.01341	0.01344	0.01336
	(B * !Y)	-0.00648	-0.00652	-0.00649

Passive power(pJ) for B rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nor2_1	(A * !Y)	-0.00461	-0.00456	-0.00451
	(A * !Y)	0.00792	0.00785	0.00780

Passive power(pJ) for B falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__nor2_1	(A * !Y)	0.00488	0.00484	0.00460
	(A * !Y)	-0.00756	-0.00760	-0.00780

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_OAI21\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT			OUTPUT
A0	A1	B	Y
0	0	x	1
x	1	0	1
x	1	1	0
1	x	0	1
1	x	1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__oai21_1	24.60000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)			Max Cap(pf)
	A0	A1	B	Y
gf180mcu_osu_sc_gp9t3v3__oai21_1	0.00395	0.00402	0.00404	0.77902

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__oai21_1	0.00000	0.00097	0.00152

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__oai21_1	A0->Y (FR)	0.12840	0.85377	8.59381
	A1->Y (FR)	0.10356	0.99678	9.74633
	B->Y (FR)	0.05358	0.68184	6.75524

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__oai21_1	A0->Y (RF)	0.10041	0.58269	6.13624
	A1->Y (RF)	0.07349	0.53463	6.04630
	B->Y (RF)	0.08984	0.73943	7.41956

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai21_1	A0	0.04753	0.08644	0.28834
	A0	0.00947	0.04817	0.25008
	A1	0.03846	0.07638	0.23966
	A1	0.00976	0.04758	0.21166
	B	0.02356	0.07591	0.30431
	B	0.00040	0.05241	0.28053

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai21_1	A0	0.01748	0.05472	0.23887
	A0	0.05552	0.09284	0.27682
	A1	0.00577	0.04052	0.20627
	A1	0.03445	0.06937	0.23499
	B	0.00617	0.05579	0.27437
	B	0.02930	0.07900	0.29751

Passive power(pJ) for A0 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai21_1	(A1 * B * !Y)	-0.01308	-0.01344	-0.01338
	(A1 * B * !Y)	0.00653	0.00659	0.00651
	(A1 * !B * Y)	-0.01314	-0.01344	-0.01336
	(A1 * !B * Y)	0.00651	0.00659	0.00651
	(!A1 * !B * Y)	-0.01352	-0.01357	-0.01352
	(!A1 * !B * Y)	0.00652	0.00648	0.00645

Passive power(pJ) for A0 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai21_1	(A1 * B * !Y)	0.01351	0.01344	0.01338
	(A1 * B * !Y)	-0.00648	-0.00652	-0.00649
	(A1 * !B * Y)	0.01349	0.01344	0.01336
	(A1 * !B * Y)	-0.00650	-0.00653	-0.00649
	(!A1 * !B * Y)	0.01358	0.01366	0.01355
	(!A1 * !B * Y)	-0.00637	-0.00648	-0.00645

Passive power(pJ) for A1 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai21_1	(A0 * B * !Y)	-0.00461	-0.00456	-0.00451
	(A0 * B * !Y)	0.00789	0.00785	0.00780
	(!B * Y)	-0.01311	-0.01342	-0.01331
	(!B * Y)	0.00654	0.00652	0.00651

Passive power(pJ) for A1 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai21_1	(A0 * B * !Y)	0.00488	0.00484	0.00460
	(A0 * B * !Y)	-0.00752	-0.00759	-0.00780
	(!B * Y)	0.01331	0.01344	0.01331
	(!B * Y)	-0.00650	-0.00652	-0.00649

Passive power(pJ) for B rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai21_1	(!A0 * !A1 * Y)	-0.01396	-0.01405	-0.01413
	(!A0 * !A1 * Y)	0.00194	0.00194	0.00179

**Passive power(pJ) for B falling (conditional):**

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai21_1	(!A0 * !A1 * Y)	0.01413	0.01430	0.01418
	(!A0 * !A1 * Y)	-0.00174	-0.00177	-0.00175



# GF180MCU\_OSU\_SC\_GP9T3V3\_\_OAI22\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT				OUTPUT
A0	A1	B0	B1	Y
0	0	x	x	1
x	1	0	0	1
x	1	x	1	0
x	1	1	x	0
1	x	0	0	1
1	x	x	1	0
1	x	1	x	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__oai22_1	33.82500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)				Max Cap(pf)
	A0	A1	B0	B1	Y
gf180mcu_osu_sc_gp9t3v3__oai22_1	0.00395	0.00403	0.00404	0.00398	0.77583

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__oai22_1	0.00000	0.00127	0.00180

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__oai22_1	A0->Y (FR)	0.15640	0.88670	8.65665
	A1->Y (FR)	0.13137	1.03331	9.80156
	B0->Y (FR)	0.08248	0.97455	9.72787
	B1->Y (FR)	0.10552	0.82925	8.57372

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__oai22_1	A0->Y (RF)	0.14483	0.63104	6.16286
	A1->Y (RF)	0.11483	0.58549	6.07270
	B0->Y (RF)	0.09832	0.71489	7.25722
	B1->Y (RF)	0.12710	0.76378	7.33289

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	A0	0.06557	0.10312	0.30651
	A0	0.01787	0.05782	0.27923
	A1	0.05624	0.09395	0.25819
	A1	0.01812	0.05798	0.23772
	B0	0.02755	0.06739	0.24016
	B0	0.00375	0.04353	0.21705
	B1	0.03621	0.07658	0.28807
	B1	0.00293	0.04312	0.25486

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	A0	0.01747	0.05469	0.24188
	A0	0.07891	0.11334	0.29841
	A1	0.00581	0.04050	0.20859
	A1	0.05863	0.09046	0.25642
	B0	0.00743	0.04459	0.20599
	B0	0.03125	0.06848	0.23083
	B1	0.01827	0.05783	0.23680
	B1	0.05125	0.09084	0.27068

Passive power(pJ) for A0 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	(A1 * B0 * !Y)	-0.01308	-0.01344	-0.01338
	(A1 * B0 * !Y)	0.00653	0.00659	0.00651
	(A1 * !B0 * B1 * !Y)	-0.01308	-0.01344	-0.01338
	(A1 * !B0 * B1 * !Y)	0.00653	0.00659	0.00651
	(A1 * !B0 * !B1 * Y)	-0.01312	-0.01344	-0.01336
	(A1 * !B0 * !B1 * Y)	0.00649	0.00659	0.00651
	(!A1 * !B0 * !B1 * Y)	-0.01349	-0.01357	-0.01352
	(!A1 * !B0 * !B1 * Y)	0.00645	0.00646	0.00644

Passive power(pJ) for A0 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	(A1 * B0 * !Y)	0.01342	0.01344	0.01338
	(A1 * B0 * !Y)	-0.00648	-0.00652	-0.00649
	(A1 * !B0 * B1 * !Y)	0.01350	0.01344	0.01338
	(A1 * !B0 * B1 * !Y)	-0.00649	-0.00652	-0.00649
	(A1 * !B0 * !B1 * Y)	0.01349	0.01344	0.01336
	(A1 * !B0 * !B1 * Y)	-0.00649	-0.00653	-0.00649
	(!A1 * !B0 * !B1 * Y)	0.01354	0.01360	0.01355
	(!A1 * !B0 * !B1 * Y)	-0.00636	-0.00646	-0.00644

Passive power(pJ) for A1 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	(A0 * B0 * !Y)	-0.00456	-0.00456	-0.00451
	(A0 * B0 * !Y)	0.00785	0.00785	0.00780
	(A0 * !B0 * B1 * !Y)	-0.00461	-0.00456	-0.00451
	(A0 * !B0 * B1 * !Y)	0.00790	0.00785	0.00780
	(!B0 * !B1 * Y)	-0.01309	-0.01339	-0.01328
	(!B0 * !B1 * Y)	0.00653	0.00654	0.00651

Passive power(pJ) for A1 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	(A0 * B0 * !Y)	0.00483	0.00484	0.00460
	(A0 * B0 * !Y)	-0.00747	-0.00759	-0.00780
	(A0 * !B0 * B1 * !Y)	0.00487	0.00484	0.00460
	(A0 * !B0 * B1 * !Y)	-0.00750	-0.00759	-0.00780
	(!B0 * !B1 * Y)	0.01324	0.01339	0.01328
	(!B0 * !B1 * Y)	-0.00646	-0.00654	-0.00649

Passive power(pJ) for B0 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	(A1 * B1 * !Y)	-0.00449	-0.00456	-0.00451
	(A1 * B1 * !Y)	0.00776	0.00786	0.00780
	(A0 * !A1 * B1 * !Y)	-0.00453	-0.00456	-0.00451
	(A0 * !A1 * B1 * !Y)	0.00778	0.00786	0.00779
	(!A0 * !A1 * Y)	-0.01371	-0.01404	-0.01391
	(!A0 * !A1 * Y)	0.00172	0.00173	0.00172

Passive power(pJ) for B0 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	(A1 * B1 * !Y)	0.00482	0.00485	0.00460
	(A1 * B1 * !Y)	-0.00749	-0.00758	-0.00780
	(A0 * !A1 * B1 * !Y)	0.00486	0.00485	0.00460
	(A0 * !A1 * B1 * !Y)	-0.00752	-0.00758	-0.00779
	(!A0 * !A1 * Y)	0.01400	0.01404	0.01391
	(!A0 * !A1 * Y)	-0.00172	-0.00173	-0.00172

Passive power(pJ) for B1 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	(A1 * B0 * !Y)	-0.01314	-0.01347	-0.01336
	(A1 * B0 * !Y)	0.00654	0.00658	0.00651
	(A0 * !A1 * B0 * !Y)	-0.01315	-0.01347	-0.01335
	(A0 * !A1 * B0 * !Y)	0.00655	0.00658	0.00651
	(!A0 * !A1 * Y)	-0.01375	-0.01409	-0.01402
	(!A0 * !A1 * Y)	0.00171	0.00174	0.00172

Passive power(pJ) for B1 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai22_1	(A1 * B0 * !Y)	0.01347	0.01351	0.01336
	(A1 * B0 * !Y)	-0.00650	-0.00654	-0.00649
	(A0 * !A1 * B0 * !Y)	0.01346	0.01351	0.01335
	(A0 * !A1 * B0 * !Y)	-0.00650	-0.00653	-0.00649
	(!A0 * !A1 * Y)	0.01408	0.01409	0.01402
	(!A0 * !A1 * Y)	-0.00171	-0.00172	-0.00172

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_OAI31\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT				OUTPUT
A0	A1	A2	B	Y
0	0	0	x	1
0	x	1	0	1
0	x	1	1	0
x	1	x	0	1
x	1	x	1	0
1	x	x	0	1
1	x	x	1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__oai31_1	30.13500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)				Max Cap(pf)
	A0	A1	A2	B	Y
gf180mcu_osu_sc_gp9t3v3__oai31_1	0.00395	0.00402	0.00395	0.00404	0.52736

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__oai31_1	0.00000	0.00103	0.00216

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__oai31_1	A0->Y (FR)	0.19501	1.03447	8.96826
	A1->Y (FR)	0.13793	1.11756	9.77263
	A2->Y (FR)	0.22160	0.94893	8.21896
	B->Y (FR)	0.05347	0.61238	5.45578

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__oai31_1	A0->Y (RF)	0.10829	0.48084	4.34351
	A1->Y (RF)	0.07891	0.43324	4.25359
	A2->Y (RF)	0.11836	0.51714	4.44466
	B->Y (RF)	0.10307	0.68762	5.76240



## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	A0	0.05132	0.08226	0.27359
	A0	0.01280	0.04368	0.23486
	A1	0.04210	0.07622	0.24306
	A1	0.01295	0.04697	0.21392
	A2	0.06079	0.09246	0.33351
	A2	0.01280	0.04438	0.28543
	B	0.02351	0.08124	0.36876
	B	0.00035	0.05802	0.34435

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	A0	0.01898	0.04904	0.22780
	A0	0.05749	0.08768	0.26747
	A1	0.00610	0.03629	0.19824
	A1	0.03541	0.06554	0.22852
	A2	0.03002	0.06156	0.26133
	A2	0.07745	0.10917	0.31025
	B	0.00626	0.06127	0.33656
	B	0.02939	0.08444	0.36027

Passive power(pJ) for A0 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	$(A1 * B * !Y) + (!A1 * A2 * B * !Y)$	-0.00839	-0.00849	-0.00845
	$(A1 * B * !Y) + (!A1 * A2 * B * !Y)$	0.00659	0.00653	0.00650
	$(A1 * !B * Y)$	-0.00961	-0.00972	-0.00964
	$(A1 * !B * Y)$	0.00658	0.00654	0.00651
	$(!A1 * !B * Y)$	-0.01309	-0.01339	-0.01327
	$(!A1 * !B * Y)$	0.00653	0.00655	0.00651

Passive power(pJ) for A0 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	$(A1 * B * !Y) + (!A1 * A2 * B * !Y)$	0.00839	0.00849	0.00845
	$(A1 * B * !Y) + (!A1 * A2 * B * !Y)$	-0.00645	-0.00652	-0.00649
	$(A1 * !B * Y)$	0.00961	0.00972	0.00964
	$(A1 * !B * Y)$	-0.00646	-0.00654	-0.00649
	$(!A1 * !B * Y)$	0.01324	0.01339	0.01327
	$(!A1 * !B * Y)$	-0.00648	-0.00655	-0.00649

Passive power(pJ) for A1 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	(A0 * B * !Y)	-0.00457	-0.00456	-0.00451
	(A0 * B * !Y)	0.00785	0.00785	0.00780
	(A0 * !B * Y)	-0.01303	-0.01342	-0.01333
	(A0 * !B * Y)	0.00649	0.00652	0.00651
	(!A0 * A2 * B * !Y)	-0.00454	-0.00449	-0.00442
	(!A0 * A2 * B * !Y)	0.00789	0.00785	0.00780
	(!A0 * !B * Y)	-0.01207	-0.01283	-0.01279
	(!A0 * !B * Y)	0.00652	0.00650	0.00651

Passive power(pJ) for A1 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	(A0 * B * !Y)	0.00487	0.00484	0.00460
	(A0 * B * !Y)	-0.00751	-0.00759	-0.00780
	(A0 * !B * Y)	0.01327	0.01345	0.01333
	(A0 * !B * Y)	-0.00646	-0.00652	-0.00649
	(!A0 * A2 * B * !Y)	0.00498	0.00494	0.00442
	(!A0 * A2 * B * !Y)	-0.00698	-0.00709	-0.00775
	(!A0 * !B * Y)	0.01289	0.01283	0.01279
	(!A0 * !B * Y)	-0.00648	-0.00650	-0.00649

Passive power(pJ) for A2 rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	$(A0 * A1 * B * !Y)$	-0.01312	-0.01344	-0.01338
	$(A0 * A1 * B * !Y)$	0.00649	0.00659	0.00651
	$(A0 * !B * Y)$	-0.01322	-0.01347	-0.01339
	$(A0 * !B * Y)$	0.00657	0.00659	0.00651
	$(A0 * !A1 * B * !Y) + (!A0 * A1 * B * !Y)$	-0.01311	-0.01344	-0.01338
	$(A0 * !A1 * B * !Y) + (!A0 * A1 * B * !Y)$	0.00649	0.00659	0.00651
	$(!A0 * A1 * !B * Y)$	-0.01254	-0.01316	-0.01302
	$(!A0 * A1 * !B * Y)$	0.00659	0.00657	0.00651
	$(!A0 * !A1 * !B * Y)$	-0.01349	-0.01357	-0.01352
	$(!A0 * !A1 * !B * Y)$	0.00645	0.00646	0.00644

Passive power(pJ) for A2 falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	$(A0 * A1 * B * !Y)$	0.01351	0.01344	0.01338
	$(A0 * A1 * B * !Y)$	-0.00649	-0.00652	-0.00649
	$(A0 * !B * Y)$	0.01351	0.01349	0.01339
	$(A0 * !B * Y)$	-0.00649	-0.00654	-0.00649
	$(A0 * !A1 * B * !Y) + (!A0 * A1 * B * !Y)$	0.01350	0.01344	0.01338
	$(A0 * !A1 * B * !Y) + (!A0 * A1 * B * !Y)$	-0.00649	-0.00652	-0.00649
	$(!A0 * A1 * !B * Y)$	0.01302	0.01316	0.01302
	$(!A0 * A1 * !B * Y)$	-0.00650	-0.00653	-0.00649
	$(!A0 * !A1 * !B * Y)$	0.01355	0.01360	0.01355
	$(!A0 * !A1 * !B * Y)$	-0.00636	-0.00646	-0.00644

Passive power(pJ) for B rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	(!A0 * !A1 * !A2 * Y)	-0.01389	-0.01398	-0.01412
	(!A0 * !A1 * !A2 * Y)	0.00200	0.00200	0.00180

Passive power(pJ) for B falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__oai31_1	(!A0 * !A1 * !A2 * Y)	0.01413	0.01430	0.01418
	(!A0 * !A1 * !A2 * Y)	-0.00174	-0.00177	-0.00175

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_OR2\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
A	B	Y
0	0	0
x	1	1
1	x	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__or2_1	23.37000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	A	B	Y
gf180mcu_osu_sc_gp9t3v3__or2_1	0.00404	0.00398	1.55634

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__or2_1	0.00000	0.00166	0.00239

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__or2_1	A->Y (RR)	0.09111	0.44583	6.27342
	B->Y (RR)	0.10926	0.54557	6.87422

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__or2_1	A->Y (FF)	0.13197	0.83526	8.44438
	B->Y (FF)	0.15549	0.76444	7.98435

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__or2_1	A	0.02158	0.08977	0.55597
	A	0.04409	0.11227	0.57669
	B	0.03263	0.10988	0.66201
	B	0.06449	0.14162	0.69352

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__or2_1	A	0.04804	0.11729	0.57924
	A	0.02543	0.09489	0.55677
	B	0.05681	0.13034	0.68094
	B	0.02480	0.09841	0.64951

Passive power(pJ) for A rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__or2_1	(B * Y)	-0.00462	-0.00456	-0.00451
	(B * Y)	0.00789	0.00785	0.00780

Passive power(pJ) for A falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__or2_1	(B * Y)	0.00488	0.00485	0.00460
	(B * Y)	-0.00753	-0.00759	-0.00780

Passive power(pJ) for B rising (conditional):



Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__or2_1	(A * Y)	-0.01308	-0.01345	-0.01338
	(A * Y)	0.00653	0.00659	0.00651

Passive power(pJ) for B falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__or2_1	(A * Y)	0.01349	0.01345	0.01338
	(A * Y)	-0.00649	-0.00652	-0.00649

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_TBUF\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
A	EN	Y
-	0	HiZ
0	1	0
1	1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__tbuf_1	32.90250

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	A	EN	Y
gf180mcu_osu_sc_gp9t3v3__tbuf_1	0.00404	0.00535	0.81673

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__tbuf_1	0.00000	0.00185	0.00205

## Delay Information

Delay(ns) to Y rising :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__tbuf_1	A->Y (RR)	0.15352	0.65408	6.72708
	EN->Y (FR)	0.07414	0.94139	6.56566
	EN->Y (RR)	0.09251	0.59325	6.81903

Delay(ns) to Y falling :

Cell Name	Timing Arc(Dir)	Delay(ns)		
		First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__tbuf_1	A->Y (FF)	0.14131	0.71380	6.35872
	EN->Y (FF)	0.08763	0.94139	6.56566
	EN->Y (RF)	0.03181	0.54661	7.02864

## Power Information

Internal switching power(pJ) to Y rising :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tbuf_1	A	0.04202	0.12906	0.71860
	A	0.05886	0.14576	0.73533
	EN	0.02494	0.11290	0.70635
	EN	0.04825	0.13611	0.72340

Internal switching power(pJ) to Y falling :

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tbuf_1	A	0.05400	0.14405	0.72986
	A	0.03722	0.12734	0.71421
	EN	0.02116	0.10928	0.69807
	EN	0.05014	0.13847	0.72745

Passive power(pJ) for A rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tbuf_1	!EN	0.01265	0.09898	0.68264
	!EN	0.03471	0.12100	0.70462

Passive power(pJ) for A falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tbuf_1	!EN	0.02856	0.11601	0.69971
	!EN	0.00650	0.09400	0.67766

Passive power(pJ) for EN rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tbuf_1	(A * Y)	0.01159	0.09956	0.68416
	(A * Y)	0.03599	0.12402	0.70862
	(!A * !Y)	0.00417	0.09328	0.67856
	(!A * !Y)	0.03264	0.12163	0.70703

Passive power(pJ) for EN falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tbuf_1	(A * Y)	0.02324	0.11190	0.69563
	(A * Y)	-0.00122	0.08739	0.67122
	(!A * !Y)	0.02350	0.11463	0.69963
	(!A * !Y)	-0.00495	0.08616	0.67118

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_TIEH

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__tieh	13.53000

## Pin Capacitance Information

Cell Name	Max Cap(pf)
	Y
gf180mcu_osu_sc_gp9t3v3__tieh	3.44214

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__tieh	0.00000	0.00000	0.00000

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_TIEL

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__tiel	13.53000

## Pin Capacitance Information

Cell Name	Max Cap(pf)
	Y
gf180mcu_osu_sc_gp9t3v3__tiel	5.16285

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__tiel	0.00000	0.00000	0.00000

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_TINV\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
A	EN	Y
0	x	HiZ
1	0	HiZ
1	1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__tinv_1	23.67750

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	A	EN	Y
gf180mcu_osu_sc_gp9t3v3__tinv_1	0.00395	0.00132	0.79686

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__tinv_1	0.00000	0.00112	0.00144



**Delay(ns) to Y rising :**

**Delay(ns) to Y falling :**

161

## Power Information

**Internal switching power(pJ) to Y rising :**

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tinv_1	A	0.04241	0.08196	0.28122
	A	0.01577	0.05516	0.25433
	EN	0.01787	0.01782	0.01784
	EN	0.01716	0.01720	0.01717

**Internal switching power(pJ) to Y falling :**

Cell Name	Input	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3_tinv_1	A	0.01045	0.04889	0.22932
	A	0.03695	0.07565	0.25664
	EN	99999999999999635896294965248.00000	99999999999999635896294965248.00000	99999999999999635896294965248.00000
	EN	99999999999999635896294965248.00000	99999999999999635896294965248.00000	99999999999999635896294965248.00000

**Passive power(pJ) for A rising (conditional):**

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tinvt1	(EN * !Y)	0.01678	0.10477	0.62988
	(EN * !Y)	0.03608	0.12422	0.64925
	(!EN * Y)	-0.01224	-0.01312	-0.01324
	(!EN * Y)	0.00800	0.00730	0.00712
	(!EN * !Y)	-0.00310	-0.00141	-0.00136
	(!EN * !Y)	0.01486	0.01632	0.01634

**Passive power(pJ) for A falling (conditional):**

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tin_v_1	(!EN * Y)	0.01348	0.01366	0.01355
	(!EN * Y)	-0.00636	-0.00653	-0.00647

**Passive power(pJ) for EN rising (conditional):**

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tinvt_1	(A * !Y)	-0.00001	-0.00000	-0.00000
	(A * !Y)	0.00651	0.00654	0.00651
	(!A * Y)	0.00339	0.00339	0.00314
	(!A * Y)	0.00531	0.00525	0.00505

Passive power(pJ) for EN falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
gf180mcu_osu_sc_gp9t3v3__tinvt_1	(A * !Y)	0.00039	0.00012	0.00009
	(A * !Y)	-0.00605	-0.00639	-0.00639
	(!A * Y)	0.00063	0.00063	0.00063
	(!A * Y)	-0.00175	-0.00176	-0.00175

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_XNOR2\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
A	B	Y
0	0	1
0	1	0
1	0	0
1	1	1

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__xnor2_1	39.36000

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	A	B	Y
gf180mcu_osu_sc_gp9t3v3__xnor2_1	0.00806	0.00798	0.78925

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__xnor2_1	0.00000	0.00288	0.00353

## Delay Information

Delay(ns) to Y rising (conditional):

Cell Name	Timing Arc(Dir)	When	Delay(ns)		
			First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__xnor2_1	A->Y (RR)	B	0.15057	0.64067	6.49144
	A->Y (FR)	!B	0.11222	1.01224	9.84618
	B->Y (RR)	A	0.12126	0.62708	6.65943
	B->Y (FR)	!A	0.13276	0.86357	8.68525

Delay(ns) to Y falling (conditional):

Cell Name	Timing Arc(Dir)	When	Delay(ns)		
			First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__xnor2_1	A->Y (FF)	B	0.16445	0.75328	6.42840
	A->Y (RF)	!B	0.07443	0.53805	6.11426
	B->Y (FF)	A	0.12382	0.70322	6.37809
	B->Y (RF)	!A	0.10564	0.59747	6.21650

## Power Information

Internal switching power(pJ) to Y rising (conditional):

Cell Name	Input	When	Power(pJ)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__xnor2_1	A	B	0.03150	0.11820	0.70846
	A	B	0.06445	0.15105	0.74078
	A	!B	0.06266	0.19071	0.94275
	A	!B	0.01841	0.14620	0.89852
	B	A	0.01355	0.10133	0.69052
	B	A	0.05396	0.14182	0.73084
	B	!A	0.07188	0.19987	0.99091
	B	!A	0.01824	0.14604	0.93700

Internal switching power(pJ) to Y falling (conditional):

Cell Name	Input	When	Power(pJ)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__xnor2_1	A	B	0.07882	0.16839	0.75300
	A	B	0.04752	0.13712	0.72262
	A	!B	0.02549	0.14696	0.89953
	A	!B	0.06906	0.19082	0.94320
	B	A	0.06449	0.15440	0.74101
	B	A	0.02375	0.11386	0.70118
	B	!A	0.03665	0.16184	0.93352
	B	!A	0.08960	0.21503	0.98716

# GF180MCU\_OSU\_SC\_GP9T3V3\_\_XOR2\_1

gf180mcu\_osu\_sc\_gp9t3v3\_TT\_25C.ccs  
Cell Library: Process , Voltage 3.30,  
Temp 25.00

## Truth Table

INPUT		OUTPUT
A	B	Y
0	0	0
0	1	1
1	0	1
1	1	0

## Footprint

Cell Name	Area
gf180mcu_osu_sc_gp9t3v3__xor2_1	41.20500

## Pin Capacitance Information

Cell Name	Pin Cap(pf)		Max Cap(pf)
	A	B	Y
gf180mcu_osu_sc_gp9t3v3__xor2_1	0.00798	0.00801	0.79014

## Leakage Information

Cell Name	Leakage(nW)		
	Min.	Avg	Max.
gf180mcu_osu_sc_gp9t3v3__xor2_1	0.00000	0.00288	0.00329

## Delay Information

Delay(ns) to Y rising (conditional):

Cell Name	Timing Arc(Dir)	When	Delay(ns)		
			First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__xor2_1	A->Y (RR)	!B	0.12136	0.62747	6.66700
	A->Y (FR)	B	0.13483	0.86447	8.69415
	B->Y (RR)	!A	0.16005	0.66627	6.70185
	B->Y (FR)	A	0.10455	0.81826	8.60272

Delay(ns) to Y falling (conditional):

Cell Name	Timing Arc(Dir)	When	Delay(ns)		
			First	Mid	Last
gf180mcu_osu_sc_gp9t3v3__xor2_1	A->Y (FF)	!B	0.12378	0.70349	6.38493
	A->Y (RF)	B	0.10409	0.59731	6.22156
	B->Y (FF)	!A	0.13232	0.69281	6.17699
	B->Y (RF)	A	0.09892	0.74032	7.40536



## Power Information

Internal switching power(pJ) to Y rising (conditional):

Cell Name	Input	When	Power(pJ)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__xor2_1	A	B	0.07710	0.20487	0.99711
	A	B	0.02851	0.15619	0.94818
	A	!B	0.01211	0.09999	0.68920
	A	!B	0.05334	0.14119	0.73024
	B	A	0.06408	0.18880	0.96462
	B	A	0.02037	0.14493	0.92084
	B	!A	0.02804	0.11392	0.70278
	B	!A	0.06403	0.15010	0.73883

Internal switching power(pJ) to Y falling (conditional):

Cell Name	Input	When	Power(pJ)		
			first	mid	last
gf180mcu_osu_sc_gp9t3v3__xor2_1	A	B	0.03064	0.15579	0.92722
	A	B	0.07986	0.20538	0.97732
	A	!B	0.06577	0.15569	0.74265
	A	!B	0.02442	0.11450	0.70283
	B	A	0.03117	0.15417	0.90318
	B	A	0.07544	0.19883	0.94742
	B	!A	0.07037	0.16051	0.74752
	B	!A	0.03310	0.12339	0.71044