

The kauenvironments package^{*}

Stefan Berthold
stefan.berthold@kau.se

November 21, 2012

1 Introduction

This package defines the environments `researchquestions` and `contributions`.

2 Usage

Load the package without options.

3 Implementation

No package options are accepted.

```
1 \ProcessOptions\relax
```

Load dependencies.

```
2 \RequirePackage{xspace}
```

```
3 \RequirePackage{xcolor}
```

researchquestions The environment is an enumeration derived from `enumerate`. The macro `\item[⟨question⟩]` is redefined so that the argument `⟨question⟩` can be used to formulate the research question. It will be emphasised over the remaining text following the `\item[⟨question⟩]` macro.

```
4 \newenvironment{researchquestions}%  
5   {\begin{enumerate}%  
6     \let\kue@item\item%  
7     \renewcommand\item[1][Research question]%  
8       {\kue@item\emph{##1}\nopagebreak\par}%  
9   }%  
10  {\end{enumerate}}%
```

contributions The environment is an enumeration derived from `enumerate`. The macro `\item[⟨contrib⟩]` is redefined so that the argument `⟨contrib⟩` can be used to formulate the contribution. It will be emphasised over the remaining text following the `\item[⟨contrib⟩]` macro.

```
11 \newenvironment{contributions}%  
12   {\begin{enumerate}%
```

^{*}This document corresponds to `kauenvironments` v1.1, dated 2011/05/06.

```

13 \let\kue@item\item%
14 \renewcommand\item[1][%
15 \textcolor{red}{\emph{write your contribution between brackets
16 as optional argument of \texttt{\string\item}.}}]%
17 {\kue@item\emph{##1}\xspace}%
18 }%
19 {\end{enumerate}}}%

```

Change History

v1.0	v1.1
General: SBe's licentiate version . . . 1	General: Initial public release 1

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

B	I	<code>\RequirePackage</code> . . . 2, 3
<code>\begin</code> 5, 12	<code>\item</code> 6, 7, 13, 14, 16	<code>researchquestions</code> (environment) . . . <u>4</u>
C	K	
<code>contributions</code> (environment) <u>11</u>	<code>\kue@item</code> . . . 6, 8, 13, 17	S
E	N	<code>\string</code> 16
<code>\emph</code> 8, 15, 17	<code>\nopagebreak</code> 8	T
<code>\end</code> 10, 19	P	<code>\textcolor</code> 15
environments:	<code>\par</code> 8	<code>\texttt</code> 16
<code>contributions</code> . . . <u>11</u>	<code>\ProcessOptions</code> 1	
<code>researchquestions</code> <u>4</u>	R	X
	<code>\relax</code> 1	<code>\xspace</code> 17