

```
// Converts between the camelCase shapes the UI uses and the snake_case
// columns Postgres/Supabase uses. Keeping this in one place means the
// components never need to know about the database at all.
```

```
export function rowToBatch(row) {
  return {
    id: row.id,
    number: row.number,
    name: row.name,
    style: row.style,
    volume: row.volume,
    og: row.og,
    fg: row.fg,
    mashPh: row.mash_ph,
    mashTemp: row.mash_temp,
    preBoilGravity: row.pre_boil_gravity,
    topUpWater: row.top_up_water,
    phIntoTank: row.ph_into_tank,
    sgIntoTank: row.sg_into_tank,
    stage: row.stage,
    startDate: row.start_date,
    recipeId: row.recipe_id,
    recipeName: row.recipe_name,
    tankId: row.tank_id,
    tankName: row.tank_name,
    splitTanks: row.split_tanks || [],
    readings: row.readings || [],
    ingredients: row.ingredients || [],
    packaging: row.packaging || null,
    schedule: row.schedule || [],
    diacetylTests: row.diacetyl_tests || [],
    faults: row.faults || [],
    photos: row.photos || [],
    packagingRun: row.packaging_run || null,
    carbonationChecked: !!row.carbonation_checked,
    hopDumpDone: !!row.hop_dump_done,
    notes: row.notes || [],
    yeastDumpDone: !!row.yeast_dump_done,
    timers: row.timers || [],
    brewStage: row.brew_stage || null,
    ingredientCost: row.ingredient_cost ?? 0,
    plannedDays: row.planned_days ?? null,
  };
}
```

```

export function batchToRow(batch, userId, companyId) {
  return {
    id: batch.id,
    user_id: userId,
    company_id: companyId,
    number: batch.number,
    name: batch.name,
    style: batch.style,
    volume: batch.volume,
    og: batch.og,
    fg: batch.fg,
    mash_ph: batch.mashPh ?? null,
    mash_temp: batch.mashTemp ?? null,
    pre_boil_gravity: batch.preBoilGravity ?? null,
    top_up_water: batch.topUpWater ?? null,
    ph_into_tank: batch.phIntoTank ?? null,
    sg_into_tank: batch.sgIntoTank ?? null,
    stage: batch.stage,
    start_date: batch.startDate,
    recipe_id: batch.recipeId ?? null,
    recipe_name: batch.recipeName ?? null,
    tank_id: batch.tankId ?? null,
    tank_name: batch.tankName ?? null,
    split_tanks: batch.splitTanks || [],
    readings: batch.readings || [],
    ingredients: batch.ingredients || [],
    packaging: batch.packaging ?? null,
    schedule: batch.schedule || [],
    diacetyl_tests: batch.diacetylTests || [],
    faults: batch.faults || [],
    photos: batch.photos || [],
    packaging_run: batch.packagingRun || null,
    carbonation_checked: !!batch.carbonationChecked,
    hop_dump_done: !!batch.hopDumpDone,
    notes: batch.notes || [],
    yeast_dump_done: !!batch.yeastDumpDone,
    timers: batch.timers || [],
    brew_stage: batch.brewStage || null,
    ingredient_cost: batch.ingredientCost ?? 0,
    planned_days: batch.plannedDays ?? null,
  };
}

```

```

export function rowToInventoryItem(row) {
  return {
    id: row.id,

```

```

        name: row.name,
        category: row.category,
        qty: row.qty,
        unit: row.unit,
        threshold: row.threshold,
        lots: row.lots || [],
        history: row.history || [],
        supplierId: row.supplier_id || null,
    };
}

export function inventoryItemToRow(item, userId, companyId) {
    return {
        id: item.id,
        user_id: userId,
        company_id: companyId,
        name: item.name,
        category: item.category,
        qty: item.qty,
        unit: item.unit,
        threshold: item.threshold,
        supplier_id: item.supplierId || null,
        lots: item.lots || [],
        history: item.history || [],
    };
}

export function rowToPO(row) {
    return {
        id: row.id,
        poNumber: row.po_number,
        supplier: row.supplier,
        orderDate: row.order_date,
        receivedDate: row.received_date,
        status: row.status,
        lines: row.lines || [],
        deliveryCost: row.delivery_cost ?? null,
    };
}

export function poToRow(po, userId, companyId) {
    return {
        id: po.id,
        user_id: userId,
        company_id: companyId,
        po_number: po.poNumber,
        supplier: po.supplier,
    };
}

```

```

    order_date: po.orderDate,
    received_date: po.receivedDate ?? null,
    status: po.status,
    lines: po.lines || [],
    delivery_cost: po.deliveryCost ?? null,
  };
}

```

```

export function rowToRecipe(row) {
  return {
    id: row.id,
    name: row.name,
    style: row.style,
    volume: row.volume,
    og: row.og,
    fg: row.fg,
    ingredients: row.ingredients || [],
    schedule: row.schedule || [],
    familyId: row.family_id || row.id,
    version: row.version || 1,
    createdAt: row.created_at || null,
    isActive: row.is_active !== false,
    efficiency: row.efficiency ?? 72,
    boilTime: row.boil_time ?? 60,
    waterChemistry: row.water_chemistry || null,
  };
}

```

```

export function recipeToRow(recipe, userId, companyId) {
  return {
    id: recipe.id,
    user_id: userId,
    company_id: companyId,
    name: recipe.name,
    style: recipe.style,
    volume: recipe.volume,
    og: recipe.og,
    fg: recipe.fg,
    ingredients: recipe.ingredients || [],
    schedule: recipe.schedule || [],
    is_active: recipe.isActive !== false,
    family_id: recipe.familyId,
    version: recipe.version || 1,
    efficiency: recipe.efficiency ?? 72,
    boil_time: recipe.boilTime ?? 60,
    water_chemistry: recipe.waterChemistry || null,
  };
}

```

```

}

export function rowToProfile(row) {
  return {
    id: row.id,
    companyId: row.company_id,
    name: row.name,
    role: row.role,
    createdAt: row.created_at || null,
    toursSeen: row.tours_seen || [],
  };
}

export function rowToTank(row) {
  return {
    id: row.id,
    name: row.name,
    capacity: row.capacity,
    type: row.type || "Fermenter",
    cleanStatus: row.clean_status || null,
    history: row.history || [],
  };
}

export function tankToRow(tank, companyId) {
  return {
    id: tank.id,
    company_id: companyId,
    name: tank.name,
    capacity: tank.capacity,
    type: tank.type || "Fermenter",
    clean_status: tank.cleanStatus ?? null,
    history: tank.history || [],
  };
}

export function rowToStockTake(row) {
  return {
    id: row.id,
    date: row.date,
    userName: row.user_name,
    lines: row.lines || [],
    createdAt: row.created_at || null,
    type: row.type || "inventory",
  };
}

```

```
export function stockTakeToRow(stockTake, userId, companyId) {
  return {
    id: stockTake.id,
    company_id: companyId,
    user_id: userId,
    user_name: stockTake.userName,
    date: stockTake.date,
    lines: stockTake.lines || [],
    type: stockTake.type || "inventory",
  };
}
```

```
export function rowToFoodSafetyRecord(row) {
  return {
    id: row.id,
    category: row.category,
    frequency: row.frequency,
    date: row.date,
    userName: row.user_name,
    items: row.items || [],
    equipmentName: row.equipment_name,
    result: row.result,
    dueDate: row.due_date,
    staffName: row.staff_name,
    topic: row.topic,
    trainedBy: row.trained_by,
    staffConfirmed: row.staff_confirmed || false,
    notes: row.notes,
    createdAt: row.created_at || null,
  };
}
```

```
export function foodSafetyRecordToRow(record, userId, companyId) {
  return {
    id: record.id,
    company_id: companyId,
    user_id: userId,
    user_name: record.userName,
    category: record.category,
    frequency: record.frequency || null,
    date: record.date,
    items: record.items || [],
    equipment_name: record.equipmentName || null,
    result: record.result || null,
    due_date: record.dueDate || null,
    staff_name: record.staffName || null,
    topic: record.topic || null,
  };
}
```

```

        trained_by: record.trainedBy || null,
        staff_confirmed: record.staffConfirmed || false,
        notes: record.notes || null,
    };
}

export function rowToSupplier(row) {
    return {
        id: row.id,
        name: row.name,
        contactName: row.contact_name,
        phone: row.phone,
        email: row.email,
        address: row.address,
        leadTimeDays: row.lead_time_days ?? null,
        notes: row.notes,
        createdAt: row.created_at || null,
    };
}

export function rowToCustomer(row) {
    return {
        id: row.id,
        name: row.name,
        type: row.type || "Wholesale",
        contactName: row.contact_name,
        phone: row.phone,
        email: row.email,
        address: row.address,
        paymentTerms: row.payment_terms,
        notes: row.notes,
        xeroContactId: row.xero_contact_id || null,
        xeroContactName: row.xero_contact_name || null,
        createdAt: row.created_at || null,
    };
}

export function customerToRow(customer, companyId) {
    return {
        id: customer.id,
        company_id: companyId,
        name: customer.name,
        type: customer.type || "Wholesale",
        contact_name: customer.contactName || null,
        phone: customer.phone || null,
        email: customer.email || null,
        address: customer.address || null,
        payment_terms: customer.paymentTerms || null,
        notes: customer.notes || null,
    };
}

```

```

        xero_contact_id: customer.xeroContactId || null,
        xero_contact_name: customer.xeroContactName || null,
    };
}

export function rowToSalesOrder(row) {
    return {
        id: row.id,
        customerId: row.customer_id,
        orderNumber: row.order_number,
        status: row.status || "Draft",
        orderDate: row.order_date,
        lines: row.lines || [],
        notes: row.notes,
        paid: !!row.paid,
        createdAt: row.created_at || null,
    };
}

export function salesOrderToRow(order, companyId) {
    return {
        id: order.id,
        company_id: companyId,
        customer_id: order.customerId,
        order_number: order.orderNumber,
        status: order.status || "Draft",
        order_date: order.orderDate,
        lines: order.lines || [],
        notes: order.notes || null,
        paid: !!order.paid,
    };
}

export function supplierToRow(supplier, companyId) {
    return {
        id: supplier.id,
        company_id: companyId,
        name: supplier.name,
        contact_name: supplier.contactName || null,
        phone: supplier.phone || null,
        email: supplier.email || null,
        address: supplier.address || null,
        lead_time_days: supplier.leadTimeDays ?? null,
        notes: supplier.notes || null,
    };
}

export function rowToSupplierDocument(row) {
    return {

```



```

        id: row.id,
        supplierId: row.supplier_id,
        name: row.name,
        filePath: row.file_path,
        fileType: row.file_type,
        expiryDate: row.expiry_date,
        uploadedBy: row.uploaded_by,
        uploadedAt: row.uploaded_at || null,
    };
}

export function supplierDocumentToRow(doc, companyId) {
    return {
        id: doc.id,
        company_id: companyId,
        supplier_id: doc.supplierId,
        name: doc.name,
        file_path: doc.filePath,
        file_type: doc.fileType || null,
        expiry_date: doc.expiryDate || null,
        uploaded_by: doc.uploadedBy || null,
    };
}

export function rowToConsumable(row) {
    return {
        id: row.id,
        name: row.name,
        category: row.category,
        qty: row.qty,
        unit: row.unit,
        threshold: row.threshold,
        lots: row.lots || [],
        history: row.history || [],
        supplierId: row.supplier_id || null,
        costPerUnit: row.cost_per_unit ?? null,
    };
}

export function consumableToRow(item, userId, companyId) {
    return {
        id: item.id,
        user_id: userId,
        company_id: companyId,
        name: item.name,
        category: item.category,
        qty: item.qty,
    };
}

```

```

        unit: item.unit,
        threshold: item.threshold,
        supplier_id: item.supplierId || null,
        lots: item.lots || [],
        history: item.history || [],
        cost_per_unit: item.costPerUnit ?? null,
    };
}

export function rowToPackageType(row) {
    return {
        id: row.id,
        name: row.name,
        items: row.items || [],
    };
}

export function packageTypeToRow(packageType, userId, companyId) {
    return {
        id: packageType.id,
        user_id: userId,
        company_id: companyId,
        name: packageType.name,
        items: packageType.items || [],
    };
}

export function rowToActivity(row) {
    return {
        id: row.id,
        action: row.action,
        entityType: row.entity_type,
        entityName: row.entity_name,
        description: row.description,
        userName: row.user_name,
        createdAt: row.created_at,
    };
}

export function activityToRow(entry, userId, companyId) {
    return {
        id: entry.id,
        user_id: userId,
        company_id: companyId,
        action: entry.action,
        entity_type: entry.entityType,
        entity_name: entry.entityName,
    };
}

```

```
        description: entry.description,  
        user_name: entry.userName,  
    };  
}
```