

Domain Model:

UserAccount

- Id
- Username
- Email
- PasswordHash
- CreatedAt
- LastLoginAt

AuthToken

- Id
- UserAccountId
- TokenValue
- CreatedAt
- ExpiresAt
- IsActive

Relationship

- Id
- Name
- CreatedAt
- UpdatedAt

RelationshipMember

- Id
- RelationshipId
- UserAccountId
- DisplayName
- Role
- JoinedAt

Frog

- Id
- RelationshipMemberId
- Name
- CurrentMood
- ActivityState
- LastUpdatedAt

DailyCheckIn

- Id
- RelationshipId
- UserAccountId

- CheckInDate
- PrimaryEmotion
- SecondaryEmotion
- TertiaryEmotion
- OptionalMessage
- CreatedAt
- UpdatedAt

Ribbit

- Id
- RelationshipId
- SenderUserId
- ReceiverUserId
- Type (thought, care offer, little nudge, gentle request)
- Message
- Status (sent, acknowledged, completed, declined, cancelled)
- AcknowledgementEmoji
- DeliveryTime
- CreatedAt
- AcknowledgedAt
- CompletedAt
- DeclinedAt

DiscussionPrompt

- Id
- RelationshipId
- PromptText
- PromptDate
- CreatedAt

DiscussionResponse

- Id
- DiscussionPromptId
- UserAccountId
- ResponseText
- CreatedAt
- UpdatedAt

SmartConnectionSuggestion

- Id
- RelationshipId
- RequestedByUserId
- CareAction
- MessageSuggestion

- DiscussionPromptSuggestion
- GeneratedAt
- Accepted

Relationships:

UserAccount 1 ---- 0..* AuthToken

UserAccount 1 ---- 0..* RelationshipMember

Relationship 1 ---- 2 RelationshipMember

RelationshipMember 1 ---- 1 Frog

Relationship 1 ---- 0..* DailyCheckIn

UserAccount 1 ---- 0..* DailyCheckIn

Relationship 1 ---- 0..* Ribbit

UserAccount 1 ---- 0..* Ribbit as sender

UserAccount 1 ---- 0..* Ribbit as receiver

Relationship 1 ---- 0..* DiscussionPrompt

DiscussionPrompt 1 ---- 0..* DiscussionResponse

UserAccount 1 ---- 0..* DiscussionResponse

Relationship 1 ---- 0..* SmartConnectionSuggestion

UserAccount 1 ---- 0..* SmartConnectionSuggestion as requester

SmartConnectionSuggestion optionally references:

- DailyCheckIn
- Ribbit
- DiscussionPrompt

Important constraints:

- A Relationship represents the backend private space for a couple. In the user interface, this is called a Pond.
- A Relationship should normally have exactly 2 RelationshipMembers.
- A UserAccount may belong to multiple Relationships in the future, but PondLite v1 will focus on one active Relationship per user.
- A DailyCheckIn should be unique per RelationshipId, UserAccountId, and CheckInDate.
- A DiscussionResponse should be unique per DiscussionPromptId and UserAccountId.
- A Ribbit sender and receiver must both be members of the same Relationship.
- A SmartConnectionSuggestion must belong to the Relationship it was generated for.