

```
--
-- PostgreSQL database dump
--

-- Dumped from database version 14.2
-- Dumped by pg_dump version 14.2

-- Started on 2022-04-19 15:07:02

SET statement_timeout = 0;
SET lock_timeout = 0;
SET idle_in_transaction_session_timeout = 0;
SET client_encoding = 'UTF8';
SET standard_conforming_strings = on;
SELECT pg_catalog.set_config('search_path', '', false);
SET check_function_bodies = false;
SET xmloption = content;
SET client_min_messages = warning;
SET row_security = off;

SET default_tablespace = '';

SET default_table_access_method = heap;

--
-- TOC entry 212 (class 1259 OID 16405)
-- Name: directors; Type: TABLE; Schema: public; Owner: postgres
--

CREATE TABLE public.directors (
    directorid integer NOT NULL,
    name character varying(50) NOT NULL,
    bio character varying(1000),
    birthyear date,
    birthplace character varying,
    deathyear character varying
);
```

ALTER TABLE public.directors OWNER TO postgres;

--

-- TOC entry 211 (class 1259 OID 16404)

-- Name: directors_directorid_seq; Type: SEQUENCE; Schema: public; Owner: postgres

--

CREATE SEQUENCE public.directors_directorid_seq

AS integer

START WITH 1

INCREMENT BY 1

NO MINVALUE

NO MAXVALUE

CACHE 1;

ALTER TABLE public.directors_directorid_seq OWNER TO postgres;

--

-- TOC entry 3358 (class o OID o)

-- Dependencies: 211

-- Name: directors_directorid_seq; Type: SEQUENCE OWNED BY; Schema: public; Owner: postgres

--

ALTER SEQUENCE public.directors_directorid_seq OWNED BY public.directors.directorid;

--

-- TOC entry 210 (class 1259 OID 16396)

-- Name: genres; Type: TABLE; Schema: public; Owner: postgres

--

**CREATE TABLE public.genres (
 genreid integer NOT NULL,**

```
name character varying(50) NOT NULL,  
description character varying(1000)  
);
```

```
ALTER TABLE public.genres OWNER TO postgres;
```

```
--  
-- TOC entry 209 (class 1259 OID 16395)  
-- Name: genres_genreid_seq; Type: SEQUENCE; Schema: public; Owner:  
postgres  
--
```

```
CREATE SEQUENCE public.genres_genreid_seq  
AS integer  
START WITH 1  
INCREMENT BY 1  
NO MINVALUE  
NO MAXVALUE  
CACHE 1;
```

```
ALTER TABLE public.genres_genreid_seq OWNER TO postgres;
```

```
--  
-- TOC entry 3361 (class o OID o)  
-- Dependencies: 209  
-- Name: genres_genreid_seq; Type: SEQUENCE OWNED BY; Schema: public;  
Owner: postgres  
--
```

```
ALTER SEQUENCE public.genres_genreid_seq OWNED BY  
public.genres.genreid;
```

```
--  
-- TOC entry 214 (class 1259 OID 16415)  
-- Name: movies; Type: TABLE; Schema: public; Owner: postgres
```

--

```
CREATE TABLE public.movies (  
    movieid integer NOT NULL,  
    title character varying(50) NOT NULL,  
    description character varying(1000),  
    directorid integer NOT NULL,  
    genreid integer NOT NULL,  
    imageurl character varying(300),  
    featured boolean  
);
```

```
ALTER TABLE public.movies OWNER TO postgres;
```

--

```
-- TOC entry 213 (class 1259 OID 16414)  
-- Name: movies_movieid_seq; Type: SEQUENCE; Schema: public; Owner:  
postgres
```

--

```
CREATE SEQUENCE public.movies_movieid_seq  
    AS integer  
    START WITH 1  
    INCREMENT BY 1  
    NO MINVALUE  
    NO MAXVALUE  
    CACHE 1;
```

```
ALTER TABLE public.movies_movieid_seq OWNER TO postgres;
```

--

```
-- TOC entry 3364 (class o OID o)  
-- Dependencies: 213  
-- Name: movies_movieid_seq; Type: SEQUENCE OWNED BY; Schema: public;  
Owner: postgres
```

--

**ALTER SEQUENCE public.movies_movieid_seq OWNED BY
public.movies.movieid;**

--
-- TOC entry 218 (class 1259 OID 16441)
-- Name: user_movies; Type: TABLE; Schema: public; Owner: postgres
--

**CREATE TABLE public.user_movies (
 usermovieid integer NOT NULL,
 userid integer,
 movieid integer
);**

ALTER TABLE public.user_movies OWNER TO postgres;

--
-- TOC entry 217 (class 1259 OID 16440)
-- Name: user_movies_usermovieid_seq; Type: SEQUENCE; Schema: public;
Owner: postgres
--

**CREATE SEQUENCE public.user_movies_usermovieid_seq
 AS integer
 START WITH 1
 INCREMENT BY 1
 NO MINVALUE
 NO MAXVALUE
 CACHE 1;**

ALTER TABLE public.user_movies_usermovieid_seq OWNER TO postgres;

--
-- TOC entry 3367 (class o OID o)

-- Dependencies: 217
-- Name: user_movies_usermovieid_seq; Type: SEQUENCE OWNED BY;
Schema: public; Owner: postgres
--

ALTER SEQUENCE public.user_movies_usermovieid_seq OWNED BY
public.user_movies.usermovieid;

--
-- TOC entry 216 (class 1259 OID 16434)
-- Name: users; Type: TABLE; Schema: public; Owner: postgres
--

CREATE TABLE public.users (
 userid integer NOT NULL,
 username character varying(50) NOT NULL,
 password character varying(50) NOT NULL,
 email character varying(50) NOT NULL,
 birth_date date
);

ALTER TABLE public.users OWNER TO postgres;

--
-- TOC entry 215 (class 1259 OID 16433)
-- Name: users_userid_seq; Type: SEQUENCE; Schema: public; Owner:
postgres
--

CREATE SEQUENCE public.users_userid_seq
 AS integer
 START WITH 1
 INCREMENT BY 1
 NO MINVALUE
 NO MAXVALUE
 CACHE 1;

ALTER TABLE public.users_userid_seq OWNER TO postgres;

--

-- TOC entry 3370 (class o OID o)

-- Dependencies: 215

**-- Name: users_userid_seq; Type: SEQUENCE OWNED BY; Schema: public;
Owner: postgres**

--

ALTER SEQUENCE public.users_userid_seq OWNED BY public.users.userid;

--

-- TOC entry 3185 (class 2604 OID 16408)

**-- Name: directors directorid; Type: DEFAULT; Schema: public; Owner:
postgres**

--

**ALTER TABLE ONLY public.directors ALTER COLUMN directorid SET
DEFAULT nextval('public.directors_directorid_seq'::regclass);**

--

-- TOC entry 3184 (class 2604 OID 16399)

-- Name: genres genreid; Type: DEFAULT; Schema: public; Owner: postgres

--

**ALTER TABLE ONLY public.genres ALTER COLUMN genreid SET DEFAULT
nextval('public.genres_genreid_seq'::regclass);**

--

-- TOC entry 3186 (class 2604 OID 16418)

-- Name: movies movieid; Type: DEFAULT; Schema: public; Owner: postgres

--

```
ALTER TABLE ONLY public.movies ALTER COLUMN movieid SET DEFAULT  
nextval('public.movies_movieid_seq'::regclass);
```

```
--
```

```
-- TOC entry 3188 (class 2604 OID 16444)
```

```
-- Name: user_movies usermovieid; Type: DEFAULT; Schema: public; Owner:  
postgres
```

```
--
```

```
ALTER TABLE ONLY public.user_movies ALTER COLUMN usermovieid SET  
DEFAULT nextval('public.user_movies_usermovieid_seq'::regclass);
```

```
--
```

```
-- TOC entry 3187 (class 2604 OID 16437)
```

```
-- Name: users userid; Type: DEFAULT; Schema: public; Owner: postgres
```

```
--
```

```
ALTER TABLE ONLY public.users ALTER COLUMN userid SET DEFAULT  
nextval('public.users_userid_seq'::regclass);
```

```
--
```

```
-- TOC entry 3345 (class o OID 16405)
```

```
-- Dependencies: 212
```

```
-- Data for Name: directors; Type: TABLE DATA; Schema: public; Owner:  
postgres
```

```
--
```

```
INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace,  
deathyear) VALUES (1, 'Ryan Coogler', 'Ryan Kyle Coogler is an  
African-American filmmaker and producer who is from Oakland, California.',  
'1986-05-23', 'Oakland, CA', 'N/A');
```

```
INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace,  
deathyear) VALUES (2, 'George Miller', 'George Miller is an Australian film  
director, screenwriter, producer, and former medical doctor.', '1986-05-23',  
'Chinchilla, Queensland, Australia', 'N/A');
```


INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace, deathyear) VALUES (3, 'Paul Feig', 'Paul Samuel Feig is an American actor, comedian and filmmaker.', '1962-09-17', 'Mount Clemens, Michigan', 'N/A');
 INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace, deathyear) VALUES (4, 'Greta Celeste Gerwig', 'Greta Celeste Gerwig is an American actress, writer, and director.', '1983-08-04', 'Sacramento, California', 'N/A');
 INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace, deathyear) VALUES (5, 'Christopher Nolan', 'Christopher Nolan is a British-American film director, producer, and screenwriter.', '1970-07-30', 'London, England"', 'N/A');
 INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace, deathyear) VALUES (6, 'Peter Ramsey', 'Peter A. Ramsey is an American illustrator, storyboard artist, story artist, film director, and film producer.', '1962-12-23', 'Crenshaw, California', 'N/A');
 INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace, deathyear) VALUES (7, 'Francis Ford Coppola', 'Francis Ford Coppola is an American film director, producer, and screenwriter.', '1939-04-07', 'Detroit, Michigan', 'N/A');
 INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace, deathyear) VALUES (8, 'Rob Minkoff', 'Robert Ralph (Rob) Minkoff is an American director, screenwriter, producer and animator.', '1962-08-11', 'Palo Alto, California', 'N/A');
 INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace, deathyear) VALUES (9, 'Stanley Kubrick', 'Stanley Kubrick was an American film director, producer, screenwriter, and photographer.', '1928-07-26', 'Bronx, New York', 'March 7, 1999');
 INSERT INTO public.directors (directorid, name, bio, birthyear, birthplace, deathyear) VALUES (10, 'Victor Fleming', 'Victor Lonzo Fleming was an American film director, cinematographer, and producer.', '1889-02-23', 'La Canada, California', 'January 6, 1949');

--

-- TOC entry 3343 (class o OID 16396)

-- Dependencies: 210

-- Data for Name: genres; Type: TABLE DATA; Schema: public; Owner: postgres

--

INSERT INTO public.genres (genreid, name, description) VALUES (1, 'Thriller', 'Thriller film, also known as suspense film or suspense thriller, is a broad film genre that involves excitement and suspense in the audience.');

INSERT INTO public.genres (genreid, name, description) VALUES (2, 'Sci-Fi', 'Science Fiction, abbreviated SF or sci-fi, is a genre of film that deals principally with the impact of actual or imagined science upon society or individuals.');

INSERT INTO public.genres (genreid, name, description) VALUES (3, 'Adventure', 'Adventure film is a genre that revolves around the conquests and explorations of a protagonist.');

INSERT INTO public.genres (genreid, name, description) VALUES (4, 'Animation', 'Animation is a genre of film involving a motion picture. Motion pictures are made from a series of drawings, computer graphics, or photographs of inanimate objects that simulates movement by slight progressive changes in each frame.');

INSERT INTO public.genres (genreid, name, description) VALUES (5, 'Drama', 'Drama films are serious presentations of stories with settings or life situations that portray realistic characters in conflict with either themselves, others, or forces of nature.');

INSERT INTO public.genres (genreid, name, description) VALUES (6, 'Musical', 'Musical film is a film genre in which songs by the characters are interwoven into the narrative, sometimes accompanied by singing and dancing.');

INSERT INTO public.genres (genreid, name, description) VALUES (7, 'Comedy', 'Comedy is a genre of film in which the main emphasis is on humor. These films are designed to make the audience laugh through amusement and most often work by exaggerating characteristics for humorous effect.');

--

-- TOC entry 3347 (class o OID 16415)

-- Dependencies: 214

-- Data for Name: movies; Type: TABLE DATA; Schema: public; Owner: postgres

--

INSERT INTO public.movies (movieid, title, description, directorid, genreid, imageurl, featured) VALUES (1, 'Black Panther', 'An American superhero film based on the Marvel Comics character,Blank Panther, depicted as the King and protector of the fictional African nation of Wakanda.', 1, 3, 'blackpanther.png', true);
 INSERT INTO public.movies (movieid, title, description, directorid, genreid, imageurl, featured) VALUES (2, 'Mad Max: Fury Road', 'In a post-apocalyptic desert wasteland, Fury Road follows Max Rockatansky to flee from cult leader Immortan Joe and his army.', 2, 3, 'madmaxfuryroad.png', false);
 INSERT INTO public.movies (movieid, title, description, directorid, genreid, imageurl, featured) VALUES (3, 'Bridemaids', 'Annie is a single woman whose own life is in a mess. Her best friend, Lillian, is engaged and Annie has to serve as maid of honor. Penniless yet determined to make things perfect, she leads Lillian and other bridesmaids down the wild road to the wedding.', 3, 7, 'bridesmaids.png', true);
 INSERT INTO public.movies (movieid, title, description, directorid, genreid, imageurl, featured) VALUES (4, 'Lady Bird', 'A teenager navigates a loving but turbulent relationship with her mother during her eventful senior year of high school.', 4, 7, 'ladybird.png', false);
 INSERT INTO public.movies (movieid, title, description, directorid, genreid, imageurl, featured) VALUES (5, 'Inception', 'Dom Cobb is a thief with the rare ability to enter people"s dreams and steal secrets from their subconscious. He is charged with the task of planting an idea into someone"s mind. Will he succeed?', 5, 2, 'inception.png', false);
 INSERT INTO public.movies (movieid, title, description, directorid, genreid, imageurl, featured) VALUES (6, 'Spider-Man: Into the Spider-Verse', 'A 2018 American computer-animated super hero film featuring the Marvel Comics character, Spider-Man.', 6, 3, 'spiderman.png', true);
 INSERT INTO public.movies (movieid, title, description, directorid, genreid, imageurl, featured) VALUES (7, 'The Godfather', 'Highly regarded as one of the greatest films of all time, this movie focuses on the powerful Italian American crime family of Don Vito Corleone. His son relectantly joins the mafia and gets caught in violence and betrayal.', 7, 5, 'thegodfather.png', true);
 INSERT INTO public.movies (movieid, title, description, directorid, genreid, imageurl, featured) VALUES (8, 'The Lion King', 'A Disney animated feature follows the adventures of the young lion, Simba, the heir of his father, Mufasa. Simba"s father is killed by a stampede, but Simba"s uncle Scar was

```

behind his father"s death. Now an adult, Simba returns home to take back
his homeland.', 8, 4, 'thelionking.png', true);
INSERT INTO public.movies (movieid, title, description, directorid, genreid,
imageurl, featured) VALUES (10, 'The Wizard Of Oz', 'When a cyclone hits,
Dorothy is swallowed up by the cyclone and wakes up in the Land of Oz. She
follows the Yellow Brick Road to meet the Wizard of Oz meeting many along
the way.', 10, 6, 'thewizardofoz.png', false);
INSERT INTO public.movies (movieid, title, description, directorid, genreid,
imageurl, featured) VALUES (11, 'Gone With The Wind', 'The daughter of a
Georgia plantation owner conducts a turbulent romance with a roguish
profiteer during the American Civil War.', 10, 5, 'gonewiththewind.png', true);

--
-- TOC entry 3351 (class o OID 16441)
-- Dependencies: 218
-- Data for Name: user_movies; Type: TABLE DATA; Schema: public; Owner:
postgres
--

INSERT INTO public.user_movies (usermovieid, userid, movieid) VALUES (1,
1, 1);
INSERT INTO public.user_movies (usermovieid, userid, movieid) VALUES (2,
2, 3);
INSERT INTO public.user_movies (usermovieid, userid, movieid) VALUES (4,
2, 1);
INSERT INTO public.user_movies (usermovieid, userid, movieid) VALUES (5,
3, 7);
INSERT INTO public.user_movies (usermovieid, userid, movieid) VALUES (6,
1, 7);
INSERT INTO public.user_movies (usermovieid, userid, movieid) VALUES (7,
1, 4);
INSERT INTO public.user_movies (usermovieid, userid, movieid) VALUES (8,
3, 4);
INSERT INTO public.user_movies (usermovieid, userid, movieid) VALUES (9,
2, 6);

```

```
--  
-- TOC entry 3349 (class o OID 16434)  
-- Dependencies: 216  
-- Data for Name: users; Type: TABLE DATA; Schema: public; Owner: postgres  
--
```

```
INSERT INTO public.users (userid, username, password, email, birth_date)  
VALUES (1, 'janeadams1', 'pass123', 'janeemail@email.com', '1985-01-02');  
INSERT INTO public.users (userid, username, password, email, birth_date)  
VALUES (2, 'briwins95', 'foundry123', 'briannawins@gmail.com', '1994-03-13');  
INSERT INTO public.users (userid, username, password, email, birth_date)  
VALUES (3, 'dee2005', 'love123', 'dee@email.com', '2000-12-25');
```

```
--  
-- TOC entry 3372 (class o OID o)  
-- Dependencies: 211  
-- Name: directors_directorid_seq; Type: SEQUENCE SET; Schema: public;  
Owner: postgres  
--
```

```
SELECT pg_catalog.setval('public.directors_directorid_seq', 10, true);
```

```
--  
-- TOC entry 3373 (class o OID o)  
-- Dependencies: 209  
-- Name: genres_genreid_seq; Type: SEQUENCE SET; Schema: public; Owner:  
postgres  
--
```

```
SELECT pg_catalog.setval('public.genres_genreid_seq', 7, true);
```

```
--  
-- TOC entry 3374 (class o OID o)  
-- Dependencies: 213  
-- Name: movies_movieid_seq; Type: SEQUENCE SET; Schema: public;
```

Owner: postgres

--

SELECT pg_catalog.setval('public.movies_movieid_seq', 11, true);

--

-- TOC entry 3375 (class o OID o)

-- Dependencies: 217

-- Name: user_movies_usermovieid_seq; Type: SEQUENCE SET; Schema: public; Owner: postgres

--

SELECT pg_catalog.setval('public.user_movies_usermovieid_seq', 1, false);

--

-- TOC entry 3376 (class o OID o)

-- Dependencies: 215

-- Name: users_userid_seq; Type: SEQUENCE SET; Schema: public; Owner: postgres

--

SELECT pg_catalog.setval('public.users_userid_seq', 1, false);

--

-- TOC entry 3192 (class 2606 OID 16412)

-- Name: directors_directors_pkey; Type: CONSTRAINT; Schema: public; Owner: postgres

--

ALTER TABLE ONLY public.directors

ADD CONSTRAINT directors_pkey PRIMARY KEY (directorid);

--

-- TOC entry 3190 (class 2606 OID 16403)

-- Name: genres genres_pkey; Type: CONSTRAINT; Schema: public; Owner: postgres

--

**ALTER TABLE ONLY public.genres
ADD CONSTRAINT genres_pkey PRIMARY KEY (genreid);**

--

-- TOC entry 3194 (class 2606 OID 16422)

-- Name: movies movies_pkey; Type: CONSTRAINT; Schema: public; Owner: postgres

--

**ALTER TABLE ONLY public.movies
ADD CONSTRAINT movies_pkey PRIMARY KEY (movieid);**

--

-- TOC entry 3198 (class 2606 OID 16446)

-- Name: user_movies user_movies_pkey; Type: CONSTRAINT; Schema: public; Owner: postgres

--

**ALTER TABLE ONLY public.user_movies
ADD CONSTRAINT user_movies_pkey PRIMARY KEY (usermovieid);**

--

-- TOC entry 3196 (class 2606 OID 16439)

-- Name: users users_pkey; Type: CONSTRAINT; Schema: public; Owner: postgres

--

**ALTER TABLE ONLY public.users
ADD CONSTRAINT users_pkey PRIMARY KEY (userid);**

```
--  
-- TOC entry 3200 (class 2606 OID 16428)  
-- Name: movies directorkey; Type: FK CONSTRAINT; Schema: public; Owner:  
postgres  
--
```

```
ALTER TABLE ONLY public.movies  
  ADD CONSTRAINT directorkey FOREIGN KEY (directorid) REFERENCES  
public.directors(directorid);
```

```
--  
-- TOC entry 3199 (class 2606 OID 16423)  
-- Name: movies genrekey; Type: FK CONSTRAINT; Schema: public; Owner:  
postgres  
--
```

```
ALTER TABLE ONLY public.movies  
  ADD CONSTRAINT genrekey FOREIGN KEY (genreid) REFERENCES  
public.genres(genreid);
```

```
--  
-- TOC entry 3202 (class 2606 OID 16452)  
-- Name: user_movies moviekey; Type: FK CONSTRAINT; Schema: public;  
Owner: postgres  
--
```

```
ALTER TABLE ONLY public.user_movies  
  ADD CONSTRAINT moviekey FOREIGN KEY (movieid) REFERENCES  
public.movies(movieid);
```

```
--  
-- TOC entry 3201 (class 2606 OID 16447)  
-- Name: user_movies userkey; Type: FK CONSTRAINT; Schema: public;  
Owner: postgres  
--
```


**ALTER TABLE ONLY public.user_movies
ADD CONSTRAINT userkey FOREIGN KEY (userid) REFERENCES
public.users(userid);**

--
-- TOC entry 3357 (class o OID o)
-- Dependencies: 212
-- Name: TABLE directors; Type: ACL; Schema: public; Owner: postgres
--

GRANT ALL ON TABLE public.directors TO pg_database_owner;

--
-- TOC entry 3359 (class o OID o)
-- Dependencies: 211
-- Name: SEQUENCE directors_directorid_seq; Type: ACL; Schema: public;
Owner: postgres
--

**GRANT ALL ON SEQUENCE public.directors_directorid_seq TO
pg_database_owner;**

--
-- TOC entry 3360 (class o OID o)
-- Dependencies: 210
-- Name: TABLE genres; Type: ACL; Schema: public; Owner: postgres
--

GRANT ALL ON TABLE public.genres TO pg_database_owner;

--
-- TOC entry 3362 (class o OID o)
-- Dependencies: 209

-- Name: SEQUENCE genres_genreid_seq; Type: ACL; Schema: public; Owner: postgres

--

GRANT ALL ON SEQUENCE public.genres_genreid_seq TO pg_database_owner;

--

-- TOC entry 3363 (class o OID o)

-- Dependencies: 214

-- Name: TABLE movies; Type: ACL; Schema: public; Owner: postgres

--

GRANT ALL ON TABLE public.movies TO pg_database_owner;

--

-- TOC entry 3365 (class o OID o)

-- Dependencies: 213

-- Name: SEQUENCE movies_movieid_seq; Type: ACL; Schema: public; Owner: postgres

--

GRANT ALL ON SEQUENCE public.movies_movieid_seq TO pg_database_owner;

--

-- TOC entry 3366 (class o OID o)

-- Dependencies: 218

-- Name: TABLE user_movies; Type: ACL; Schema: public; Owner: postgres

--

GRANT ALL ON TABLE public.user_movies TO pg_database_owner;

--

-- TOC entry 3368 (class o OID o)
-- Dependencies: 217
-- Name: SEQUENCE user_movies_usermovieid_seq; Type: ACL; Schema:
public; Owner: postgres

--

GRANT ALL ON SEQUENCE public.user_movies_usermovieid_seq TO
pg_database_owner;

--
-- TOC entry 3369 (class o OID o)
-- Dependencies: 216
-- Name: TABLE users; Type: ACL; Schema: public; Owner: postgres

--

GRANT ALL ON TABLE public.users TO pg_database_owner;

--
-- TOC entry 3371 (class o OID o)
-- Dependencies: 215
-- Name: SEQUENCE users_userid_seq; Type: ACL; Schema: public; Owner:
postgres

--

GRANT ALL ON SEQUENCE public.users_userid_seq TO pg_database_owner;

-- Completed on 2022-04-19 15:07:03

--
-- PostgreSQL database dump complete