## NCERT Physics Questions Chapter 7: Motion Solutions

## Theory questions

## Short theory questions

1. Define displacement.

Ans: The shortest distance measured from the initial to the final position of an object is known as the displacement.

2. Define uniform motion.

Ans: When object covers equal distances in equal intervals of time, it is said to be in uniform motion.

3. Define speed. Also define average speed.

Ans: (Best to also mention SI unit and formula in definitions.)

- Speed is distance travelled by the object in unit time.
- SI unit: metre per second, m/s or  $m s^{-1}$ .
- (Explain the symbols in the formula) If an object travels a distance s in time t then its speed  $v = \frac{s}{t}$ .
- Average speed is the total distance travelled by the object divided by the total time taken.
- 4. Does speed have direction?

Ans: No.

- 5. Define velocity. Does it have direction? Ans:
  - Velocity is the speed of an object moving in a definite direction.
  - Yes, velocity has direction.
- 6. Give two definitions of average velocity.

Ans:

- Definition 1: Arithmetic mean of initial velocity and final velocity for a given period of time.
- $v_{av} = \frac{u+v}{2}$
- Definition 2: Total displacement divided by the total time taken.
- $v_{av} = \frac{total\ displacement}{total\ time}$
- It has same unit of speed, m/s.
- 7. State differences between speed and velocity.

Ans:

- Speed has no direction, velocity has direction.
- Avg speed is distance by time, avg velocity is displacement by time.
- 8. Define acceleration.

Ans:

- Change in the velocity of an object per unit time.
- If the velocity of an object changes from an initial value u to the final value v in time t, the acceleration a is  $a = \frac{v-u}{t}$ .
- SI unit:  $m s^{-2}$ .
- 9. Define uniform acceleration.

Ans: An object is in uniform acceleration if

- The object is moving in a straight line,
- its velocity increases or decreases by equal amounts in equal intervals of time.
- 10. Give examples of uniform and non uniform acceleration.

Ans: Uniform acceleration:

- Object falling freely under gravity.
- Circular motion with constant speed. (Reason: direction of velocity is changing in a uniform manner. So technically we have steady change in velocity in unit time, so constant acceleration.)

## Non-uniform acceleration:

- A car travelling along a straight road increases its speed by unequal amounts in equal intervals of time.
- 11. Describe the values of speed, velocity and acceleration for uniform motion. *Ans:* 
  - Speed is constant.
  - Velocity is constant.
  - Magnitude of velocity is equal to speed.
  - Acceleration is zero.
- 12. Describe the shape of the distance-time graph for an object in a) uniform motion, b) uniform acceleration, c) zero speed.

  Ans:
  - (a) Straight line with no-zero slope.
  - (b) Curved line.
  - (c) Straight horizontal line parallel to time axis.
- 13. Describe the shape of the velocity-time graph for nobject in a) uniform motion, b) uniform acceleration, c) zero speed.

  Ans:
  - (a) Straight horizontal line parallel to time axis.
  - (b) Straight line with non-zero slope.
  - (c) Straight horizontal line exactly on the time axis.
- 14. How to get value of a) acceleration, b) displacement from velocity-time graph?

Ans:

- (a) Slope of the graph.
- (b) Area under the graph.
- 15. How to get value of speed from distance-time graph? Ans: Slope of the graph.
- 16. Give the 3 equations of motion. In which situations of motion do they work?

Ans:

- (a) v = u + at
- (b)  $s = ut + \frac{1}{2}at^2$
- (c)  $2as = v^2 u^2$

where s is displacement, u is initial velocity, v is final velocity, a is uniform acceleration, and t is time. (Don't forget to define the meanings of the symbols while answering.)

These formulas work only for uniform acceleration along a straight line.

17. Define uniform circular motion.

Ans: An object is said to be in uniform circular motion if

- it moves in a circular path with constant speed,
- the only change in velocity is the direction and the magnitude is constant.

Formula of speed:  $v = \frac{2\pi r}{T}$ , where r is radius of the circle, and T is time period.

18. Give 3 properties of uniform circular motion.

Ans:

- Speed is constant,
- Direction of velocity at any moment is tangential to the circle.
- Rate of change of velocity is constant, in direction only (magnitude is constant),