Welcome to MyDB v0.1

"Not the worst database in the world" (tm)

```
MyDB> select
    l.l_comment
from
    lineitem as l
where
    (l.l_shipdate = "1994-05-12") and
    (l.l_commitdate = "1994-05-22") and
    (l.l_receiptdate = "1994-06-10");   >   >   >   >   >   >   >
|l.l_comment     |
|furiously ir    |
Found 1 records in all.
MyDB> select
    l.l_orderkey
from
    lineitem as l
where
    (l.l_shipinstruct = "TAKE BACK RETURN") and
    (l.l_extendedprice / l.l_quantity > 1759.6) and
    (l.l_extendedprice / l.l_quantity < 1759.8);   >   >   >   >   >   >   >
|l.l_orderkey    |
|420           |
```

|547 |

|5895 |

|10917 |

|17701 |

|22182 |

|43045 |

|44741 |

|56866 |

|58052 |

|84003 |

|89059 |

|90912 |

|92198 |

|94439 |

|95075 |

|95845 |

|99392 |

|100481 |

|110279 |

|110530 |

|111425 |

|124290 |

|128865 |

|131525 |

|132993 |

|140418 |

|141381 |

|143524 |

|147301 |

|151942 |

|152967 |

|157156 |

|162691 |

|164965 |

|179780 |

|180483 |

|200388 |

|201413 |

|204320 |

|210112 |

|210885 |

|211201 |

|215395 |

|219460 |

|226567 |

|227842 |

|228165 |

|231782 |

|232705 |

Found 1057 records in all.

MyDB> select

sum (1),

```
    avg ((o.o_totalprice - 32592.14) / 32592.14)
from
    orders as o
where
    (o.o_orderstatus = "F") and
    (o.o_orderpriority < "2-HIGH" or o.o_orderpriority = "2-HIGH");   >   >   >   >   >   >   >
[<MyDB_AggAtt0, int>, <MyDB_AggAtt1, double>, <MyDB_CntAtt, int>]
|agg.sum_0       |agg.avg_1       |
|292098          |3.620425        |
Found 1 records in all.
MyDB> select
    avg (o.o_totalprice),
    "priority: " + o.o_orderpriority
from
    orders as o
where
    (o.o_orderstatus = "F")
group by
    o.o_orderpriority;
  >   >   >   >   >   >   >   >
[<MyDB_GroupAtt0, string>, <MyDB_AggAtt0, double>, <MyDB_CntAtt, int>]
|agg.avg_2       |att.temp3       |
|150611.604523    |priority: 5-LOW  |
|150129.831018    |priority: 4-NOT SP|
|150068.606146    |priority: 3-MEDIUM|
|150724.811169    |priority: 2-HIGH |
```

```
|150454.466436    |priority: 1-URGENT|

Found 5 records in all.

MyDB>    > select

     "return flag was " + l.l_returnflag,

  >    >       sum (l.l_quantity),

     sum (l.l_extendedprice),

     sum (l.l_extendedprice*(1-l.l_discount)),

     sum (l.l_extendedprice*(1-l.l_discount)*(1+l.l_tax)),

     avg (l.l_quantity),

     avg (l.l_extendedprice),

     avg (l   > .l_discount),

     sum (1)

from

     lineitem as l

where

     (l.l_shipdate < "1998-12-01") and

       > (l.l_shipdate > "1998-06-01")

group by

     l.l_returnflag;   >   >   >   >   >   >   >   >   >   >   >   >

[<MyDB_GroupAtt0, string>, <MyDB_AggAtt0, int>, <MyDB_AggAtt1, double>,
<MyDB_AggAtt2, double>, <MyDB_AggAtt3, double>, <MyDB_AggAtt4, int>,
<MyDB_AggAtt5, do                                    uble>, <MyDB_AggAtt6, double>,
<MyDB_AggAtt7, int>, <MyDB_CntAtt, int>]

|att.temp12      |agg.sum_4      |agg.sum_5      |agg.sum_6      |agg.sum_7      |agg.avg_8
|agg.avg_9      |agg.avg_10      |agg.s                                    um_11      |

|return flag was N |7826475
|11731187444.120041|11144649274.750301|11590849811.731108|25
|38203.874855    |0.049994       |30706                                    8         |
```

```
Found 1 records in all.
MyDB> select
      l.l_shipmode,
  >   >       sum (1)
from
      orders as o,
      lineitem as l
where
      (o.o_orderkey = l.l_orderkey)
      and (o.o_orderstatus = "F")
      and (l.l_shipmode = "TRUCK" or l.l_shipmode = "RAIL")
      and (l.l_commitdate < l.l_receiptdate)
      and (l.l_shipdate < l.l_commitdate)
group by
       > l.l_shipmode;   >   >   >   >   >   >   >   >   >   >
[<MyDB_GroupAtt0, string>, <MyDB_AggAtt0, int>, <MyDB_CntAtt, int>]
|l.l_shipmode     |agg.sum_13      |
|TRUCK          |49645          |
|RAIL           |50059          |
Found 2 records in all.
MyDB> select
      ps.ps_partkey,
      avg (ps.ps_supplycost)
   >   >   > from
      part as p,
      partsupp as ps,
```

```
      supplier as s,
      nation as n,
      region as r
where
      (p.p_partkey = ps.ps_partkey)
      and (s.s_suppkey = ps.ps_suppkey)
      and (s.s_nationkey = n.n_nationkey)
      and (n.n_regionkey = r.r_regionkey)
      and (r.r_name = "AMERICA")
g   > roup by
      ps.ps_partkey;
  >   >   >   >   >   >   >   >   >   >   >   >
[<MyDB_GroupAtt0, int>, <MyDB_AggAtt0, double>, <MyDB_CntAtt, int>]
|ps.ps_partkey    |agg.avg_14      |
|1              |665.290000      |
|2              |646.880000      |
|5              |219.830000      |
|7              |763.980000      |
|8              |916.910000      |
|9              |188.020000      |
|10             |418.635000      |
|12             |498.395000      |
|13             |409.506667      |
|14             |891.445000      |
|15             |458.670000      |
|18             |367.633333      |
```

|19 |144.800000 |

|20 |675.540000 |

|23 |103.130000 |

|25 |694.350000 |

|27 |348.610000 |

|28 |204.860000 |

|29 |857.885000 |

|33 |929.050000 |

|34 |265.310000 |

|35 |540.180000 |

|37 |15.720000 |

|43 |493.190000 |

|44 |608.080000 |

|45 |919.630000 |

|46 |106.800000 |

|48 |611.160000 |

|53 |388.080000 |

|54 |686.510000 |

|56 |855.390000 |

|57 |311.370000 |

|58 |527.380000 |

|60 |92.640000 |

|61 |633.740000 |

|62 |620.080000 |

|63 |481.265000 |

|66 |785.750000 |

|70 |327.883333 |

|73 |514.810000 |

|75 |433.590000 |

|77 |875.830000 |

|78 |577.230000 |

|79 |891.180000 |

|81 |314.980000 |

|83 |385.120000 |

|84 |588.785000 |

|86 |158.010000 |

|87 |868.600000 |

|88 |821.430000 |

Found 119448 records in all.

```
MyDB>    > select
      n.n_name,
      o.o_orderdate,
      l.l_extendedprice * (1 - l.l_discount) - ps.ps_supplycost * l.l_quantity
from
      part as p,
  >   >   >   >   >   >       supplier as s,
      lineitem as l,
      partsupp as ps,
      orders as o,
      nation as n
where
      (s.s_suppkey = l.l_suppkey)
```

```
      and (ps.ps_suppkey = l.l_suppkey)
      and (ps.ps_partkey = l.l_partkey)
      and (p.p_partkey = l.l_partkey)
      and (o.o_orderkey = l.l_orderkey)
      and (l.l_shipmode = "TRUCK" or l.l_shipmode = "RAIL")
      and (l.l_shipdate < "1998-12-01")
      and (l.l_shipdate > "1998-06-01")
      and (s.s_nationkey = n.n_   > nationkey)
      and (p.p_type =    > "STANDARD POLISHED TIN" or
         p.p_type = "ECONOMY BRUSHED TIN" or
            > p.p_type = "ECONOMY POLISHED NICKEL" or
         p.p_type = "SMALL ANODIZED
COPPER");  >   >   >   >   >   >   >   >   >   >   >   >   >   >   >
|n.n_name       |o.o_orderdate    |att.temp15      |
|JORDAN         |1998-07-30       |291.942900      |
|ROMANIA        |1998-03-28       |18835.132800    |
|KENYA          |1998-08-02       |6909.096800     |
|KENYA          |1998-07-20       |28490.313600    |
|CANADA         |1998-05-30       |24792.433200    |
|ALGERIA        |1998-04-18       |7396.856000     |
|KENYA          |1998-07-12       |2937.790600     |
|CANADA         |1998-07-30       |11539.260000    |
|JAPAN          |1998-05-22       |3239.627100     |
|VIETNAM        |1998-05-06       |792.725000      |
|UNITED KINGDOM   |1998-07-01       |27664.275500    |
|ARGENTINA      |1998-07-22       |24458.961600    |
```

|CANADA |1998-06-05 |16588.600000 |

|FRANCE |1998-06-28 |39184.462800 |

|GERMANY |1998-07-27 |34710.158000 |

|ETHIOPIA |1998-05-13 |54908.073600 |

|UNITED STATES |1998-05-16 |632.688600 |

|GERMANY |1998-03-15 |18214.656000 |

|INDIA |1998-06-29 |57421.320000 |

|FRANCE |1998-05-07 |3582.330000 |

|GERMANY |1998-07-17 |6188.105400 |

|EGYPT |1998-06-02 |24390.268800 |

|UNITED STATES |1998-03-22 |9712.101000 |

|ALGERIA |1998-08-01 |3853.548000 |

|IRAQ |1998-04-08 |24039.451300 |

|JAPAN |1998-03-31 |12223.833000 |

|UNITED STATES |1998-05-11 |33567.310000 |

|KENYA |1998-04-07 |29376.360400 |

|EGYPT |1998-03-30 |12472.983000 |

|PERU |1998-04-14 |13306.849500 |

|MOROCCO |1998-06-24 |9525.945600 |

|GERMANY |1998-07-08 |73994.620000 |

|ALGERIA |1998-05-11 |6774.324000 |

|ROMANIA |1998-08-01 |15925.412800 |

|KENYA |1998-07-22 |662.228000 |

|CHINA |1998-03-31 |44529.576000 |

|UNITED STATES |1998-06-20 |7182.933000 |

|EGYPT |1998-06-30 |3544.450000 |

```
|JAPAN          |1998-03-13      |2188.376000      |
|SAUDI ARABIA   |1998-05-31      |62905.382800     |
|BRAZIL         |1998-07-07      |76510.037600     |
|ETHIOPIA       |1998-05-14      |1089.455200      |
|CHINA          |1998-07-13      |3398.684400      |
|JAPAN          |1998-06-09      |14201.344000     |
|VIETNAM        |1998-06-07      |51330.439000     |
|ARGENTINA      |1998-07-27      |40597.808800     |
|GERMANY        |1998-06-10      |19432.160000     |
|INDONESIA      |1998-05-14      |6286.520000      |
|BRAZIL         |1998-07-13      |18885.710400     |
|SAUDI ARABIA   |1998-07-11      |6626.965000      |
Found 2347 records in all.
MyDB> select
    "name: " + s.s_name,
    sum (1)
from
    supplier as s,
    lineitem as l1,
    lineitem as l2,
    orders as o,
    nation as n
where
    (s.s_suppkey = l1.l_suppkey)
    and (o.o_orderkey = l1.l_orderkey)
    and (l2.l_shipinstruct = "TAKE BACK RETURN")
```

```
    and (o.o_orderstatus = "F")
  >     and (l1.l_receiptdate > l1.l_commitdate)
    and (o.o_orderpriority < "2-HIGH" or o.o_orderpriority = "2-HIGH")
    and (l2.l_orderkey = l1.l_orderkey)
    and (not l2.l_suppkey = l1.l_suppkey)
gro   > up by
    s.s_name;  >   >   >   >   >   >   >   >   >   >   >   >   >   >   >   >   >
[<MyDB_GroupAtt0, string>, <MyDB_AggAtt0, int>, <MyDB_CntAtt, int>]
|att.temp17      |agg.sum_16      |
|name: Supplier#000|2250          |
|name: Supplier#000|1725          |
|name: Supplier#000|1750          |
|name: Supplier#000|2375          |
|name: Supplier#000|2100          |
|name: Supplier#000|1650          |
|name: Supplier#000|1750          |
|name: Supplier#000|1525          |
|name: Supplier#000|1625          |
|name: Supplier#000|1100          |
|name: Supplier#000|1800          |
|name: Supplier#000|2100          |
|name: Supplier#000|2175          |
|name: Supplier#000|2075          |
|name: Supplier#000|1400          |
|name: Supplier#000|1875          |
|name: Supplier#000|2450          |
```

|name: Supplier#000|1625 |

|name: Supplier#000|1350 |

|name: Supplier#000|1550 |

|name: Supplier#000|1950 |

|name: Supplier#000|2125 |

|name: Supplier#000|1325 |

|name: Supplier#000|1450 |

|name: Supplier#000|1950 |

|name: Supplier#000|1900 |

|name: Supplier#000|1650 |

|name: Supplier#000|1450 |

|name: Supplier#000|2075 |

|name: Supplier#000|1400 |

|name: Supplier#000|2050 |

|name: Supplier#000|1625 |

|name: Supplier#000|1525 |

|name: Supplier#000|1675 |

|name: Supplier#000|2525 |

|name: Supplier#000|2175 |

|name: Supplier#000|1750 |

|name: Supplier#000|2125 |

|name: Supplier#000|1825 |

|name: Supplier#000|1900 |

|name: Supplier#000|2450 |

|name: Supplier#000|1475 |

|name: Supplier#000|1625 |

|name: Supplier#000|1525 |

|name: Supplier#000|1425 |

|name: Supplier#000|1675 |

|name: Supplier#000|1800 |

|name: Supplier#000|1925 |

|name: Supplier#000|1650 |

|name: Supplier#000|1975 |

Found 10000 records in all.

```
MyDB> select
    "date was " + o.o_orderdate
from
    supplier as s,
  >   >   >   >     orders as o,
    customer as c,
    nation as n1,
    nation as n2,
    region as r1,
    region as r2
where
    (o.o_custkey = c.c_custkey)
    and (c.c_nationkey = n1.n_nationkey or c.c_nationkey = n2.n_nation   > key)
    and (n1.n_regionkey = r1.r_regionkey)
    and (r1.r_name = "AMERICA")
    and (n2.n_region   > key = r2.r_regionkey)
    and (r2.r_name = "MIDDLE EAST")
    a   > nd (s.s_nationkey = n2.n_nationkey)
```

```
  >  and (o.o_orderstatus = "F")
     and (o.o_orderpriority < "2-HIGH" or o.o_orderpriority   >  = "2-HIGH")
     and (o.o_orderdate > "1995-01-01" or o.o_orderdate = "199   > 5-01-01")
     and (o.o_orderdate < "1996-12-31" or o.o_orderdate = "1996-12-31"   > )
group by
     o.o_orderdate;  >   >   >   >   >   >   >   >   >   >   >   >
[<MyDB_GroupAtt0, string>, <MyDB_CntAtt, int>]
|att.temp18      |
|date was 1995-01-0|
|date was 1995-02-0|
|date was 1995-01-0|
|date was 1995-02-2|
|date was 1995-03-1|
|date was 1995-02-0|
|date was 1995-02-0|
|date was 1995-02-0|
|date was 1995-03-0|
|date was 1995-03-1|
|date was 1995-03-2|
|date was 1995-03-2|
|date was 1995-04-1|
|date was 1995-02-1|
|date was 1995-01-1|
|date was 1995-02-2|
|date was 1995-01-0|
|date was 1995-01-2|
```

|date was 1995-01-3|

|date was 1995-01-2|

|date was 1995-01-0|

|date was 1995-01-1|

|date was 1995-03-1|

|date was 1995-03-1|

|date was 1995-02-1|

|date was 1995-02-1|

|date was 1995-01-3|

|date was 1995-03-1|

|date was 1995-03-2|

|date was 1995-04-1|

|date was 1995-02-1|

|date was 1995-02-1|

|date was 1995-01-1|

|date was 1995-02-0|

|date was 1995-04-1|

|date was 1995-04-2|

|date was 1995-01-1|

|date was 1995-01-1|

|date was 1995-01-0|

|date was 1995-01-2|

|date was 1995-02-2|

|date was 1995-02-2|

|date was 1995-01-2|

|date was 1995-02-0|

|date was 1995-03-2|

|date was 1995-02-2|

|date was 1995-01-2|

|date was 1995-01-2|

|date was 1995-04-0|

|date was 1995-01-0|

Found 161 records in all.

```
MyDB> select
      c.c_name,
      n.n_name,
  >   >   >       sum (1)
from
      orders as o,
      lineitem as l1,
      lineitem as l2,
      customer as c,
      nation as n
where
      (o.o_orderkey = l1.l_orderkey)
      and (o.o_orderkey = l2.l_orderkey)
      and (o.o   > _orderstatus = "F")
      and (l1.l_shipmode = "TRUCK")
      and (c.c_custkey = o.o_custkey)
     >     and (l2.l_shipmode = "RAIL")
      and (n.n_nationkey = c.c_nationkey)
group by
```

n.n_name, c.c_name; > > > > > > > > > > > > > > >

[<MyDB_GroupAtt0, string>, <MyDB_GroupAtt1, string>, <MyDB_AggAtt0, int>, <MyDB_CntAtt, int>]

|c.c_name |n.n_name |agg.sum_19 |

|Customer#000000004|EGYPT |2 |

|Customer#000000007|CHINA |6 |

|Customer#000000010|ETHIOPIA |2 |

|Customer#000000011|UNITED KINGDOM |4 |

|Customer#000000013|CANADA |5 |

|Customer#000000016|IRAN |3 |

|Customer#000000019|CHINA |3 |

|Customer#000000022|CANADA |5 |

|Customer#000000023|CANADA |2 |

|Customer#000000025|JAPAN |6 |

|Customer#000000026|RUSSIA |4 |

|Customer#000000028|INDIA |5 |

|Customer#000000029|ALGERIA |4 |

|Customer#000000031|UNITED KINGDOM |1 |

|Customer#000000034|MOROCCO |8 |

|Customer#000000037|INDIA |1 |

|Customer#000000040|CANADA |3 |

|Customer#000000041|IRAN |1 |

|Customer#000000043|ROMANIA |5 |

|Customer#000000044|MOZAMBIQUE |7 |

|Customer#000000046|FRANCE |1 |

|Customer#000000047|BRAZIL |1 |

|Customer#000000049|IRAN |2 |

|Customer#000000055|IRAN |3 |

|Customer#000000061|PERU |1 |

|Customer#000000062|GERMANY |3 |

|Customer#000000064|CANADA |8 |

|Customer#000000065|UNITED KINGDOM |1 |

|Customer#000000067|INDONESIA |2 |

|Customer#000000068|JAPAN |1 |

|Customer#000000070|RUSSIA |7 |

|Customer#000000073|ALGERIA |6 |

|Customer#000000074|EGYPT |3 |

|Customer#000000076|ALGERIA |6 |

|Customer#000000079|MOROCCO |1 |

|Customer#000000080|ALGERIA |2 |

|Customer#000000082|CHINA |2 |

|Customer#000000085|ETHIOPIA |1 |

|Customer#000000086|ALGERIA |4 |

|Customer#000000088|MOZAMBIQUE |1 |

|Customer#000000091|INDIA |3 |

|Customer#000000092|BRAZIL |7 |

|Customer#000000094|INDONESIA |6 |

|Customer#000000097|PERU |2 |

|Customer#000000100|SAUDI ARABIA |10 |

|Customer#000000103|INDONESIA |5 |

|Customer#000000106|ARGENTINA |4 |

|Customer#000000107|MOROCCO |1 |

```
|Customer#000000109|MOZAMBIQUE      |2             |
|Customer#000000112|ROMANIA         |2             |
Found 72172 records in all.
MyDB> select
      c2.c_name,
      p.p_name,
      sum (1)
from
  >   >   >   >   >       part as p,
      orders as o1,
      orders as o2,
      lineitem as l1,
      lineitem as l2,
      customer as c1,
      customer as c2
where
      (l1.l_partkey = l2.l_partkey)
      and (o1.o_orderkey = l1.l_orderkey)
      and (o2.o_orderkey = l2.l_orderkey)
      and (o1.o_custkey = c1.c_custkey)
      and   > (o2.o_custkey = c2.c_custkey)
      and (c1.c_name = "Customer#000129200")
      and (p.p_partkey = l2.l_partkey)
group by
  >       c2.c_name,
      p.p_name;  >   >   >   >   >   >   >   >   >   >   >   >   >   >   >
```

[<MyDB_GroupAtt0, string>, <MyDB_GroupAtt1, string>, <MyDB_AggAtt0, int>, <MyDB_CntAtt, int>]

|c2.c_name |p.p_name |agg.sum_20 |

|Customer#000000091|thistle brown deep|1 |

|Customer#000000295|burlywood aquamari|1 |

|Customer#000000434|orange cream sprin|1 |

|Customer#000000442|cream tan peru alm|1 |

|Customer#000000472|moccasin rose sadd|1 |

|Customer#000000586|cyan sky papaya mo|1 |

|Customer#000000638|khaki orange seash|1 |

|Customer#000000797|moccasin rose sadd|1 |

|Customer#000000851|salmon olive lace |1 |

|Customer#000000871|moccasin rose sadd|1 |

|Customer#000000913|deep antique burni|1 |

|Customer#000001076|metallic blanched |1 |

|Customer#000001216|black peach light |1 |

|Customer#000001247|khaki orange seash|1 |

|Customer#000001264|goldenrod saddle c|1 |

|Customer#000001265|forest lawn golden|1 |

|Customer#000001291|peach cornsilk blu|1 |

|Customer#000001352|cyan sky papaya mo|1 |

|Customer#000001420|smoke aquamarine t|1 |

|Customer#000001453|chiffon chartreuse|1 |

|Customer#000001468|frosted sandy grey|1 |

|Customer#000001562|aquamarine goldenr|1 |

|Customer#000001820|goldenrod saddle c|1 |

|Customer#000001852|blanched rosy fire|1 |

|Customer#000001999|burlywood peru hot|1 |

|Customer#000002086|red antique navajo|1 |

|Customer#000002144|yellow ivory blanc|1 |

|Customer#000002279|drab frosted linen|1 |

|Customer#000002308|rose papaya smoke |1 |

|Customer#000002315|maroon cornflower |1 |

|Customer#000002515|red bisque khaki f|1 |

|Customer#000002560|khaki orange seash|1 |

|Customer#000002774|chiffon chartreuse|1 |

|Customer#000003038|khaki orange seash|1 |

|Customer#000003248|red bisque khaki f|1 |

|Customer#000003355|honeydew pale brow|1 |

|Customer#000003550|black peach light |1 |

|Customer#000003650|misty lace goldenr|1 |

|Customer#000003671|frosted medium min|1 |

|Customer#000003854|peach cornsilk blu|1 |

|Customer#000003874|lemon saddle mediu|1 |

|Customer#000003889|lemon tomato antiq|1 |

|Customer#000004174|forest violet lave|1 |

|Customer#000004219|maroon cornflower |1 |

|Customer#000004327|deep antique burni|1 |

|Customer#000004328|cream purple pink |1 |

|Customer#000004390|floral thistle fro|1 |

|Customer#000004444|aquamarine goldenr|1 |

|Customer#000004471|peach midnight sie|1 |

|Customer#000004538|yellow ivory blanc|1 |

Found 1581 records in all.

MyDB> quit;

OK, goodbye.




Image shows that its on my account/with my files