
1. Luego de instalar el servidor samba añadimos la carpeta a compartir

```
🌠 ubuntuserver clonar [Corriendo] - Oracle VM VirtualBox
                                                                                                                     \times
Archivo Máguina Ver Entrada Dispositivos Ayuda
 GNU nano 6.2
                                                      /etc/samba/smb.conf
   read only = yes
   create mask = 0700
  Windows clients look for this share name as a source of downloadable
   comment = Printer Drivers
   path = /var/lib/samba/printers
   browseable = yes
   read only = yes
   guest ok = no
  Uncomment to allow remote administration of Windows print drivers.
You may need to replace 'lpadmin' with the name of the group your
  admin users are members of.
  Please note that you also need to set appropriate Unix permissions to the drivers directory for these users to have write rights in it
    write list = root, @lpadmin
 share]
          comment = Ubuntu Share
          path= /srv/samba/share
          browsable = yes
          guest ok = yes
         read only = no
          create mask = 0755
          path=/home/direccion
          browsable = yes
          guest ok = yes
          read only = no
valid users = @directivos
```

### Usuario Luis añadido a samba

```
root@simon:/home/simon# systemeti res
root@simon:/home/simon# pdbedit –L
simon:1000:simon
luis:1001:
root@simon:/home/simon#
```

### Entro con Luis a smb/direccion



### Creado y compartido directorio administracion

```
[administracion]
    path=/home/administracion
    browsable=yes
    guest ok= yes
    guest only=no
    reand only=no
    valid users = @administracion

root@simon:/home/simon/direccion# cd ..
root@simon:/home/simon# cd ..
root@simon:/home# ls

direccion luis simon
root@simon:/home# mkdir administracion
root@simon:/home# rm administracion/
rm: cannot remove 'administracion/': Is a directory
root@simon:/home# rm -R administracion/
root@simon:/home# mkdir administracion
```

# Creado el usuario y el grupo

```
root@simon:/home# groupadd administrativos
root@simon:/home# useradd cristina
```

### Cristina añadida a administartivos

```
root@simon:/home# usermod –a –G administrativos cristina
root@simon:/home# _
```

# Añadido el nuevo grupo a la carpeta a compartir

```
[administracion]
path=/home/administracion
browsable=yes
guest ok= yes
guest only=no
reand only=no
valid users = @administrativos
```

### Entrando con cristina a administracion

