



IUS
INSTITUT
UNIVERSITAIRE
DES SCIENCES

INSTITUT UNIVERSITAIRE DES SCIENCES (IUS)

Faculté des sciences et des technologies (FST)

Rapport du travail de Laboratoire N°5_Systèmes

Etudiant : Brian ANTOINE

Niveau : L3

06 décembre 2025


L'objectif de ce TD est de :

1. Comprendre le rôle d'un serveur de fichiers
2. Configurer des partages Samba (Windows / Linux)
3. Configurer des partages NFS (Linux/Unix)
4. Gérer les permissions, montages automatiques et sécurité
5. Tester l'accessibilité depuis plusieurs clients
6. Analyser la différence entre Samba et NFS

➤ Ajout des utilisateurs dans le serveur samba


```
File Machine View Input Devices Help
7 déc. 13:20
bryan@bryan-VirtualBox: ~
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a lesly
[sudo] Mot de passe de bryan :
Fichiers password:
Retype new SMB password:
Added user lesly.
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a woody
New SMB password:
Retype new SMB password:
Added user woody.
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a giovanni
New SMB password:
Retype new SMB password:
Added user giovanni.
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a jimmy
New SMB password:
Retype new SMB password:
Added user jimmy.
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a luc
New SMB password:
Retype new SMB password:
Added user luc.
bryan@bryan-VirtualBox:~$
```

```
File Machine View Input Devices Help
7 déc. 13:28
bryan@bryan-VirtualBox: ~
New SMB password:
Retype new SMB password:
Added user luc.
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a archange
New SMB password:
Retype new SMB password:
Added user archange.
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a carla
New SMB password:
Retype new SMB password:
Added user carla.
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a darla
New SMB password:
Retype new SMB password:
Added user darla.
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a caleb
New SMB password:
Retype new SMB password:
Added user caleb.
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a matha
New SMB password:
Retype new SMB password:
Added user matha.
bryan@bryan-VirtualBox:~$
```



```
bryan@bryan-VirtualBox: ~  
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a carla  
New SMB password:  
Retype new SMB password:  
Added user carla.  
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a darla  
New SMB password:  
Retype new SMB password:  
Added user darla.  
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a caleb  
New SMB password:  
Retype new SMB password:  
Added user caleb.  
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a matha  
New SMB password:  
Retype new SMB password:  
Added user matha.  
bryan@bryan-VirtualBox:~$ sudo smbpasswd -a regy  
New SMB password:  
Retype new SMB password:  
Added user regy.
```

✓ Testparm » résumé des paramètres Samba



```
machine view input Devices Help  
7 déc. 16:29  
bryan@bryan-VirtualBox: ~  
[public]  
  guest ok = Yes  
  path = /srv/samba/dev  
  read only = No  
  
[DEV]  
  path = /srv/samba/dev  
  read only = No  
  valid users = @dev  
  write list = @dev  
  
[SEC]  
  path = /srv/samba/sec  
  read only = No  
  valid users = @sec  
  write list = @sec  
  
[DropBox]  
  path = /srv/samba/dropbox  
  read only = No  
bryan@bryan-VirtualBox:~$
```

✓ Localisation de l'ip address de mon VM avec la commande « ip a »

```
Young [Running] - Oracle VirtualBox
File Machine View Input Devices Help
7 déc. 15:49
bryan@bryan-VirtualBox: ~
bryan@bryan-VirtualBox:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
   inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
   link/ether 08:00:27:ed:80:41 brd ff:ff:ff:ff:ff:ff
   inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute enp0s3
       valid_lft 86317sec preferred_lft 86317sec
   inet6 fd17:625c:f037:2:62ed:b927:44a8:6ed2/64 scope global temporary dynamic
       valid_lft 86319sec preferred_lft 14319sec
   inet6 fd17:625c:f037:2:a00:27ff:feed:8041/64 scope global dynamic mngtmpaddr
       valid_lft 86319sec preferred_lft 14319sec
   inet6 fe80::a00:27ff:feed:8041/64 scope link
       valid_lft forever preferred_lft forever
3: enp0s8: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
   link/ether 08:00:27:8c:b1:8f brd ff:ff:ff:ff:ff:ff
   inet 192.168.56.102/24 brd 192.168.56.255 scope global dynamic noprefixroute enp0s8
       valid_lft 517sec preferred_lft 517sec
   inet6 fe80::7704:3464:b07e:bee3/64 scope link noprefixroute
       valid_lft forever preferred_lft forever
bryan@bryan-VirtualBox:~$ ^C
bryan@bryan-VirtualBox:~$
```

➤ **Vérification de la connectivité réseau entre ma machine virtuelle et ma machine physique**

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.


Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Brian ANTOINE> ping 192.168.56.102


Pinging 192.168.56.102 with 32 bytes of data:
Reply from 192.168.56.102: bytes=32 time=2ms TTL=64
Reply from 192.168.56.102: bytes=32 time<1ms TTL=64
Reply from 192.168.56.102: bytes=32 time<1ms TTL=64
Reply from 192.168.56.102: bytes=32 time=1ms TTL=64

Ping statistics for 192.168.56.102:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 0ms
PS C:\Users\Brian ANTOINE> |
```

✓ **Vérifions : accès au serveur samba depuis ma machine physique**



- **Accès refuse à l'utilisateur « bryan » puisqu'il n'appartient pas à sec**



Conclusion

Ce TD m'a permis de mieux comprendre le fonctionnement du serveur Samba. Samba offre la possibilité de partager des fichiers entre deux systèmes d'exploitation différents, comme Windows et Linux, grâce au protocole SMB/CIFS. Ainsi, les utilisateurs de Windows peuvent accéder aux fichiers hébergés sur un serveur Linux de manière transparente. Cette expérience m'a également permis d'apprendre à configurer le fichier `smb.conf` pour gérer ces partages, et d'acquérir une première expérience pratique dans l'administration d'un service réseau permettant l'interopérabilité entre systèmes.