

1)

```
SELECT title
FROM titles
WHERE type IN (
    SELECT type
    FROM titles
    WHERE title = 'Net Etiquette');
```

2)

```
SELECT stor_id, au_id, sum(price*qty)
FROM titleauthor NATURAL JOIN titles
    NATURAL JOIN salesdetail
GROUP BY salesdetail.stor_id, titleauthor.au_id
ORDER BY salesdetail.stor_id, sum(price*qty) DESC;
```

3)

```
SELECT au_lname, au_fname
FROM authors
WHERE au_id not in (
    SELECT au_id
    FROM authors NATURAL JOIN titleauthor
    NATURAL JOIN titles
    WHERE type='psychology'
    GROUP BY au_id
    HAVING count(*) >= (
        SELECT count(*)
        FROM authors NATURAL JOIN titleauthor
        NATURAL JOIN titles
        WHERE au_lname='Karsen' and au_fname='Livia'
        AND type='psychology'
    )
);
```

4)

```
SELECT title, price, total_sales,  
(royalty*0.01)*price*total_sales  
FROM titles NATURAL JOIN roysched  
WHERE total_sales BETWEEN lorange AND hirange;
```

5)

```
SELECT city FROM authors  
INTERSECT  
SELECT city FROM publishers;
```

6)

```
SELECT title, total_sales, sum(qty) as correct_sales  
FROM titles NATURAL JOIN salesdetail  
GROUP BY title, total_sales  
HAVING total_sales <> sum(qty);
```

7)

```
SELECT stor_name FROM stores  
EXCEPT SELECT stor_name FROM (  
    SELECT stor_name, type FROM titles, stores  
EXCEPT  
    SELECT stor_name, type FROM  
    titles NATURAL JOIN salesdetail  
    NATURAL JOIN stores) AS notsold;
```