

BUG REPORT SAMPLES

Azure DevOps Defect Log — Web Application QA

Brian Scott McCarthy | Senior QA Lead

Linked Test Cases & User Stories logged in Azure DevOps

Severity	Count	Description
P1 – Critical	2	Release-blocking defects; core functionality broken; no workaround.
P2 – High	3	Major feature degraded; workaround possible but UX significantly impacted.
P3 – Medium	2	Partial feature issue; acceptable workaround; moderate impact.

P1 – Critical Defects

BUG-0001 **P1 – Critical** Checkout crashes with 500 error when applying discount code at payment step

Field	Value
Bug ID / ADO Work Item	BUG-0001
Linked User Story	US-4821 — Discount Code Application at Checkout
Severity / Priority	P1 – Critical
Environment	QA / Staging
Browser / OS	Chrome 124, Windows 11
Status	Open — Assigned to Dev Lead; Priority 1 fix in progress
Reported By	Brian Scott McCarthy, Senior QA Lead
Date Reported	2026-05

Description

The checkout process terminates with an unhandled 500 Internal Server Error immediately after the user applies a valid discount code on the payment step (/checkout/payment). The error is thrown server-side and surfaced as a generic error page, losing all cart and order state. This affects 100% of users attempting to use a discount code — a core promotional feature.

Steps to Reproduce

1. Log in as a registered user (testuser@qa.com / SecureP@ss1!).
2. Add any in-stock product to the cart (e.g. Product-SKU-001).
3. Proceed to /checkout and complete shipping address selection.
4. On the payment step, locate the 'Discount Code' input field.
5. Enter a valid discount code: SAVE20.
6. Click 'Apply Code'.
7. Observe the result.

Actual Result

HTTP 500 Internal Server Error page is displayed. Cart state is lost. User must restart the checkout flow from scratch. Browser console shows: Uncaught TypeError: Cannot read properties of undefined (reading 'discountId') at checkout.js:214.

Expected Result

Discount code 'SAVE20' is validated and applied; checkout page refreshes showing the discounted total (20% reduction); user can proceed to payment.

Business Impact

RELEASE BLOCKER. All promotional campaigns dependent on discount codes are non-functional. Revenue impact estimated at loss of all discount-driven conversions. Reported to Product Owner and Dev Lead immediately via Slack. Sprint release hold recommended.

Attachments / Evidence

Screenshot: 500_error_checkout_discount.png | Console log: console_error_checkout.txt | Video: checkout_crash_recording.mp4 | HAR file: network_trace_checkout.har

BUG-0002 P1 – Critical User session silently expires mid-checkout — cart contents lost with no warning

Field	Value
Bug ID / ADO Work Item	BUG-0002
Linked User Story	US-4755 — Session Management & Cart Persistence
Severity / Priority	P1 – Critical
Environment	QA / Staging
Browser / OS	Firefox 125, macOS Sonoma
Status	Open — Assigned to Dev Lead; backlog priority escalated
Reported By	Brian Scott McCarthy, Senior QA Lead
Date Reported	2026-05

Description

When a user's session token expires during an active checkout session (JWT timeout set to 30 minutes), the application does not redirect the user to the login page nor display a session expiry warning. Instead, the user continues interacting with the checkout form and only discovers the session has expired when clicking 'Place Order', at which point the cart is cleared and all entered data (address, payment) is lost.

Steps to Reproduce

- 8. Log in as testuser@qa.com.
- 9. Add 3 items to the cart.
- 10. Begin checkout and proceed to the payment step.
- 11. Wait 31 minutes without interacting (simulate session timeout).
- 12. Attempt to complete the 'Place Order' action.
- 13. Observe the application response.

Actual Result

Application silently discards the order attempt. User is not redirected or warned about session expiry. Cart is emptied. User must re-login, rebuild cart, and re-enter all checkout data. No error message or recovery mechanism provided.

Expected Result

Application detects pending session expiry and displays a modal warning the user with a 'Stay Signed In' prompt before timeout. If the session has already expired, user is redirected to /login with cart contents saved to their account for retrieval post-login.

Business Impact

RELEASE BLOCKER. High-friction failure at the most critical conversion point. Direct revenue impact. Customers experiencing this will likely abandon and not return. Legal risk if payment data is transmitted to an expired session.

Attachments / Evidence

Screenshot: session_expired_empty_cart.png | Network trace showing 401 on POST /api/orders | Video: session_timeout_reproduction.mp4

P2 – High Severity Defects

BUG-0003 **P2 – High** Search results do not update when price filter is adjusted — stale results displayed

Field	Value
Bug ID / ADO Work Item	BUG-0003
Linked User Story	US-4690 — Product Search Filter Functionality
Severity / Priority	P2 – High
Environment	QA
Browser / OS	Chrome 124, Windows 11 / Safari 17, macOS
Status	Open — Sprint 42 backlog; assigned to frontend developer
Reported By	Brian Scott McCarthy, Senior QA Lead
Date Reported	2026-05

Description

On the /search results page, adjusting the price range filter (either via slider or min/max text inputs) does not trigger a re-query of results. The results grid retains the pre-filter product set. The filter UI shows the updated values but the displayed products are not filtered. This fails silently — users believe filtering is working but are seeing incorrect results.

Steps to Reproduce

- 14. Navigate to /search?q=sofa.
- 15. Verify initial results load (e.g. 24 results, prices ranging \$99–\$2,499).
- 16. Set the price filter minimum to \$500 and maximum to \$1,000.
- 17. Click 'Apply Filters' or observe automatic filter update.
- 18. Inspect the results grid.

Actual Result

Results grid remains unchanged, still showing all 24 products including those priced under \$500 and over \$1,000. The filter UI shows the correct range values but has no effect on displayed results. No loading indicator appears.

Expected Result

Results grid re-queries and displays only products priced between \$500 and \$1,000; result count updates accordingly (e.g. '8 results'); URL updates with ?minPrice=500&maxPrice=1000 params.

Business Impact

Users cannot effectively browse by budget — a primary shopping behaviour for furniture e-commerce. Risk of customer frustration and reduced conversion rates on search-driven journeys.

Attachments / Evidence

Screenshot: filter_no_update.png | Video: price_filter_failure.mp4 | Network tab showing no new XHR on filter change

BUG-0004 **P2 – High** Password reset link remains valid after use — security vulnerability

Field	Value
Bug ID / ADO Work Item	BUG-0004
Linked User Story	US-4712 — Password Reset Security
Severity / Priority	P2 – High
Environment	Staging
Browser / OS	All Browsers
Status	Open — Security review flagged; sprint hotfix candidate
Reported By	Brian Scott McCarthy, Senior QA Lead
Date Reported	2026-05

Description

After a user successfully resets their password using a one-time reset link, the same link remains valid and usable for subsequent password reset attempts. The token is not invalidated upon first use. This represents a security vulnerability where a malicious actor who obtains the reset link (e.g. via email forwarding or log exposure) can reset the user's password again at any time within the token's expiry window (currently 24 hours).

Steps to Reproduce

- 19. Request a password reset for testuser@qa.com.
- 20. Use the reset link to successfully set a new password.
- 21. Copy the reset link URL.
- 22. Paste the same reset link into a new browser window/incognito session.
- 23. Observe whether the reset form loads.

Actual Result

The password reset form loads successfully on the second visit to the same link. A new password can be submitted and accepted. The token is never marked as used in the database (confirmed via SQL: `SELECT used FROM password_reset_tokens WHERE token='[token]'` — returns NULL/false).

Expected Result

After the first successful use, the reset token is marked as used in the DB and any subsequent request with the same token returns a 400 error: 'This reset link has already been used. Please request a new one.'

Business Impact

Security vulnerability. Classified as High per OWASP guidelines (A07: Identification and Authentication Failures). Must be resolved before release to production.

Attachments / Evidence

Screenshot: reset_link_reuse.png | SQL query output showing token not invalidated | OWASP A07 reference

BUG-0005 P2 – High Add to Cart button does not respond on mobile Safari (iOS 17) — tap event not firing

Field	Value
Bug ID / ADO Work Item	BUG-0005

Field	Value
Linked User Story	US-4788 — Mobile Cart Functionality
Severity / Priority	P2 – High
Environment	QA
Browser / OS	Safari, iOS 17 — iPhone 14 Pro (BrowserStack)
Status	Open — Assigned to frontend developer; iOS touch event investigation required
Reported By	Brian Scott McCarthy, Senior QA Lead
Date Reported	2026-05

Description

The 'Add to Cart' button on product detail pages does not respond to tap events when accessed from Safari on iOS 17 devices. The button renders correctly and appears active (correct colour, cursor style), but tapping it produces no visible response — no cart update, no toast notification, no network request. The same button works correctly on Chrome for iOS and all desktop browsers.

Steps to Reproduce

- 24. Open BrowserStack; select iPhone 14 Pro / iOS 17 / Safari.
- 25. Navigate to the QA environment base URL.
- 26. Log in with valid credentials.
- 27. Navigate to any product detail page.
- 28. Tap the 'Add to Cart' button.
- 29. Observe the cart icon and any toast notification.

Actual Result

No response on tap. Cart count remains at 0. No network request to POST /api/cart visible in the BrowserStack network log. No JS error in the browser console — event listener appears not to be binding.

Expected Result

Cart count increments by 1; success toast 'Added to Cart' appears; network request to POST /api/cart returns 200 with updated cart state.

Business Impact

iOS Safari is the primary browser for a significant portion of mobile users. All mobile shoppers on iPhone are unable to add items to cart — complete conversion blocker for this segment.

Attachments / Evidence

BrowserStack screenshot: ios17_add_to_cart_failure.png | Video recording: ios17_cart_tap_fail.mp4 | Console log: no JS errors detected

P3 – Medium Severity Defects

BUG-0006 P3 – Medium Product image carousel keyboard navigation non-functional — accessibility gap

Field	Value
Bug ID / ADO Work Item	BUG-0006
Linked User Story	US-4801 — Product Image Carousel Accessibility
Severity / Priority	P3 – Medium
Environment	QA
Browser / OS	All Browsers
Status	Open — Sprint 43 backlog; assigned to frontend developer
Reported By	Brian Scott McCarthy, Senior QA Lead
Date Reported	2026-05

Description

The product image carousel on product detail pages does not respond to keyboard navigation (Arrow Left, Arrow Right keys). Mouse-click navigation between carousel images works correctly. This is an accessibility defect affecting users who rely on keyboard navigation (WCAG 2.1 AA compliance requirement: SC 2.1.1 Keyboard).

Steps to Reproduce

- 30. Navigate to any product detail page with multiple images.
- 31. Click the carousel area to give it focus (or Tab to it).
- 32. Press the Right Arrow key to advance to the next image.
- 33. Press the Left Arrow key to go back.

Actual Result

Carousel does not respond to keyboard input. No image change occurs. No focus indicator visible on the carousel container.

Expected Result

Carousel responds to ArrowRight and ArrowLeft keys, advancing and retreating through images. A visible focus ring is present on the carousel container.

Business Impact

WCAG 2.1 AA non-compliance. Accessibility defect affecting keyboard-only and assistive technology users. Risk of ADA compliance issues.

Attachments / Evidence

Screenshot: carousel_keyboard_focus.png | Accessibility audit report: axe_scan_results.pdf

BUG-0007 P3 – Medium Order confirmation email missing itemised product list — shows total only

Field	Value
Bug ID / ADO Work Item	BUG-0007
Linked User Story	US-4820 — Order Confirmation Email
Severity / Priority	P3 – Medium
Environment	Staging (email)
Browser / OS	N/A — Email client
Status	Open — Sprint 42; assigned to backend/email template developer
Reported By	Brian Scott McCarthy, Senior QA Lead
Date Reported	2026-05

Description

The order confirmation email sent after a successful checkout does not include an itemised list of the purchased products. Only the order total, order ID, and estimated delivery date are shown. Customers expect to see a line-item breakdown of their purchase in the confirmation email.

Steps to Reproduce

- 34. Complete a checkout as a logged-in user with 2+ different products in the cart.
- 35. Confirm order placement and wait for confirmation email (within 2 min).
- 36. Open the confirmation email in the test inbox.
- 37. Review the email body for product details.

Actual Result

Email body shows: Order ID, Total, Estimated Delivery Date. No product names, quantities, or individual prices are listed. The order detail section appears as a blank white block, suggesting a template rendering failure.

Expected Result

Confirmation email includes a formatted order summary table with: Product Name, Quantity, Unit Price, Line Total — for each item in the order, followed by the order subtotal, tax, shipping, and grand total.

Business Impact

Customer trust and satisfaction issue. Users cannot verify what they ordered from the confirmation email alone. May increase customer service enquiries and disputes.

Attachments / Evidence

Screenshot: email_missing_items.png | Email HTML source showing blank order-items div