

# project

Brian Lin

February 14, 2018

```
library(rJava, warn.conflicts = FALSE, quietly=TRUE)
library(xlsx, warn.conflicts = FALSE, quietly=TRUE)
library(stringr, warn.conflicts = FALSE, quietly=TRUE)
library(dplyr, warn.conflicts = FALSE, quietly=TRUE)
library(readr, warn.conflicts = FALSE, quietly=TRUE)
library(randomForestSRC, warn.conflicts = FALSE, quietly=TRUE)
```

```
##
## randomForestSRC 2.5.1
##
## Type rfsrc.news() to see new features, changes, and bug fixes.
##
```

```
library(ggplot2, warn.conflicts = FALSE, quietly=TRUE)
library(caret, warn.conflicts = FALSE, quietly=TRUE)
library(tidyr, warn.conflicts = FALSE, quietly=TRUE)
library(scales, warn.conflicts = FALSE, quietly=TRUE)
library(data.table, warn.conflicts = FALSE, quietly=TRUE)
library(effects, warn.conflicts = FALSE, quietly=TRUE )
```

```
## Use the command
##   lattice::trellis.par.set(effectsTheme())
## to customize lattice options for effects plots.
## See ?effectTheme for details.
```

```
library(gridExtra, warn.conflicts = FALSE, quietly=TRUE )
library(ggRandomForests, warn.conflicts = FALSE, quietly=TRUE )
```

## *#Functions*

*#The AccuracyCutoffInfo function is a modified version of codes from the following github page  
#[https://github.com/ethen8181/machine-learning/blob/master/unbalanced/unbalanced\\_code/unbalanced\\_function.R](https://github.com/ethen8181/machine-learning/blob/master/unbalanced/unbalanced_code/unbalanced_function.R)  
#All Credit to user ethen8181*

```
# -----
# [AccuracyCutoffInfo] :
# Obtain the accuracy on the training and testing dataset.
# for cutoff value ranging from .4 to .8 ( with a .05 increase )
# @train   : your data.table or data.frame type training data ( assumes you have the predicted score in
# @test    : your data.table or data.frame type testing data
# @predict : prediction's column name (assumes the same for training and testing set)
# @actual  : actual results' column name
# returns  : 1. data : a data.table with three columns.
#             each row indicates the cutoff value and the accuracy for the
#             train and test set respectively.
#           2. plot : plot that visualizes the data.table
```

```

AccuracyCutoffInfo <- function( train, test, predict, actual )
{
  # change the cutoff value's range as you please
  cutoff <- seq( .05, 1, by = .025 )

  accuracy <- lapply( cutoff, function(c)
  {
    train_prediction <- as.factor(as.numeric( train[[predict]] > c ))
    test_prediction <- as.factor(as.numeric( test[[predict]] > c ))

    levels(train_prediction) <- c(levels(train[[actual]][1]),levels(train[[actual]][2]))
    levels(test_prediction) <- c(levels(test[[actual]][1]),levels(test[[actual]][2]))

    # use the confusionMatrix from the caret package
    cm_train <- confusionMatrix( train_prediction, train[[actual]] )
    cm_test  <- confusionMatrix( test_prediction, test[[actual]] )

    dt <- data.table( cutoff = c,
                      train  = cm_train$overall[["Accuracy"]],
                      test   = cm_test$overall[["Accuracy"]] )

    return(dt)
  }) %>% rbindlist()

  # visualize the accuracy of the train and test set for different cutoff value
  # accuracy in percentage.
  accuracy_long <- gather( accuracy, "data", "accuracy", -1 )

  plot <- ggplot( accuracy_long, aes( cutoff, accuracy, group = data, color = data ) ) +
    geom_line( size = 1 ) + geom_point( size = 3 ) +
    scale_y_continuous( label = percent ) +
    ggtitle( "Train/Test Accuracy for Different Cutoff" ) +
    scale_x_continuous(breaks=seq(0, 1, 0.1)) +
    theme_bw()

  return( list( data = accuracy, plot = plot ) )
}

#-----

#delete_dup

#Some variables are forced into the model regardless of variable selection result
#If the forced variable ended up being selected, this model will removed the duplicated variable.

delete_dup <- function(subset, data){
  remove <- c()
  for(i in 1:length(subset)){
    result <- str_detect(subset[i],names(data))
    for(j in 1:length(result)){
      if(result[j]){
        remove <- c(remove,i)
      }
    }
  }
}

```

```

    }
  }
}
if(is.null(remove))
  return(subset)
subset <- subset[-c(remove)]
return(subset)
}

#data = data file
#Prediction: predicted result
#response: The name of response variable
#cut_off: probability cut off point

Classify <- function(data, prediction, response, cut_off ){
  for(i in 1:length(prediction)){
    if(prediction[i] < cut_off){
      prediction[i] <- levels(data[[response]])[1]
    } else{
      prediction[i] <- levels(data[[response]])[2]
    }
  }

  prediction <- as.factor(prediction)
  levels(prediction) <- c(levels(data[[response]])[1], levels(data[[response]])[2])
  confuseion_matrix <- table(data[[response]], prediction)
  print(confuseion_matrix)
  Accuracy <- (confuseion_matrix[1,1] + confuseion_matrix[2,2])/sum(confuseion_matrix)
  return(print(paste("The accuracy is", round(Accuracy*100,3), "%")))
}

#K fold K = 10

#data = data using for prediction
#response = name of the response variable
#cut off = probability cut off point
#interaction = you can type addition interaction term in text
#Example
#cv.error(CNP_logi_subset, "Subject_Type", "+Age*Auditory.global_eff", 0.8)

cv.error <- function(data, response, interaction = "", cut_off = 0.5){

  #generate random seeds
  r <- runif(1,0,9999)
  set.seed(r)
  folds <- createFolds(data[[response]], k = 10)
  Accuracy <- rep(NA, 10)

  for(i in 1:10){

```

```

#training and testing
train <- data[-folds[[i]],]
test <- data[folds[[i]],]

levels(test[[response]]) <- c(levels(data[[response]])[1],levels(data[[response]])[2])

logi_cv <- glm(paste(response,"~.",interaction), data = train, family = "binomial")

prediction <- predict(logi_cv, test, type = "response")
for(j in 1:length(prediction)){
  if(prediction[j] < cut_off){
    prediction[j] <- levels(test[[response]])[1]
  } else{
    prediction[j] <- levels(test[[response]])[2]
  }
}
prediction <- as.factor(prediction)
levels(prediction) <- c(levels(data[[response]])[1],levels(data[[response]])[2])

confuseion_matrix <- table(test[[response]],prediction)
Accuracy[i] <- (confuseion_matrix[1,1] + confuseion_matrix[2,2])/sum(confuseion_matrix)
}
return(Accuracy)
}

```

#### *#Standardized variable*

```

Standarize <- function(data){
  for(i in 1:ncol(data)){
    if(is.numeric(data[,i])){
      data[,i] <- (data[,i] - mean(data[,i]))/sd(data[,i])
    }
  }
  return(data)
}

```

#### *#Load data*

```

setwd("A:/Winter 2018/Stats 141SL/project/")

```

#### *#load CNP data*

```

CNP_between <- read.table("CNP_between_nets.txt", header = TRUE)
CNP_within <- read.table("CNP_within_nets.txt", header = TRUE)
CNPDemographic <- read.xlsx("CNPDemographicMeasures.xlsx", sheetName = "SNF")

```

#### *#load COBRE data*

```

COBRE_between <- read.table("COBRE_between_nets.txt", header = TRUE)

```

```

COBRE_within <- read.table("COBRE_within_nets.txt", header = TRUE)

COBREDemographic <- read.xlsx("COBRE INDI Additional data.xls", sheetName = "NP")

COBRE_phenotypic <- read_csv("COBRE_phenotypic_data.csv")

## Parsed with column specification:
## cols(
##   X1 = col_integer(),
##   `Current Age` = col_character(),
##   Gender = col_character(),
##   Handedness = col_character(),
##   `Subject Type` = col_character(),
##   Diagnosis = col_character()
## )

#Data cleaning process

#Removed character string

pattern <- "[a-z]*-"

CNP_within$Subject_ID <- as.numeric(str_replace_all(CNP_within$Subject_ID
, pattern, ""))

CNP_between$Subject_ID <- as.numeric(str_replace_all(CNP_between$Subject_ID
, pattern, ""))

#Merge data
CNP_within_merge <- left_join(CNP_within,CNPDemographic, by = c("Subject_ID" = "PTID"))

#summary(CNP_within_merge)

CNP_between_merge <- left_join(CNP_between,CNPDemographic, by = c("Subject_ID" = "PTID"))

#summary(CNP_between_merge)

#Reumove character string

COBRE_between$Subject_ID <- as.numeric(str_replace_all(COBRE_between$Subject_ID
, pattern, ""))

COBRE_within$Subject_ID <- as.numeric(str_replace_all(COBRE_within$Subject_ID
, pattern, ""))

```

```

#remove 00
pattern <- "~00"

COBREDemographic$ID <- as.numeric(str_replace_all(COBREDemographic$ID, pattern, ""))

#Merge data
COBRE_within_merge <- left_join(COBRE_within, COBREDemographic, by = c("Subject_ID" = "ID"))

#summary(COBRE_within_merge)

COBRE_between_merge <- left_join(COBRE_between, COBREDemographic, by = c("Subject_ID" = "ID"))

#summary(COBRE_between_merge)

COBRE_phenotypic$Gender <- as.factor(COBRE_phenotypic$Gender)

COBRE_phenotypic <- COBRE_phenotypic %>%
  filter(!(COBRE_phenotypic$Gender == "Disenrolled"))

```

```
## Warning: package 'bindrcpp' was built under R version 3.4.2
```

```

COBRE_phenotypic$Gender <- droplevels(COBRE_phenotypic$Gender)

colnames(COBRE_phenotypic)[1:2] <- c("Subject_ID", "Age")

COBRE_between_merge <- merge(COBRE_between_merge, COBRE_phenotypic, all = TRUE)
COBRE_within_merge <- merge(COBRE_within_merge, COBRE_phenotypic, all = TRUE)

table(COBRE_between_merge$Diagnosis)

```

```

##
##          290.3          295.1          295.2
##           1           3           1
##          295.3          295.6          295.7
##           41          12           5
## 295.70 bipolar type 295.70 depressed type 295.9
##           1           1           5
##          295.92          296.26          296.4
##           1           1           1
##           311          None
##           1           72

```

```
table(COBRE_within_merge$Diagnosis)
```

```

##
##          290.3          295.1          295.2
##           1           3           1
##          295.3          295.6          295.7
##           41          12           5
## 295.70 bipolar type 295.70 depressed type 295.9

```

```
##          1          1          5
##      295.92      296.26      296.4
##          1          1          1
##      311          None
##          1          72
```

*#CNP filter*

```
CNP_within_merge <- CNP_within_merge %>%
  filter(Subject_Type == "Control" | Subject_Type == "Schizophrenia")

table(CNP_within_merge$Subject_Type)
```

```
##
##      ADHD      Bipolar      Control Schizophrenia
##          0          0          115          42
```

```
CNP_between_merge <- CNP_between_merge %>%
  filter(Subject_Type == "Control" | Subject_Type == "Schizophrenia")

table(CNP_between_merge$Subject_Type)
```

```
##
##      ADHD      Bipolar      Control Schizophrenia
##          0          0          115          42
```

*#COBRE filter*

```
COBRE_between_merge <- COBRE_between_merge %>%
  filter(!(Diagnosis == 290.3 | Diagnosis == 296.26 | Diagnosis == 296.4 | Diagnosis == 311))
```

```
COBRE_within_merge <- COBRE_within_merge %>%
  filter(!(Diagnosis == 290.3 | Diagnosis == 296.26 | Diagnosis == 296.4 | Diagnosis == 311))
```

```
table(COBRE_between_merge$Diagnosis)
```

```
##
##          295.1          295.2          295.3
##              3              1              41
##          295.6          295.7  295.70 bipolar type
##              12              5              1
## 295.70 depressed type          295.9          295.92
##              1              5              1
##          None
##              72
```

```
table(COBRE_within_merge$Diagnosis)
```

```
##
##          295.1          295.2          295.3
##              3              1              41
##          295.6          295.7  295.70 bipolar type
##              12              5              1
## 295.70 depressed type          295.9          295.92
##              1              5              1
##          None
```

```

##                                72
#Recoding Patients to Schizophrenia in COBRE

pattern <- "Patient"

COBRE_between_merge$Subject_Type <- str_replace_all(COBRE_between_merge$Subject_Type, pattern,"Schizop
COBRE_within_merge$Subject_Type <- str_replace_all(COBRE_within_merge$Subject_Type, pattern,"Schizophr

table(COBRE_between_merge$Subject_Type)

##
##      Control Schizophrenia
##      72          70
table(COBRE_within_merge$Subject_Type)

##
##      Control Schizophrenia
##      72          70
CNP_between_merge$Subject_Type <- droplevels(CNP_between_merge$Subject_Type)
levels(CNP_between_merge$Subject_Type)

## [1] "Control"      "Schizophrenia"
CNP_within_merge$Subject_Type <- droplevels(CNP_within_merge$Subject_Type)
levels(CNP_within_merge$Subject_Type)

## [1] "Control"      "Schizophrenia"

#CNP between
#remove 96:98, 112
CNP_between_merge <- CNP_between_merge %>%
  select(-c(96:98,112))

#CNP within get rid of
#75 #76 #91
CNP_within_merge <- CNP_within_merge %>%
  select(-c(75:77,91))

#Merge both data into CNP

CNP <- merge(CNP_between_merge,CNP_within_merge, all = TRUE)

#Use only the fMRI, MRI, and Age, keep global EFF

CNP_between_RF_subset <- CNP_between_merge %>%
  select(c(1:94))

CNP_within_RF_subset <- CNP_within_merge %>%
  select(c(1:72))

```



```

CNP_RF_subset <- CNP %>%
  select(-c(1,5:41))

#CNP data modeling

set.seed(4321)

rfsrc_m1 <- rfsrc(as.factor(Subject_Type)~.,data = CNP_RF_subset, na.action = c("na.omit"), ntree= 1000)

max_var <- max.subtree(rfsrc_m1, conservative = TRUE)
max_var$topvars

## [1] "Ventral_Attention.Uncertain"
## [2] "Cingulo.opercular_Task_Control.mod"

#delete duplicate entity

#Logistic Regression Model

subset <- as.vector(max_var$topvars)

subset <- delete_dup(subset,CNP_RF_subset[,c(1,137:150)])

CNP_logi_subset <- CNP_RF_subset[,c("Subject_Type",names(CNP_RF_subset[,c(1,137:150)]), subset)]

#Using a previously grown forest, identify pairwise interactions for all pairs of variables from a spec

#method="maxsubtree"

#This invokes a maximal subtree analysis.

CNP_logi_subset <- na.omit(CNP_logi_subset) %>%
  Standarize()

#Find interaction
gg_int <- gg_interaction(find.interaction(rfsrc_m1, xvar.names = names(CNP_logi_subset[, -c(1)]), sorted

##
##                               Method: maxsubtree
##                               No. of variables: 17
##   Variables sorted by minimal depth?: FALSE
##
##                               Age Ventral_Attention.Uncertain
## Age                               0.92                      1.00
## Ventral_Attention.Uncertain        0.99                      0.86
## Cingulo.opercular_Task_Control.mod  0.99                      0.99
## Auditory.global_eff                1.00                      1.00
## Cerebellar.global_eff              1.00                      1.00
## Cingulo.opercular_Task_Control.global_eff 1.00                0.99
## Default_mode.global_eff            1.00                      1.00

```

## Dorsal_attention.global_eff	1.00	1.00
## Fronto.parietal_Task_Control.global_eff	0.99	1.00
## Memory_retrieval.global_eff	1.00	1.00
## Salience.global_eff	1.00	1.00
## Sensory.somatomotor_Hand.global_eff	1.00	0.99
## Sensory.somatomotor_Mouth.global_eff	1.00	1.00
## Subcortical.global_eff	0.99	0.99
## Uncertain.global_eff	1.00	1.00
## Ventral_attention.global_eff	1.00	1.00
## Visual.global_eff	1.00	1.00
##	Cingulo.opercular_Task_Control.mod	
## Age		1.00
## Ventral_Attention.Uncertain		0.99
## Cingulo.opercular_Task_Control.mod		0.85
## Auditory.global_eff		1.00
## Cerebellar.global_eff		1.00
## Cingulo.opercular_Task_Control.global_eff		1.00
## Default_mode.global_eff		1.00
## Dorsal_attention.global_eff		1.00
## Fronto.parietal_Task_Control.global_eff		1.00
## Memory_retrieval.global_eff		1.00
## Salience.global_eff		1.00
## Sensory.somatomotor_Hand.global_eff		0.99
## Sensory.somatomotor_Mouth.global_eff		1.00
## Subcortical.global_eff		0.99
## Uncertain.global_eff		1.00
## Ventral_attention.global_eff		1.00
## Visual.global_eff		1.00
##	Auditory.global_eff	
## Age		1.00
## Ventral_Attention.Uncertain		1.00
## Cingulo.opercular_Task_Control.mod		0.99
## Auditory.global_eff		0.96
## Cerebellar.global_eff		1.00
## Cingulo.opercular_Task_Control.global_eff		1.00
## Default_mode.global_eff		1.00
## Dorsal_attention.global_eff		1.00
## Fronto.parietal_Task_Control.global_eff		1.00
## Memory_retrieval.global_eff		1.00
## Salience.global_eff		1.00
## Sensory.somatomotor_Hand.global_eff		1.00
## Sensory.somatomotor_Mouth.global_eff		1.00
## Subcortical.global_eff		1.00
## Uncertain.global_eff		1.00
## Ventral_attention.global_eff		1.00
## Visual.global_eff		1.00
##	Cerebellar.global_eff	
## Age		1.00
## Ventral_Attention.Uncertain		1.00
## Cingulo.opercular_Task_Control.mod		1.00
## Auditory.global_eff		1.00
## Cerebellar.global_eff		0.94
## Cingulo.opercular_Task_Control.global_eff		1.00
## Default_mode.global_eff		1.00

## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	
## Age	1.00
## Ventral_Attention.Uncertain	1.00
## Cingulo.opercular_Task_Control.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	0.92
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Default_mode.global_eff	
## Age	1.00
## Ventral_Attention.Uncertain	0.99
## Cingulo.opercular_Task_Control.mod	1.00
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	0.93
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Dorsal_attention.global_eff	
## Age	1.00
## Ventral_Attention.Uncertain	1.00
## Cingulo.opercular_Task_Control.mod	1.00
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00


## Dorsal_attention.global_eff	0.96
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	
##	Fronto.parietal_Task_Control.global_eff
## Age	1.00
## Ventral_Attention.Uncertain	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	0.92
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	
##	Memory_retrieval.global_eff
## Age	1.00
## Ventral_Attention.Uncertain	1.00
## Cingulo.opercular_Task_Control.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	0.96
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	
##	Salience.global_eff
## Age	1.00
## Ventral_Attention.Uncertain	1.00
## Cingulo.opercular_Task_Control.mod	1.00
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00

## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.95
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	Sensory.somatomotor_Hand.global_eff
## Age	1.00
## Ventral_Attention.Uncertain	1.00
## Cingulo.opercular_Task_Control.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	0.93
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	Sensory.somatomotor_Mouth.global_eff
## Age	1.00
## Ventral_Attention.Uncertain	1.00
## Cingulo.opercular_Task_Control.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	0.95
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	Subcortical.global_eff
## Age	1.00
## Ventral_Attention.Uncertain	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00

## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.88
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	Uncertain.global_eff
## Age	1.00
## Ventral_Attention.Uncertain	1.00
## Cingulo.opercular_Task_Control.mod	1.00
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	0.96
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	Ventral_attention.global_eff
## Age	1.00
## Ventral_Attention.Uncertain	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	0.99
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	0.92
## Visual.global_eff	1.00
##	Visual.global_eff
## Age	1.00
## Ventral_Attention.Uncertain	1.00
## Cingulo.opercular_Task_Control.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00

```
## Dorsal_attention.global_eff 1.00
## Fronto.parietal_Task_Control.global_eff 1.00
## Memory_retrieval.global_eff 1.00
## Salience.global_eff 1.00
## Sensory.somatomotor_Hand.global_eff 1.00
## Sensory.somatomotor_Mouth.global_eff 1.00
## Subcortical.global_eff 1.00
## Uncertain.global_eff 1.00
## Ventral_attention.global_eff 1.00
## Visual.global_eff 0.94
```

plot(gg\_int)



*##Minimal depth variable interaction plot for all variables of interest.*  
*##Higher values indicate lower interactivity with target variable marked in red.*

```

#No interaction found base on the result, we don't have to add interaction term

#Correlation check
high_cor <- findCorrelation(cor(CNP_logi_subset[, -c(1:2)]), cutoff = 0.75) + 2

#No potential multicollinearity problem

index <- sample(1:nrow(CNP_logi_subset), size = round(nrow(CNP_logi_subset)*0.7,0), replace = FALSE)

CNP_train <- CNP_logi_subset[index,]
CNP_test <- CNP_logi_subset[-index,]
logi_m1 <- glm(Subject_Type ~ ., data = CNP_train, family = "binomial")
summary(logi_m1)

##
## Call:
## glm(formula = Subject_Type ~ ., family = "binomial", data = CNP_train)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.6210  -0.6679  -0.3474   0.5809   3.0634
##
## Coefficients:
##              Estimate Std. Error z value
## (Intercept)    -1.73948    0.36956  -4.707
## Age              0.83260    0.34036   2.446
## Auditory.global_eff -0.09186    0.35094  -0.262
## Cerebellar.global_eff  0.15612    0.27872   0.560
## Cingulo.opercular_Task_Control.global_eff  0.03363    0.33229   0.101
## Default_mode.global_eff  0.87062    0.42690   2.039
## Dorsal_attention.global_eff  0.43827    0.31808   1.378
## Fronto.parietal_Task_Control.global_eff  0.38999    0.42524   0.917
## Memory_retrieval.global_eff -0.02610    0.29618  -0.088
## Salience.global_eff  0.36833    0.34606   1.064
## Sensory.somatomotor_Hand.global_eff  0.30430    0.50027   0.608
## Sensory.somatomotor_Mouth.global_eff -0.40188    0.37858  -1.062
## Subcortical.global_eff  0.56609    0.36193   1.564
## Uncertain.global_eff  0.78505    0.34559   2.272
## Ventral_attention.global_eff -0.20361    0.31489  -0.647
## Visual.global_eff  0.49797    0.38277   1.301
## Ventral_Attention.Uncertain -2.28226    0.67824  -3.365
## Cingulo.opercular_Task_Control.mod  0.88433    0.32735   2.701
##              Pr(>|z|)
## (Intercept)    2.51e-06 ***
## Age            0.014436 *
## Auditory.global_eff  0.793522
## Cerebellar.global_eff  0.575381
## Cingulo.opercular_Task_Control.global_eff  0.919375
## Default_mode.global_eff  0.041408 *
## Dorsal_attention.global_eff  0.168252
## Fronto.parietal_Task_Control.global_eff  0.359080
## Memory_retrieval.global_eff  0.929783

```



```
## Salience.global_eff          0.287175
## Sensory.somatomotor_Hand.global_eff  0.543008
## Sensory.somatomotor_Mouth.global_eff  0.288451
## Subcortical.global_eff        0.117797
## Uncertain.global_eff          0.023110 *
## Ventral_attention.global_eff    0.517884
## Visual.global_eff             0.193274
## Ventral_Attention.Uncertain    0.000766 ***
## Cingulo.opercular_Task_Control.mod  0.006903 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##    Null deviance: 130.826  on 109  degrees of freedom
## Residual deviance:  91.494  on  92  degrees of freedom
## AIC: 127.49
##
## Number of Fisher Scoring iterations: 6
```

```
round(exp(coef(logi_m1)),3)
```

```
##                      (Intercept)
##                      0.176
##                      Age
##                      2.299
##          Auditory.global_eff
##                      0.912
##          Cerebellar.global_eff
##                      1.169
## Cingulo.opercular_Task_Control.global_eff
##                      1.034
##          Default_mode.global_eff
##                      2.388
##          Dorsal_attention.global_eff
##                      1.550
## Fronto.parietal_Task_Control.global_eff
##                      1.477
##          Memory_retrieval.global_eff
##                      0.974
##          Salience.global_eff
##                      1.445
##          Sensory.somatomotor_Hand.global_eff
##                      1.356
##          Sensory.somatomotor_Mouth.global_eff
##                      0.669
##          Subcortical.global_eff
##                      1.761
##          Uncertain.global_eff
##                      2.193
##          Ventral_attention.global_eff
##                      0.816
##          Visual.global_eff
##                      1.645
##          Ventral_Attention.Uncertain
```

```
##                                0.102
##      Cingulo.opercular_Task_Control.mod
##                                2.421
```

```
anova(logi_m1, test = "Chisq")
```

```
## Analysis of Deviance Table
```

```
##
```

```
## Model: binomial, link: logit
```

```
##
```

```
## Response: Subject_Type
```

```
##
```

```
## Terms added sequentially (first to last)
```

```
##
```

```
##
```

	Df	Deviance	Resid. Df	Resid. Dev
## NULL			109	130.826
## Age	1	3.5821	108	127.244
## Auditory.global_eff	1	0.3403	107	126.903
## Cerebellar.global_eff	1	0.2195	106	126.684
## Cingulo.opercular_Task_Control.global_eff	1	0.0091	105	126.675
## Default_mode.global_eff	1	0.0117	104	126.663
## Dorsal_attention.global_eff	1	0.2303	103	126.433
## Fronto.parietal_Task_Control.global_eff	1	0.6998	102	125.733
## Memory_retrieval.global_eff	1	0.0689	101	125.664
## Salience.global_eff	1	0.0166	100	125.647
## Sensory.somatomotor_Hand.global_eff	1	1.5916	99	124.056
## Sensory.somatomotor_Mouth.global_eff	1	6.0241	98	118.032
## Subcortical.global_eff	1	0.0072	97	118.025
## Uncertain.global_eff	1	1.8716	96	116.153
## Ventral_attention.global_eff	1	1.1439	95	115.009
## Visual.global_eff	1	0.1207	94	114.888
## Ventral_Attention.Uncertain	1	13.8856	93	101.003
## Cingulo.opercular_Task_Control.mod	1	9.5089	92	91.494

```
## Pr(>Chi)
```

```
## NULL
```

```
## Age 0.0584057 .
```

```
## Auditory.global_eff 0.5596684
```

```
## Cerebellar.global_eff 0.6394285
```

```
## Cingulo.opercular_Task_Control.global_eff 0.9240192
```

```
## Default_mode.global_eff 0.9137170
```

```
## Dorsal_attention.global_eff 0.6313287
```

```
## Fronto.parietal_Task_Control.global_eff 0.4028610
```

```
## Memory_retrieval.global_eff 0.7929193
```

```
## Salience.global_eff 0.8975062
```

```
## Sensory.somatomotor_Hand.global_eff 0.2071033
```

```
## Sensory.somatomotor_Mouth.global_eff 0.0141116 *
```

```
## Subcortical.global_eff 0.9321680
```

```
## Uncertain.global_eff 0.1712969
```

```
## Ventral_attention.global_eff 0.2848198
```

```
## Visual.global_eff 0.7282840
```

```
## Ventral_Attention.Uncertain 0.0001943 ***
```

```
## Cingulo.opercular_Task_Control.mod 0.0020447 **
```

```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```

#R-squared

R_squared <- 1 - (summary(logi_m1)[[4]]/summary(logi_m1)[[8]])
R_squared

## [1] 0.3006434

#70/30 CV check

#Train
CNP_train$prediction <- predict(logi_m1, CNP_train, type = "response")

#Test
CNP_test$prediction <- predict(logi_m1, CNP_test, type = "response")


prop.table(table(CNP$Subject_Type))

##
##      Control Schizophrenia
##      0.7324841      0.2675159

accuracy_info <- AccuracyCutoffInfo( train = CNP_train, test = CNP_test,
                                     predict = "prediction", actual = "Subject_Type" )

accuracy_info$plot

```



```
Classify(CNP_train, CNP_train$prediction,"Subject_Type", 0.75 )
```

```
##           prediction
##           Control Schizophrenia
## Control           79           0
## Schizophrenia      22           9
## [1] "The accuracy is 80 %"
```

```
Classify(CNP_test, CNP_test$prediction,"Subject_Type", 0.75 )
```

```
##           prediction
##           Control Schizophrenia
## Control           36           0
## Schizophrenia      10           1
## [1] "The accuracy is 78.723 %"
```

```

#CNP model k fold CV check
set.seed(4321)

Accuracy.k <- cv.error(CNP_logi_subset, "Subject_Type", cut_off = 0.75)
Accuracy.k

## [1] 0.6470588 0.6875000 0.7333333 0.8125000 0.7500000 0.8125000 0.7333333
## [8] 0.6666667 0.8000000 0.6875000

mean(Accuracy.k)

## [1] 0.7330392

#COBRE data modeling

set.seed(4321)

COBRE <- merge(COBRE_between_merge, COBRE_within_merge, all = TRUE)

COBRE_RF_subset <- COBRE %>%
  select(-c(1,5:111))

COBRE_RF_subset$Subject_Type <- as.factor(COBRE_RF_subset$Subject_Type)

#Random Forest variable section
rfsrc_m2 <- rfsrc(Subject_Type~., data = COBRE_RF_subset, na.action = c("na.omit"), ntree= 1000)

max_var <- max.subtree(rfsrc_m2, conservative = TRUE)
max_var$topvars

## [1] "Visual.Subcortical"

#delete duplicate entity

subset <- as.vector(max_var$topvars)

subset <- delete_dup(subset, COBRE_RF_subset[, c(1, 137:150)])

#Logistic Regression model

COBRE_logi_subset <- COBRE_RF_subset[, c("Subject_Type", names(COBRE_RF_subset[, c(1, 137:150)])), subset]]

COBRE_logi_subset <- na.omit(COBRE_logi_subset) %>%
  Standarize()

#Find interaction
gg_int <- gg_interaction(find.interaction(rfsrc_m2, xvar.names = names(COBRE_logi_subset[, -c(1)]), sort

##

```

```

##                               Method: maxsubtree
##                               No. of variables: 16
##   Variables sorted by minimal depth?: FALSE
##
##                               Age Visual.Subcortical
## Age                          0.95                1.00
## Visual.Subcortical           1.00                0.83
## Auditory.global_eff          1.00                1.00
## Cerebellar.global_eff        1.00                1.00
## Cingulo.opercular_Task_Control.global_eff 1.00        0.99
## Default_mode.global_eff      1.00                0.99
## Dorsal_attention.global_eff   1.00                1.00
## Fronto.parietal_Task_Control.global_eff 1.00        1.00
## Memory_retrieval.global_eff  1.00                1.00
## Salience.global_eff         1.00                1.00
## Sensory.somatomotor_Hand.global_eff 1.00            1.00
## Sensory.somatomotor_Mouth.global_eff 1.00            0.99
## Subcortical.global_eff       1.00                1.00
## Uncertain.global_eff         1.00                1.00
## Ventral_attention.global_eff  1.00                1.00
## Visual.global_eff            0.99                1.00
##                               Auditory.global_eff
## Age                          1.00
## Visual.Subcortical           1.00
## Auditory.global_eff          0.95
## Cerebellar.global_eff        1.00
## Cingulo.opercular_Task_Control.global_eff 0.99
## Default_mode.global_eff      1.00
## Dorsal_attention.global_eff   1.00
## Fronto.parietal_Task_Control.global_eff 1.00
## Memory_retrieval.global_eff  1.00
## Salience.global_eff         1.00
## Sensory.somatomotor_Hand.global_eff 1.00
## Sensory.somatomotor_Mouth.global_eff 1.00
## Subcortical.global_eff       1.00
## Uncertain.global_eff         1.00
## Ventral_attention.global_eff  1.00
## Visual.global_eff            1.00
##                               Cerebellar.global_eff
## Age                          1.00
## Visual.Subcortical           1.00
## Auditory.global_eff          1.00
## Cerebellar.global_eff        0.93
## Cingulo.opercular_Task_Control.global_eff 1.00
## Default_mode.global_eff      1.00
## Dorsal_attention.global_eff   1.00
## Fronto.parietal_Task_Control.global_eff 1.00
## Memory_retrieval.global_eff  1.00
## Salience.global_eff         1.00
## Sensory.somatomotor_Hand.global_eff 1.00
## Sensory.somatomotor_Mouth.global_eff 1.00
## Subcortical.global_eff       1.00
## Uncertain.global_eff         1.00
## Ventral_attention.global_eff  1.00

```

## Visual.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	
## Age	1.00
## Visual.Subcortical	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	0.88
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Default_mode.global_eff	
## Age	1.00
## Visual.Subcortical	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	0.93
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Dorsal_attention.global_eff	
## Age	1.00
## Visual.Subcortical	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	0.93
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	
## Age	1.00

## Visual.Subcortical	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	0.99
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	0.94
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	
##	Memory_retrieval.global_eff
## Age	1.00
## Visual.Subcortical	1.00
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	0.93
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	
##	Salience.global_eff
## Age	1.00
## Visual.Subcortical	1.00
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	0.99
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.95
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	
##	Sensory.somatomotor_Hand.global_eff
## Age	1.00
## Visual.Subcortical	1.00
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00




## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	0.95
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	Sensory.somatomotor_Mouth.global_eff
## Age	1.00
## Visual.Subcortical	1.00
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	0.94
## Subcortical.global_eff	1.00
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	Subcortical.global_eff
## Age	1.00
## Visual.Subcortical	1.00
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.95
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
##	Uncertain.global_eff
## Age	1.00
## Visual.Subcortical	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00

```

## Fronto.parietal_Task_Control.global_eff      1.00
## Memory_retrieval.global_eff                  1.00
## Salience.global_eff                         1.00
## Sensory.somatomotor_Hand.global_eff          1.00
## Sensory.somatomotor_Mouth.global_eff         1.00
## Subcortical.global_eff                       1.00
## Uncertain.global_eff                         0.94
## Ventral_attention.global_eff                  1.00
## Visual.global_eff                            1.00
##                               Ventral_attention.global_eff
## Age                                           1.00
## Visual.Subcortical                           0.99
## Auditory.global_eff                          1.00
## Cerebellar.global_eff                       1.00
## Cingulo.opercular_Task_Control.global_eff    1.00
## Default_mode.global_eff                     1.00
## Dorsal_attention.global_eff                  1.00
## Fronto.parietal_Task_Control.global_eff      1.00
## Memory_retrieval.global_eff                  1.00
## Salience.global_eff                        1.00
## Sensory.somatomotor_Hand.global_eff          1.00
## Sensory.somatomotor_Mouth.global_eff         1.00
## Subcortical.global_eff                       1.00
## Uncertain.global_eff                         1.00
## Ventral_attention.global_eff                  0.95
## Visual.global_eff                            1.00
##                               Visual.global_eff
## Age                                           1.00
## Visual.Subcortical                           0.99
## Auditory.global_eff                          1.00
## Cerebellar.global_eff                       1.00
## Cingulo.opercular_Task_Control.global_eff    1.00
## Default_mode.global_eff                     1.00
## Dorsal_attention.global_eff                  1.00
## Fronto.parietal_Task_Control.global_eff      1.00
## Memory_retrieval.global_eff                  1.00
## Salience.global_eff                        1.00
## Sensory.somatomotor_Hand.global_eff          1.00
## Sensory.somatomotor_Mouth.global_eff         1.00
## Subcortical.global_eff                       1.00
## Uncertain.global_eff                         1.00
## Ventral_attention.global_eff                  1.00
## Visual.global_eff                            0.92

```

```
plot(gg_int)
```



*#No interaction in fund base on the result, we don't have to add interaction term*

*#Correlation check*

```
high_cor <- findCorrelation(cor(COBRE_logi_subset[, -c(1:2)]), cutoff = 0.75) + 2
```

*#No potential multicollinearity problem*

```
index <- sample(1:nrow(COBRE_logi_subset), size = round(nrow(COBRE_logi_subset)*0.7, 0), replace = FALSE)
```

```
COBRE_train <- COBRE_logi_subset[index,]
```

```
COBRE_test <- COBRE_logi_subset[-index,]
```

```
logi_m2 <- glm(Subject_Type ~ ., data = COBRE_train, family = "binomial")
```

```
summary(logi_m2)
```

```
##
## Call:
## glm(formula = Subject_Type ~ ., family = "binomial", data = COBRE_train)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.7740  -0.8927  -0.3029   0.8723   2.7946
##
## Coefficients:
##                  Estimate Std. Error z value
## (Intercept)      -0.13280    0.24848  -0.534
## Age              -0.47861    0.31704  -1.510
## Auditory.global_eff    0.27499    0.28158   0.977
## Cerebellar.global_eff -0.02965    0.27095  -0.109
## Cingulo.opercular_Task_Control.global_eff -0.64555    0.33684  -1.916
## Default_mode.global_eff -0.41007    0.35894  -1.142
## Dorsal_attention.global_eff -0.16624    0.28377  -0.586
## Fronto.parietal_Task_Control.global_eff -0.59059    0.28493  -2.073
## Memory_retrieval.global_eff -0.13569    0.27979  -0.485
## Salience.global_eff  -0.20282    0.31132  -0.652
## Sensory.somatomotor_Hand.global_eff    0.10884    0.36779   0.296
## Sensory.somatomotor_Mouth.global_eff -0.30390    0.31851  -0.954
## Subcortical.global_eff -0.27574    0.29112  -0.947
## Uncertain.global_eff    0.35474    0.28462   1.246
## Ventral_attention.global_eff    0.40859    0.29147   1.402
## Visual.global_eff     -0.74487    0.38911  -1.914
## Visual.Subcortical     1.09163    0.34568   3.158
##
##                  Pr(>|z|)
## (Intercept)      0.59303
## Age              0.13114
## Auditory.global_eff    0.32877
## Cerebellar.global_eff    0.91286
## Cingulo.opercular_Task_Control.global_eff 0.05530 .
## Default_mode.global_eff    0.25327
## Dorsal_attention.global_eff    0.55801
## Fronto.parietal_Task_Control.global_eff    0.03820 *
## Memory_retrieval.global_eff    0.62769
## Salience.global_eff    0.51472
## Sensory.somatomotor_Hand.global_eff    0.76728
## Sensory.somatomotor_Mouth.global_eff    0.34001
## Subcortical.global_eff    0.34356
## Uncertain.global_eff    0.21263
## Ventral_attention.global_eff    0.16097
## Visual.global_eff    0.05559 .
## Visual.Subcortical    0.00159 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 136.42  on 98  degrees of freedom
## Residual deviance: 105.62  on 82  degrees of freedom
```

```
## AIC: 139.62
##
## Number of Fisher Scoring iterations: 5
```

```
round(exp(coef(logi_m2)),3)
```

```
##                (Intercept)
##                0.876
##                Age
##                0.620
##      Auditory.global_eff
##                1.317
##      Cerebellar.global_eff
##                0.971
## Cingulo.opercular_Task_Control.global_eff
##                0.524
##      Default_mode.global_eff
##                0.664
##      Dorsal_attention.global_eff
##                0.847
##      Fronto.parietal_Task_Control.global_eff
##                0.554
##      Memory_retrieval.global_eff
##                0.873
##      Salience.global_eff
##                0.816
##      Sensory.somatomotor_Hand.global_eff
##                1.115
##      Sensory.somatomotor_Mouth.global_eff
##                0.738
##      Subcortical.global_eff
##                0.759
##      Uncertain.global_eff
##                1.426
##      Ventral_attention.global_eff
##                1.505
##      Visual.global_eff
##                0.475
##      Visual.Subcortical
##                2.979
```

```
anova(logi_m2, test = "Chisq")
```

```
## Analysis of Deviance Table
##
## Model: binomial, link: logit
##
## Response: Subject_Type
##
## Terms added sequentially (first to last)
##
```

	Df	Deviance	Resid.	Df	Resid. Dev
## NULL			98		136.42
## Age	1	0.0417	97		136.38

```

## Auditory.global_eff      1  0.3108      96  136.07
## Cerebellar.global_eff    1  1.8761      95  134.19
## Cingulo.opercular_Task_Control.global_eff  1  3.9597      94  130.24
## Default_mode.global_eff  1  1.2625      93  128.97
## Dorsal_attention.global_eff  1  0.4660      92  128.51
## Fronto.parietal_Task_Control.global_eff  1  1.0467      91  127.46
## Memory_retrieval.global_eff  1  0.4759      90  126.98
## Salience.global_eff     1  0.0280      89  126.96
## Sensory.somatomotor_Hand.global_eff  1  0.0038      88  126.95
## Sensory.somatomotor_Mouth.global_eff  1  1.9567      87  125.00
## Subcortical.global_eff   1  0.0634      86  124.93
## Uncertain.global_eff     1  1.4932      85  123.44
## Ventral_attention.global_eff  1  2.6970      84  120.74
## Visual.global_eff        1  2.0923      83  118.65
## Visual.Subcortical       1 13.0328      82  105.62
##                           Pr(>Chi)
## NULL
## Age                       0.8382831
## Auditory.global_eff      0.5771834
## Cerebellar.global_eff    0.1707794
## Cingulo.opercular_Task_Control.global_eff 0.0466033 *
## Default_mode.global_eff  0.2611782
## Dorsal_attention.global_eff  0.4948425
## Fronto.parietal_Task_Control.global_eff  0.3062618
## Memory_retrieval.global_eff  0.4902644
## Salience.global_eff     0.8671524
## Sensory.somatomotor_Hand.global_eff  0.9505287
## Sensory.somatomotor_Mouth.global_eff  0.1618715
## Subcortical.global_eff   0.8011719
## Uncertain.global_eff     0.2217196
## Ventral_attention.global_eff  0.1005368
## Visual.global_eff        0.1480421
## Visual.Subcortical       0.0003061 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
#R-squared
```

```
R_squared <- 1 - (summary(logi_m2)[[4]]/summary(logi_m2)[[8]])
R_squared
```

```
## [1] 0.2258151
```

```
#70/30 CV check
```

```
#Train
```

```
COBRE_train$prediction <- predict(logi_m2, COBRE_train, type = "response")
```

```
#Test
```

```
COBRE_test$prediction <- predict(logi_m2, COBRE_test, type = "response")
```

```
prop.table(table(COBRE$Subject_Type))
```

```
##
```

```
##      Control Schizophrenia
```

```
##      0.5070423      0.4929577
```

```
accuracy_info <- AccuracyCutoffInfo( train = COBRE_train, test = COBRE_test,
                                     predict = "prediction", actual = "Subject_Type" )
```

```
accuracy_info$plot
```



```
Classify(COBRE_train, COBRE_train$prediction, "Subject_Type", 0.425)
```

```
##           prediction
##           Control Schizophrenia
## Control           37           17
## Schizophrenia      8           37
## [1] "The accuracy is 74.747 %"
```

```

Classify(COBRE_test, COBRE_test$prediction, "Subject_Type", 0.425)

##                prediction
##                Control Schizophrenia
## Control              9          9
## Schizophrenia        5         20
## [1] "The accuracy is 67.442 %"

#COBRE model k fold CV check

set.seed(4321)

Accuracy.k <- cv.error(COBRE_logi_subset, "Subject_Type", cut_off = 0.425)
Accuracy.k

## [1] 0.7142857 0.3571429 0.5714286 0.7333333 0.7142857 0.4285714 0.6428571
## [8] 0.5714286 0.7857143 0.6666667

mean(Accuracy.k)

## [1] 0.6185714

#Combine data

#Further data cleaning to merge CNP and COBRE data
Study <- rep("CNP", nrow(CNP))

CNP <- data.frame(CNP, Study)

CNP <- CNP %>%
  select(-c(7:41))

colnames(CNP)[5:6] <- c("Ethnicity", "Education")

levels(CNP$Gender) <- c("Female", "Male")

Study <- rep("COBRE", nrow(COBRE))
COBRE <- data.frame(COBRE, Study)

COBRE <- COBRE %>%
  select(-c(5, 8:111))

# CNP Ethnicity
#1=Hispanic origin
#2=Not of Hispanic origin

#COBRE Ethnicity
#Caucasian = 1
#African-American = 2
#Hispanic = 3

#Recoding required

table(COBRE$Ethnicity)

##

```



```

## 1 2 3
## 69 9 53

for(i in 1:length(COBRE$Ethnicity)){
  if(!is.na(COBRE$Ethnicity[i])){
    if(COBRE$Ethnicity[i] == 1 | COBRE$Ethnicity[i] == 2)
      COBRE$Ethnicity[i] <- 4
  }
}
COBRE$Ethnicity <- COBRE$Ethnicity - 2

table(COBRE$Ethnicity)

##
## 1 2
## 53 78

Data <- merge(CNP,COBRE, all = TRUE) %>%
  select(-c(1))
Data$Ethnicity <- as.factor(Data$Ethnicity)

set.seed(4321)

# Combine Data modeling

#Random Forest variable selection

rfsrc_m3 <- rfsrc(Study~.,data = Data, na.action = c("na.omit"), ntree= 1000)

max_var <- max.subtree(rfsrc_m3, conservative = TRUE)

max_var$topvars

## [1] "Age"
## [2] "Education"
## [3] "Cingulo.opercular.Cerebellar"
## [4] "Fronto.parietal.Dorsal_Attention"
## [5] "Subcortical.Cerebellar"
## [6] "Visual.Fronto.parietal"
## [7] "Uncertain.char_path_length"
## [8] "Cingulo.opercular_Task_Control.mod"
## [9] "Uncertain.mod"
## [10] "Subcortical.global_eff"
## [11] "Uncertain.global_eff"
## [12] "Subcortical.clust_coef"

#delete duplicate entity

subset <- as.vector(max_var$topvars)

subset <- delete_dup(subset,Data[,c(1:5,139:152)])

```

```
#Logistic Regression model
```

```
Data_logi <- Data[,c("Study",names(Data[,c(1:5,139:152)]), subset)]
```

```
Data_logi <- na.omit(Data_logi) %>%  
  Standarize()
```

```
#find interaction
```

```
gg_int <- gg_interaction(find.interaction(rfsrc_m3, xvar.names = names(Data_logi[, -c(1)]), sorted = FALSE)
```

```
##  
##                               Method: maxsubtree  
##                               No. of variables: 27  
##   Variables sorted by minimal depth?: FALSE  
##  
##                               Age Gender Subject_Type  
## Age                          0.78   1.00           0.99  
## Gender                       1.00   0.96           1.00  
## Subject_Type                 0.99   1.00           0.92  
## Ethnicity                    1.00   1.00           1.00  
## Education                    0.96   1.00           0.99  
## Cingulo.opercular.Cerebellar 0.99   1.00           0.99  
## Fronto.parietal.Dorsal_Attention 0.99   1.00           1.00  
## Subcortical.Cerebellar       0.98   1.00           1.00  
## Visual.Fronto.parietal       0.98   1.00           0.99  
## Uncertain.char_path_length   0.98   0.99           0.99  
## Cingulo.opercular_Task_Control.mod 0.98   1.00           0.99  
## Uncertain.mod                0.98   0.99           1.00  
## Auditory.global_eff          1.00   1.00           1.00  
## Cerebellar.global_eff        0.99   1.00           1.00  
## Cingulo.opercular_Task_Control.global_eff 1.00   1.00           1.00  
## Default_mode.global_eff      1.00   1.00           1.00  
## Dorsal_attention.global_eff   0.99   1.00           1.00  
## Fronto.parietal_Task_Control.global_eff 1.00   1.00           1.00  
## Memory_retrieval.global_eff   1.00   1.00           1.00  
## Salience.global_eff         0.99   1.00           0.99  
## Sensory.somatomotor_Hand.global_eff 1.00   1.00           1.00  
## Sensory.somatomotor_Mouth.global_eff 1.00   1.00           1.00  
## Subcortical.global_eff       0.99   1.00           1.00  
## Uncertain.global_eff         0.99   1.00           1.00  
## Ventral_attention.global_eff   1.00   1.00           1.00  
## Visual.global_eff            0.99   1.00           1.00  
## Subcortical.clust_coef        0.99   1.00           1.00  
##  
##                               Ethnicity Education  
## Age                          1.00   0.97  
## Gender                       1.00   0.99  
## Subject_Type                 1.00   0.99  
## Ethnicity                    0.99   1.00  
## Education                    1.00   0.67  
## Cingulo.opercular.Cerebellar 1.00   0.97  
## Fronto.parietal.Dorsal_Attention 1.00   0.99
```

## Subcortical.Cerebellar	1.00	0.98
## Visual.Fronto.parietal	1.00	0.98
## Uncertain.char_path_length	1.00	0.96
## Cingulo.opercular_Task_Control.mod	1.00	0.97
## Uncertain.mod	1.00	0.97
## Auditory.global_eff	1.00	1.00
## Cerebellar.global_eff	1.00	0.99
## Cingulo.opercular_Task_Control.global_eff	1.00	1.00
## Default_mode.global_eff	1.00	1.00
## Dorsal_attention.global_eff	1.00	0.99
## Fronto.parietal_Task_Control.global_eff	1.00	1.00
## Memory_retrieval.global_eff	1.00	1.00
## Salience.global_eff	1.00	0.99
## Sensory.somatomotor_Hand.global_eff	1.00	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00	1.00
## Subcortical.global_eff	1.00	0.98
## Uncertain.global_eff	1.00	0.98
## Ventral_attention.global_eff	1.00	1.00
## Visual.global_eff	1.00	0.99
## Subcortical.clust_coef	1.00	0.99
##	Cingulo.opercular.Cerebellar	
## Age		0.98
## Gender		1.00
## Subject_Type		0.99
## Ethnicity		1.00
## Education		0.97
## Cingulo.opercular.Cerebellar		0.79
## Fronto.parietal.Dorsal_Attention		0.99
## Subcortical.Cerebellar		0.99
## Visual.Fronto.parietal		0.99
## Uncertain.char_path_length		0.98
## Cingulo.opercular_Task_Control.mod		0.98
## Uncertain.mod		0.98
## Auditory.global_eff		1.00
## Cerebellar.global_eff		1.00
## Cingulo.opercular_Task_Control.global_eff		1.00
## Default_mode.global_eff		1.00
## Dorsal_attention.global_eff		1.00
## Fronto.parietal_Task_Control.global_eff		1.00
## Memory_retrieval.global_eff		1.00
## Salience.global_eff		0.99
## Sensory.somatomotor_Hand.global_eff		1.00
## Sensory.somatomotor_Mouth.global_eff		1.00
## Subcortical.global_eff		0.99
## Uncertain.global_eff		0.99
## Ventral_attention.global_eff		1.00
## Visual.global_eff		1.00
## Subcortical.clust_coef		0.99
##	Fronto.parietal.Dorsal_Attention	
## Age		0.99
## Gender		1.00
## Subject_Type		0.99
## Ethnicity		1.00
## Education		0.98

## Cingulo.opercular.Cerebellar	0.98
## Fronto.parietal.Dorsal_Attention	0.84
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.98
## Cingulo.opercular_Task_Control.mod	0.98
## Uncertain.mod	0.98
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	0.99
##	
##	Subcortical.Cerebellar
## Age	0.98
## Gender	1.00
## Subject_Type	0.99
## Ethnicity	1.00
## Education	0.96
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.81
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.98
## Auditory.global_eff	1.00
## Cerebellar.global_eff	0.99
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	0.99
##	
##	Visual.Fronto.parietal
## Age	0.98
## Gender	1.00
## Subject_Type	0.99

## Ethnicity	1.00
## Education	0.98
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.98
## Visual.Fronto.parietal	0.81
## Uncertain.char_path_length	0.98
## Cingulo.opercular_Task_Control.mod	0.98
## Uncertain.mod	0.98
## Auditory.global_eff	1.00
## Cerebellar.global_eff	0.99
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	0.99
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	1.00
##	Uncertain.char_path_length
## Age	0.98
## Gender	0.99
## Subject_Type	0.99
## Ethnicity	1.00
## Education	0.97
## Cingulo.opercular.Cerebellar	0.98
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.98
## Uncertain.char_path_length	0.74
## Cingulo.opercular_Task_Control.mod	0.98
## Uncertain.mod	0.98
## Auditory.global_eff	1.00
## Cerebellar.global_eff	0.99
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	0.99
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	0.99
##	Cingulo.opercular_Task_Control.mod
## Age	0.99

## Gender	1.00
## Subject_Type	0.99
## Ethnicity	1.00
## Education	0.96
## Cingulo.opercular.Cerebellar	0.98
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.98
## Uncertain.char_path_length	0.98
## Cingulo.opercular_Task_Control.mod	0.76
## Uncertain.mod	0.97
## Auditory.global_eff	1.00
## Cerebellar.global_eff	0.99
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	0.99
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	0.99
##	
##	Uncertain.mod
## Age	0.97
## Gender	1.00
## Subject_Type	0.99
## Ethnicity	1.00
## Education	0.97
## Cingulo.opercular.Cerebellar	0.98
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.98
## Visual.Fronto.parietal	0.98
## Uncertain.char_path_length	0.97
## Cingulo.opercular_Task_Control.mod	0.98
## Uncertain.mod	0.74
## Auditory.global_eff	1.00
## Cerebellar.global_eff	0.99
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	0.99

##	Auditory.global_eff	
## Age		0.98
## Gender		1.00
## Subject_Type		1.00
## Ethnicity		1.00
## Education		0.98
## Cingulo.opercular.Cerebellar		0.99
## Fronto.parietal.Dorsal_Attention		0.99
## Subcortical.Cerebellar		0.99
## Visual.Fronto.parietal		0.99
## Uncertain.char_path_length		0.98
## Cingulo.opercular_Task_Control.mod		0.99
## Uncertain.mod		0.98
## Auditory.global_eff		0.90
## Cerebellar.global_eff		1.00
## Cingulo.opercular_Task_Control.global_eff		1.00
## Default_mode.global_eff		1.00
## Dorsal_attention.global_eff		1.00
## Fronto.parietal_Task_Control.global_eff		1.00
## Memory_retrieval.global_eff		1.00
## Salience.global_eff		1.00
## Sensory.somatomotor_Hand.global_eff		1.00
## Sensory.somatomotor_Mouth.global_eff		1.00
## Subcortical.global_eff		1.00
## Uncertain.global_eff		0.99
## Ventral_attention.global_eff		1.00
## Visual.global_eff		0.99
## Subcortical.clust_coef		1.00
##	Cerebellar.global_eff	
## Age		0.99
## Gender		1.00
## Subject_Type		1.00
## Ethnicity		1.00
## Education		0.98
## Cingulo.opercular.Cerebellar		0.99
## Fronto.parietal.Dorsal_Attention		0.99
## Subcortical.Cerebellar		0.99
## Visual.Fronto.parietal		0.99
## Uncertain.char_path_length		0.99
## Cingulo.opercular_Task_Control.mod		0.98
## Uncertain.mod		0.99
## Auditory.global_eff		1.00
## Cerebellar.global_eff		0.90
## Cingulo.opercular_Task_Control.global_eff		1.00
## Default_mode.global_eff		1.00
## Dorsal_attention.global_eff		1.00
## Fronto.parietal_Task_Control.global_eff		1.00
## Memory_retrieval.global_eff		1.00
## Salience.global_eff		0.99
## Sensory.somatomotor_Hand.global_eff		1.00
## Sensory.somatomotor_Mouth.global_eff		1.00
## Subcortical.global_eff		0.99
## Uncertain.global_eff		0.99
## Ventral_attention.global_eff		1.00

## Visual.global_eff	1.00
## Subcortical.clust_coef	1.00
##	Cingulo.opercular_Task_Control.global_eff
## Age	0.99
## Gender	1.00
## Subject_Type	1.00
## Ethnicity	1.00
## Education	0.98
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	0.92
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Subcortical.clust_coef	1.00
##	Default_mode.global_eff
## Age	0.99
## Gender	1.00
## Subject_Type	1.00
## Ethnicity	1.00
## Education	0.98
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.98
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	0.91
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00



## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	1.00
## Dorsal_attention.global_eff	
## Age	0.98
## Gender	1.00
## Subject_Type	1.00
## Ethnicity	1.00
## Education	0.98
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.98
## Cingulo.opercular_Task_Control.mod	0.98
## Uncertain.mod	0.98
## Auditory.global_eff	1.00
## Cerebellar.global_eff	0.99
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	0.88
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	0.99
## Fronto.parietal_Task_Control.global_eff	
## Age	0.99
## Gender	1.00
## Subject_Type	1.00
## Ethnicity	1.00
## Education	0.98
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.98
## Auditory.global_eff	0.99
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	0.90
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00

## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Subcortical.clust_coef	1.00
##	
##	Memory_retrieval.global_eff
## Age	0.99
## Gender	1.00
## Subject_Type	1.00
## Ethnicity	1.00
## Education	0.98
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	1.00
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	0.92
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Subcortical.clust_coef	0.99
##	
##	Salience.global_eff
## Age	0.99
## Gender	1.00
## Subject_Type	0.99
## Ethnicity	1.00
## Education	0.98
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.98
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.98
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.98
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	0.99
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00

## Salience.global_eff	0.85
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	1.00
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Subcortical.clust_coef	1.00
##	Sensory.somatomotor_Hand.global_eff
## Age	1.00
## Gender	1.00
## Subject_Type	1.00
## Ethnicity	1.00
## Education	0.98
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	1.00
## Subcortical.Cerebellar	1.00
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	0.99
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	1.00
## Sensory.somatomotor_Hand.global_eff	0.93
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Subcortical.clust_coef	1.00
##	Sensory.somatomotor_Mouth.global_eff
## Age	0.99
## Gender	1.00
## Subject_Type	1.00
## Ethnicity	1.00
## Education	0.99
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.99
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00

## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	0.92
## Subcortical.global_eff	1.00
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	1.00
## Subcortical.clust_coef	1.00
##	
## Subcortical.global_eff	
## Age	0.98
## Gender	1.00
## Subject_Type	0.99
## Ethnicity	1.00
## Education	0.96
## Cingulo.opercular.Cerebellar	0.98
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.98
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.98
## Cingulo.opercular_Task_Control.mod	0.98
## Uncertain.mod	0.97
## Auditory.global_eff	0.99
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.82
## Uncertain.global_eff	0.99
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	0.99
##	
## Uncertain.global_eff	
## Age	0.99
## Gender	1.00
## Subject_Type	1.00
## Ethnicity	1.00
## Education	0.97
## Cingulo.opercular.Cerebellar	0.98
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.98
## Auditory.global_eff	1.00
## Cerebellar.global_eff	0.99
## Cingulo.opercular_Task_Control.global_eff	1.00


## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	1.00
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	0.84
## Ventral_attention.global_eff	1.00
## Visual.global_eff	0.99
## Subcortical.clust_coef	0.99
##	Ventral_attention.global_eff
## Age	0.99
## Gender	1.00
## Subject_Type	0.99
## Ethnicity	1.00
## Education	0.99
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	1.00
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.98
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.98
## Auditory.global_eff	1.00
## Cerebellar.global_eff	1.00
## Cingulo.opercular_Task_Control.global_eff	1.00
## Default_mode.global_eff	1.00
## Dorsal_attention.global_eff	0.99
## Fronto.parietal_Task_Control.global_eff	1.00
## Memory_retrieval.global_eff	1.00
## Salience.global_eff	0.99
## Sensory.somatomotor_Hand.global_eff	1.00
## Sensory.somatomotor_Mouth.global_eff	1.00
## Subcortical.global_eff	0.99
## Uncertain.global_eff	1.00
## Ventral_attention.global_eff	0.90
## Visual.global_eff	1.00
## Subcortical.clust_coef	0.99
##	Visual.global_eff
## Age	0.99
## Gender	1.00
## Subject_Type	0.99
## Ethnicity	1.00
## Education	0.98
## Cingulo.opercular.Cerebellar	0.99
## Fronto.parietal.Dorsal_Attention	0.99
## Subcortical.Cerebellar	0.99
## Visual.Fronto.parietal	0.99
## Uncertain.char_path_length	0.99
## Cingulo.opercular_Task_Control.mod	0.99
## Uncertain.mod	0.98
## Auditory.global_eff	1.00

```

## Cerebellar.global_eff 1.00
## Cingulo.opercular_Task_Control.global_eff 1.00
## Default_mode.global_eff 1.00
## Dorsal_attention.global_eff 0.99
## Fronto.parietal_Task_Control.global_eff 1.00
## Memory_retrieval.global_eff 1.00
## Salience.global_eff 0.99
## Sensory.somatomotor_Hand.global_eff 1.00
## Sensory.somatomotor_Mouth.global_eff 1.00
## Subcortical.global_eff 0.99
## Uncertain.global_eff 0.99
## Ventral_attention.global_eff 1.00
## Visual.global_eff 0.87
## Subcortical.clust_coef 1.00
## Subcortical.clust_coef
## Age 0.98
## Gender 1.00
## Subject_Type 1.00
## Ethnicity 1.00
## Education 0.98
## Cingulo.opercular.Cerebellar 0.98
## Fronto.parietal.Dorsal_Attention 0.99
## Subcortical.Cerebellar 0.99
## Visual.Fronto.parietal 0.99
## Uncertain.char_path_length 0.98
## Cingulo.opercular_Task_Control.mod 0.98
## Uncertain.mod 0.98
## Auditory.global_eff 1.00
## Cerebellar.global_eff 0.99
## Cingulo.opercular_Task_Control.global_eff 1.00
## Default_mode.global_eff 1.00
## Dorsal_attention.global_eff 0.99
## Fronto.parietal_Task_Control.global_eff 1.00
## Memory_retrieval.global_eff 1.00
## Salience.global_eff 0.99
## Sensory.somatomotor_Hand.global_eff 1.00
## Sensory.somatomotor_Mouth.global_eff 1.00
## Subcortical.global_eff 0.99
## Uncertain.global_eff 0.99
## Ventral_attention.global_eff 1.00
## Visual.global_eff 0.99
## Subcortical.clust_coef 0.85

```

```
plot(gg_int)
```



*#No interaction in fund base on the result, we don't have to add interaction term*

*#check correlation*

```
high_cor <- findCorrelation(cor(Data_logi[, -c(1,3:5)]), cutoff = 0.75) + 4
```

*#Remove variables to prevent multicollinearity problem*

```
Data_logi <- Data_logi %>%  
  select(-c(high_cor))
```

```
index <- sample(1:nrow(Data_logi), size = round(nrow(Data_logi)*0.7,0), replace = FALSE)
```

```
Data_train <- Data_logi[index,]
```

```
Data_test <- Data_logi[-index,]
```

```
logi_m3 <-glm(Study~. + Subject_Type*Age , data = Data_train, family = "binomial")
summary(logi_m3)
```

```
##
## Call:
## glm(formula = Study ~ . + Subject_Type * Age, family = "binomial",
##      data = Data_train)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -2.7700  -0.6746  -0.3092   0.7643   2.4375
##
## Coefficients:
##                                Estimate Std. Error z value
## (Intercept)                   -0.53169    0.42039  -1.265
## Age                           0.36891    0.31853   1.158
## GenderMale                     0.46669    0.43638   1.069
## Subject_TypeSchizophrenia      0.38913    0.47163   0.825
## Ethnicity2                     -0.21121    0.44299  -0.477
## Education                     -0.48969    0.24136  -2.029
## Auditory.global_eff            0.22337    0.23506   0.950
## Cerebellar.global_eff          -0.29040    0.23386  -1.242
## Cingulo.opercular_Task_Control.global_eff 0.33690    0.26957   1.250
## Default_mode.global_eff        -0.09649    0.28185  -0.342
## Dorsal_attention.global_eff     0.25471    0.24005   1.061
## Fronto.parietal_Task_Control.global_eff  0.01053    0.23382   0.045
## Memory_retrieval.global_eff    -0.11565    0.21575  -0.536
## Salience.global_eff            0.33326    0.24352   1.368
## Sensory.somatomotor_Hand.global_eff  0.03733    0.30262   0.123
## Sensory.somatomotor_Mouth.global_eff -0.12186    0.25212  -0.483
## Subcortical.global_eff         0.35924    0.26237   1.369
## Uncertain.global_eff           -0.33765    0.24043  -1.404
## Ventral_attention.global_eff    -0.11511    0.22425  -0.513
## Visual.global_eff              -0.17071    0.26198  -0.652
## Cingulo.opercular.Cerebellar    -0.59461    0.28980  -2.052
## Subcortical.Cerebellar          -0.31993    0.31572  -1.013
## Visual.Fronto.parietal          0.15127    0.31430   0.481
## Cingulo.opercular_Task_Control.mod  0.40354    0.23812   1.695
## Uncertain.mod                   0.39313    0.24439   1.609
## Subcortical.clust_coef          0.50978    0.23507   2.169
## Age:Subject_TypeSchizophrenia   -0.09416    0.42299  -0.223
##                                Pr(>|z|)
## (Intercept)                   0.2060
## Age                           0.2468
## GenderMale                     0.2849
## Subject_TypeSchizophrenia      0.4093
## Ethnicity2                     0.6335
## Education                      0.0425 *
## Auditory.global_eff            0.3420
## Cerebellar.global_eff          0.2143
## Cingulo.opercular_Task_Control.global_eff 0.2114
## Default_mode.global_eff        0.7321
## Dorsal_attention.global_eff     0.2887
## Fronto.parietal_Task_Control.global_eff  0.9641
```



```
## Memory_retrieval.global_eff      0.5919
## Salience.global_eff             0.1712
## Sensory.somatomotor_Hand.global_eff 0.9018
## Sensory.somatomotor_Mouth.global_eff 0.6289
## Subcortical.global_eff           0.1709
## Uncertain.global_eff             0.1602
## Ventral_attention.global_eff      0.6077
## Visual.global_eff                0.5146
## Cingulo.opercular.Cerebellar      0.0402 *
## Subcortical.Cerebellar            0.3109
## Visual.Fronto.parietal            0.6303
## Cingulo.opercular_Task_Control.mod 0.0901 .
## Uncertain.mod                    0.1077
## Subcortical.clust_coef            0.0301 *
## Age:Subject_TypeSchizophrenia     0.8239
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 265.96  on 193  degrees of freedom
## Residual deviance: 178.00  on 167  degrees of freedom
## AIC: 232
##
## Number of Fisher Scoring iterations: 5
```

```
round(exp(coef(logi_m3)),3)
```

```
##                               (Intercept)
##                               0.588
##                               Age
##                               1.446
##                               GenderMale
##                               1.595
##                               Subject_TypeSchizophrenia
##                               1.476
##                               Ethnicity2
##                               0.810
##                               Education
##                               0.613
##                               Auditory.global_eff
##                               1.250
##                               Cerebellar.global_eff
##                               0.748
## Cingulo.opercular_Task_Control.global_eff
##                               1.401
##                               Default_mode.global_eff
##                               0.908
##                               Dorsal_attention.global_eff
##                               1.290
## Fronto.parietal_Task_Control.global_eff
##                               1.011
##                               Memory_retrieval.global_eff
##                               0.891
##                               Salience.global_eff
```

```
## 1.396
## Sensory.somatomotor_Hand.global_eff
## 1.038
## Sensory.somatomotor_Mouth.global_eff
## 0.885
## Subcortical.global_eff
## 1.432
## Uncertain.global_eff
## 0.713
## Ventral_attention.global_eff
## 0.891
## Visual.global_eff
## 0.843
## Cingulo.opercular.Cerebellar
## 0.552
## Subcortical.Cerebellar
## 0.726
## Visual.Fronto.parietal
## 1.163
## Cingulo.opercular_Task_Control.mod
## 1.497
## Uncertain.mod
## 1.482
## Subcortical.clust_coef
## 1.665
## Age:Subject_TypeSchizophrenia
## 0.910
```

```
anova(logi_m3, test = "Chisq")
```

```
## Analysis of Deviance Table
##
## Model: binomial, link: logit
##
## Response: Study
##
## Terms added sequentially (first to last)
##
```

	Df	Deviance	Resid. Df	Resid. Dev
## NULL			193	265.96
## Age	1	3.3371	192	262.63
## Gender	1	6.2191	191	256.41
## Subject_Type	1	7.2228	190	249.19
## Ethnicity	1	0.5869	189	248.60
## Education	1	12.7223	188	235.88
## Auditory.global_eff	1	3.6053	187	232.27
## Cerebellar.global_eff	1	6.4624	186	225.81
## Cingulo.opercular_Task_Control.global_eff	1	0.2843	185	225.52
## Default_mode.global_eff	1	3.6685	184	221.86
## Dorsal_attention.global_eff	1	1.5829	183	220.27
## Fronto.parietal_Task_Control.global_eff	1	0.0726	182	220.20
## Memory_retrieval.global_eff	1	0.0668	181	220.13
## Salience.global_eff	1	3.7711	180	216.36
## Sensory.somatomotor_Hand.global_eff	1	0.0170	179	216.34

```
## Sensory.somatomotor_Mouth.global_eff      1  0.4466      178      215.90
## Subcortical.global_eff                    1  3.5802      177      212.32
## Uncertain.global_eff                     1  5.7028      176      206.62
## Ventral_attention.global_eff              1  0.4207      175      206.19
## Visual.global_eff                         1  2.0756      174      204.12
## Cingulo.opercular.Cerebellar              1 14.1765      173      189.94
## Subcortical.Cerebellar                   1  1.8643      172      188.08
## Visual.Fronto.parietal                    1  0.0379      171      188.04
## Cingulo.opercular_Task_Control.mod        1  2.3040      170      185.74
## Uncertain.mod                           1  2.3636      169      183.37
## Subcortical.clust_coef                    1  5.3243      168      178.05
## Age:Subject_Type                         1  0.0495      167      178.00
##                                           Pr(>Chi)
## NULL
## Age                                     0.0677343 .
## Gender                                0.0126379 *
## Subject_Type                          0.0071985 **
## Ethnicity                             0.4436360
## Education                             0.0003613 ***
## Auditory.global_eff                   0.0575963 .
## Cerebellar.global_eff                 0.0110179 *
## Cingulo.opercular_Task_Control.global_eff 0.5938826
## Default_mode.global_eff               0.0554491 .
## Dorsal_attention.global_eff            0.2083497
## Fronto.parietal_Task_Control.global_eff 0.7875658
## Memory_retrieval.global_eff            0.7959919
## Salience.global_eff                   0.0521457 .
## Sensory.somatomotor_Hand.global_eff     0.8961752
## Sensory.somatomotor_Mouth.global_eff    0.5039533
## Subcortical.global_eff                 0.0584732 .
## Uncertain.global_eff                   0.0169375 *
## Ventral_attention.global_eff            0.5165702
## Visual.global_eff                      0.1496697
## Cingulo.opercular.Cerebellar            0.0001664 ***
## Subcortical.Cerebellar                 0.1721237
## Visual.Fronto.parietal                  0.8457015
## Cingulo.opercular_Task_Control.mod      0.1290434
## Uncertain.mod                          0.1241928
## Subcortical.clust_coef                  0.0210304 *
## Age:Subject_Type                       0.8239025
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```


```
#R-squared
```

```
R_squared <- 1 - (summary(logi_m3)[[4]]/summary(logi_m3)[[8]])
R_squared
```

```
## [1] 0.3307403
```

```
#Effect plot
```

```
plot(Effect(c("Subject_Type", "Age"), logi_m3),ask = FALSE)
```



```
#70/30 CV check
```

```
#Train
```

```
Data_train$prediction <- predict(logi_m3, Data_train, type = "response")
```

```
#Test
```


```
Data_test$prediction <- predict(logi_m3, Data_test, type = "response")
```

```
prop.table(table(Data$Subject_Type))
```

```
##
##      Control Schizophrenia
## 0.6254181   0.3745819
```

```
accuracy_info <- AccuracyCutoffInfo( train = Data_train, test = Data_test,
                                     predict = "prediction", actual = "Study" )
```

```
accuracy_info$plot
```



```
Classify(Data_train, Data_train$prediction, "Study", 0.55)
```

```
##      prediction
##      CNP COBRE
## CNP    95   14
## COBRE  22   63
## [1] "The accuracy is 81.443 %"
```

```
Classify(Data_test, Data_test$prediction, "Study", 0.55)
```

```
##      prediction
##      CNP COBRE
## CNP      30      9
## COBRE     16     28
## [1] "The accuracy is 69.88 %"
```

```
#Combine data model k fold CV check
set.seed(4321)
```

```
Accuracy.k <- cv.error(Data_logi, "Study", cut_off = 0.55)
Accuracy.k
```


```
## [1] 0.7142857 0.7857143 0.8518519 0.8571429 0.7500000 0.8214286 0.7777778
## [8] 0.6666667 0.6428571 0.5714286
```

```
mean(Accuracy.k)
```


```
## [1] 0.7439153
```

```
par(mfrow = c(2,2))
```


```
ggplot(data = na.omit(Data), aes(x = Gender, fill = Study)) +
  geom_bar() +
  theme_bw()
```



```
ggplot(data = na.omit(Data), aes(x = Ethnicity, fill = Study)) +  
  geom_bar() +  
  theme_bw()
```



```
plot1 <- ggplot(data = na.omit(Data), aes(x = Study, y = Age)) +  
  geom_boxplot(fill = "steelblue") +  
  theme_bw()  
  
plot2 <- ggplot(data = na.omit(Data), aes(x = Age, fill = Study)) +  
  geom_density(alpha = 0.4) +  
  theme_bw()  
  
grid.arrange(plot1, plot2, nrow = 1, ncol = 2)
```




```
plot3 <- ggplot(data = na.omit(Data), aes(x = Study, y = Education)) +
  geom_boxplot(fill = "steelblue") +
  theme_bw()

plot4 <- ggplot(data = na.omit(Data), aes(x = Education, fill = Study)) +
  geom_density(alpha = 0.4) +
  theme_bw()

grid.arrange(plot3, plot4, nrow = 1, ncol = 2)
```





*#Recall the anova output for the combined data set logistic model*

```
anova(logi_m3, test = "Chisq")
```

```
## Analysis of Deviance Table
##
## Model: binomial, link: logit
##
## Response: Study
##
## Terms added sequentially (first to last)
##
##
```

	Df	Deviance	Resid. Df	Resid. Dev
## NULL			193	265.96
## Age	1	3.3371	192	262.63
## Gender	1	6.2191	191	256.41
## Subject_Type	1	7.2228	190	249.19
## Ethnicity	1	0.5869	189	248.60
## Education	1	12.7223	188	235.88
## Auditory.global_eff	1	3.6053	187	232.27
## Cerebellar.global_eff	1	6.4624	186	225.81
## Cingulo.opercular_Task_Control.global_eff	1	0.2843	185	225.52
## Default_mode.global_eff	1	3.6685	184	221.86
## Dorsal_attention.global_eff	1	1.5829	183	220.27
## Fronto.parietal_Task_Control.global_eff	1	0.0726	182	220.20

```

## Memory_retrieval.global_eff      1  0.0668      181    220.13
## Salience.global_eff             1  3.7711      180    216.36
## Sensory.somatomotor_Hand.global_eff 1  0.0170      179    216.34
## Sensory.somatomotor_Mouth.global_eff 1  0.4466      178    215.90
## Subcortical.global_eff           1  3.5802      177    212.32
## Uncertain.global_eff             1  5.7028      176    206.62
## Ventral_attention.global_eff      1  0.4207      175    206.19
## Visual.global_eff                1  2.0756      174    204.12
## Cingulo.opercular.Cerebellar      1 14.1765      173    189.94
## Subcortical.Cerebellar            1  1.8643      172    188.08
## Visual.Fronto.parietal            1  0.0379      171    188.04
## Cingulo.opercular_Task_Control.mod 1  2.3040      170    185.74
## Uncertain.mod                    1  2.3636      169    183.37
## Subcortical.clust_coef            1  5.3243      168    178.05
## Age:Subject_Type                 1  0.0495      167    178.00
##                                Pr(>Chi)
## NULL
## Age                             0.0677343 .
## Gender                          0.0126379 *
## Subject_Type                    0.0071985 **
## Ethnicity                       0.4436360
## Education                       0.0003613 ***
## Auditory.global_eff             0.0575963 .
## Cerebellar.global_eff           0.0110179 *
## Cingulo.opercular_Task_Control.global_eff 0.5938826
## Default_mode.global_eff         0.0554491 .
## Dorsal_attention.global_eff      0.2083497
## Fronto.parietal_Task_Control.global_eff 0.7875658
## Memory_retrieval.global_eff      0.7959919
## Salience.global_eff             0.0521457 .
## Sensory.somatomotor_Hand.global_eff 0.8961752
## Sensory.somatomotor_Mouth.global_eff 0.5039533
## Subcortical.global_eff           0.0584732 .
## Uncertain.global_eff             0.0169375 *
## Ventral_attention.global_eff      0.5165702
## Visual.global_eff               0.1496697
## Cingulo.opercular.Cerebellar     0.0001664 ***
## Subcortical.Cerebellar           0.1721237
## Visual.Fronto.parietal           0.8457015
## Cingulo.opercular_Task_Control.mod 0.1290434
## Uncertain.mod                    0.1241928
## Subcortical.clust_coef           0.0210304 *
## Age:Subject_Type                 0.8239025
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

*#Hypothesis testing for demographic variables in the combined data set*

```
t.test(Age~Study, data = Data_logi)
```

```

##
##  Welch Two Sample t-test
##
## data:  Age by Study

```

```
## t = -2.8159, df = 227.22, p-value = 0.005292
## alternative hypothesis: true difference in means is not equal to 0
## 95 percent confidence interval:
## -0.5820745 -0.1028142
## sample estimates:
## mean in group CNP mean in group COBRE
## -0.1594777 0.1829667
```

```
t.test(Education~Study, data = Data_logi)
```

```
##
## Welch Two Sample t-test
##
## data: Education by Study
## t = 4.5959, df = 272.59, p-value = 6.597e-06
## alternative hypothesis: true difference in means is not equal to 0
## 95 percent confidence interval:
## 0.3046507 0.7612365
## sample estimates:
## mean in group CNP mean in group COBRE
## 0.2481939 -0.2847496
```

```
#Pearson's chi-squared test
```

```
#H_{0} = there is no difference between the distributions
#H_{1} = there is a difference between the distributions
```

```
chisq.test(table(Data_logi$Study, Data_logi$Gender))
```

```
##
## Pearson's Chi-squared test with Yates' continuity correction
##
## data: table(Data_logi$Study, Data_logi$Gender)
## X-squared = 9.9677, df = 1, p-value = 0.001593
```

```
chisq.test(table(Data_logi$Study, Data_logi$Ethnicity))
```

```
##
## Pearson's Chi-squared test with Yates' continuity correction
##
## data: table(Data_logi$Study, Data_logi$Ethnicity)
## X-squared = 1.2223e-30, df = 1, p-value = 1
```

```
chisq.test(table(Data_logi$Study, Data_logi$Subject_Type))
```

```
##
## Pearson's Chi-squared test with Yates' continuity correction
##
## data: table(Data_logi$Study, Data_logi$Subject_Type)
## X-squared = 16.988, df = 1, p-value = 3.762e-05
```