

Procedure to get Leading Causes of Death from the Ohio Public Health Information Warehouse

All deaths in Ohio are grouped into one of 50 leading cause categories. The categories are defined by the National Center for Health Statistics (NCHS) (see for example Table B. in National Vital Statistics Reports: Deaths, Final Data for 2014 at https://www.cdc.gov/nchs/data/nvsr/nvsr65/nvsr65_04.pdf).

Lists such as “top ten causes of death” should be based on the same categories used by NCHS. Such cause of death rankings should be based on the total count of deaths in the category. The Ohio Public Health Information Warehouse provides users the ability to generate such mortality tabulations by the leading cause categories. This guide illustrates how to obtain a leading cause tabulation from the warehouse.

Open the Ohio Public Health Information Warehouse in your internet browser:

<http://publicapps.odh.ohio.gov/EDW/DataCatalog>

Then click the mortality dataset link:

Ohio
Department of Health

Ohio Public Health Information Warehouse

Home Help

The Ohio Public Health Information Warehouse is a self-service online tool where anyone can obtain the most recent public health data available. The application allows for the creation of custom reports, charts and maps from a variety of data sources.

Welcome to the Ohio Public Health Information Warehouse! You may have noticed that we've made some changes to the application interface. The look and feel of the warehouse has been refreshed, the underlying data and functionality have not changed. If the application doesn't appear to be functioning correctly, try holding down the control key and clicking the browser reload button. If you need assistance using the application, help is available via the question mark icon or contacting informatics@odh.ohio.gov.

Search Datasets

Previous

Birth Resident

Description . . .

Last Updated: 05/26/2019

Cancer Incidence Data (1996-2016)

Description . . .

Last Updated: 02/07/2019

Ohio OneSource

Description . . .

Last Updated: 05/28/2019

Mortality

Description . . .

Last Updated: 05/28/2019

This will open the mortality dataset in the warehouse. You can create a tabulation by clicking on the “Reports” tab.



Ohio Public Health Information Warehouse

[Home](#) [Help](#)

Mortality

Description: The Mortality dataset contains information regarding deaths of Ohio residents from 2007 to present.

Category: Death Data

Last Updated: 5/28/2019

Contact: [Vital](#)

[Details](#) [Charts](#) [Reports](#)

This dataset contains rates and counts of deaths among Ohio residents from 2007 to present and is updated on a daily basis.

Public availability of mortality data is an important component of public health surveillance and assessment which can help inform pol and local levels that address population health. Ohio Public Health Data Warehouse (OPHDW) users may explore mortality data throug and maps to answer questions about what causes Ohioans to die and to compare rates of death between different geographic areas c

$$\text{Death Rate} = \frac{\text{Number of Deaths}}{\text{Population}} \times 100,000$$

Click on “Reports By Selected Causes”:

Mortality

Description: The Mortality dataset contains information regarding deaths of Ohio residents from 2007 to present.

Category: Death Data

Last Updated: 5/28/2019

Contact: [Vital](#)

[Details](#) [Charts](#) [Reports](#)



Number of Resident Deaths by Year, Ohio



Number of Resident Deaths by Year, Ohio Counties



Deaths of Ohio Residents - Report Builder



Deaths that Occurred in Ohio - Report Builder

[Reports By Selected Causes](#)

[Reports By Age](#)

[Unintentional Drug Overdose Data](#)

You will now select the type of cause list you wish to use in your tabulation. The cause groupings range in granularity from 39 to 358 categories. When creating a report with rankings involved (“leading cause” or “top ten causes”) you should choose the leading cause list. Click on “Run” to the right of “Leading Causes of Death: Deaths and Age-Adjusted Death Rates per 100,000, Ohio” row:

Reports By Selected Causes	
 	Cancer Deaths of Ohio Residents
 	Leading Causes of Death: Deaths and Age-Adjusted Death Rates per 100,000, Ohio
 	General Causes of Death (39 Categories): Deaths and Age-Adjusted Death Rates per 100,000, Ohio
 	Selected Causes of Death (113 Categories): Deaths and Age-Adjusted Death Rates per 100,000, Ohio
 	Detailed Causes of Death (358 Categories): Deaths and Age-Adjusted Death Rates per 100,000, Ohio
 	Resident Mortality Mechanism by Intent

Clicking the right pointing arrow  results in the warehouse pre-defined leading cause table. The numbers in the death count columns should be used to rank causes of death. You will need to scroll down among the 50 rows to ascertain which causes rank the highest. For example, in 2016 diseases of the heart is the top leading cause with 27,407 deaths ahead of malignant neoplasms in second with 25,507 deaths (when considering all deaths).

Leading Causes of Death: Deaths and Age-Adjusted Death Rates per 100,000, Ohio

Causes of Death are coded to the tenth revision of the International Classification of Diseases (ICD-10). Tabulation lists are disseminated by the National Center for Health Statistics to facilitate trend analysis and identify causes that are of public health and medical importance. Causes designated with the symbol # are ranked as leading causes of death and included in this report using the 113 category list. See <https://www.cdc.gov/nchs/data/dvs/Part9InstructionManual2009.pdf> for more information.

List of data filters applied in this report:

for Year = (2016) , Res State = (OH)

Sex

Selected 113 Leading Causes of Death

Sex	Female		Male		Unknown		Total	
	Death Count	Age Adjusted Rate	Death Count	Age Adjusted Rate	Death Count	Age Adjusted Rate	Death Count	Age Adjusted Rate
Leading Cause of Death (113)								
Salmonella infections (A01-A02)	0	N/A	0	N/A	0	N/A	0	N/A
Shigellosis and amebiasis (A03,A06)	0	N/A	0	N/A	0	N/A	0	N/A
Tuberculosis (A16-A19)	4	N/A	6	N/A	0	N/A	10	0.1
Whooping cough (A37)	0	N/A	0	N/A	0	N/A	0	N/A
Scarlet fever and erysipelas (A38,A46)	0	N/A	0	N/A	0	N/A	0	N/A
Meningococcal infection (A39)	0	N/A	0	N/A	0	N/A	0	N/A
Septicemia (A40-A41)	1,053	12.7	941	15.1	0	N/A	1,994	13.7

If instead of clicking on the right pointing arrow you click on the customize icon  then you will be able to refine your report based on the warehouse's pre-defined filters and dimensions.

Reports By Selected Causes		
		Cancer Deaths of Ohio Residents
		Leading Causes of Death: Deaths and Age-Adjusted Death Rates per 100,000, Ohio
		General Causes of Death (39 Categories): Deaths and Age-Adjusted Death Rates per 100,000, Ohio
		Selected Causes of Death (113 Categories): Deaths and Age-Adjusted Death Rates per 100,000, Ohio
		Detailed Causes of Death (358 Categories): Deaths and Age-Adjusted Death Rates per 100,000, Ohio
		Resident Mortality Mechanism by Intent

Once you click the customize icon you will see the variable filter choices. In the example below, we've filtered to county = Allen:

Mortality

Description: The Mortality dataset contains information regarding deaths of Ohio residents from 2007 to present.

Category: Death Data

Last Updated: 5/28/2019

Contact: VitalData@odh.ohio.gov

DetailsChartsReports

Report List

Leading Causes of Death: Deaths and Age-Adjusted Death Rates per 100,000, Ohio

Filter Variables

Category	Variable	Values
Demographics	County	Search... ☒ Select All ☐ Adams ☒ Allen ☐ Ashland ☐ Ashtabula ☐ Athens ☐ Auquize

+

Select Row and Column Variables

Select Measures

Report Options

Show ReportExport Data

Ohio Public Health Information WarehouseDisclaimer

The following example demonstrates the creation of a report of death counts needed for the leading causes of death for Black residents in Franklin County in 2017:

From the Reports tab, click on “Reports By Selected Causes”:


Mortality

Description: The Mortality dataset contains information regarding deaths of Ohio residents from 2007 to present.

Category: Death Data

Last Updated: 5/28/2019

Contact: 

Details	Charts	Reports
		Number of Resident Deaths by Year, Ohio
		Number of Resident Deaths by Year, Ohio Counties
		Deaths of Ohio Residents - Report Builder
		Deaths that Occurred in Ohio - Report Builder
		Reports By Selected Causes 
		Reports By Age
		Unintentional Drug Overdose Data

Click on the customize icon in the “Leading causes of death....” row so you can filter to the desired report:

Reports By Selected Causes		
		Cancer Deaths of Ohio Residents
		Leading Causes of Death: Deaths and Age-Adjusted Death Rates per 100,000, Ohio
		General Causes of Death (39 Categories): Deaths and Age-Adjusted Death Rates per 100,000, Ohio
		Selected Causes of Death (113 Categories): Deaths and Age-Adjusted Death Rates per 100,000, Ohio
		Detailed Causes of Death (358 Categories): Deaths and Age-Adjusted Death Rates per 100,000, Ohio
		Resident Mortality Mechanism by Intent

You will now see the “Report Builder” section used to filter variables, select row and column variables, and select measures. Click on the “Filter Variables” box, which will allow you to select demographics, race=Black, Year=2017 and 2018, and county=Franklin.


Mortality

Description: The Mortality dataset contains information regarding deaths of Ohio residents from 2007 to present.

Category: Death Data

Last Updated: 5/28/2019

Contact: VitalData@odh.ohio.gov



The screenshot shows the 'Mortality' report builder interface. At the top, there are tabs for 'Details', 'Charts', and 'Reports'. Below the tabs, the title 'Leading Causes of Death: Deaths and Age-Adjusted Death Rates per 100,000, Ohio' is displayed. On the left, a vertical sidebar contains a 'Report List' icon. The main area contains four dropdown menus: 'Filter Variables', 'Select Row and Column Variables', 'Select Measures', and 'Report Options'. Each dropdown has a question mark icon and a downward arrow. Below these menus are two buttons: 'Show Report' and 'Export Data'. A large red arrow points to the 'Filter Variables' dropdown.

Filter to your desired report definitions. Use the plus symbol to add more filters:


Mortality

Description: The Mortality dataset contains information regarding deaths of Ohio residents from 2007 to present.

Category: Death Data

Last Updated: 5/28/2019

Contact: VitalData@odh.ohio.gov



This screenshot shows the 'Mortality' report builder interface with filters applied. The 'Filter Variables' dropdown is expanded, showing a table with three rows of filters. Each row has a 'Category' dropdown, a 'Variable' dropdown, and a 'Values' dropdown, followed by a trash icon. The first row has 'Demographics' for Category, 'County' for Variable, and 'Franklin' for Values. The second row has 'Demographics' for Category, 'Race' for Variable, and 'Black' for Values. The third row has 'Time/Location' for Category, 'Year' for Variable, and '2017, 2018 **' for Values. Below the table is a plus sign and a red arrow pointing to it, indicating where to click to add more filters.

Category	Variable	Values	
Demographics	County	Franklin	🗑️
Demographics	Race	Black	🗑️
Time/Location	Year	2017, 2018 **	🗑️

After expanding the “Select Row and Column Variables” box, we have further defined the report to have the Leading causes in rows and the year in the column.

Select Row and Column Variables

Rows

Category	Variable				
Causes of death	Leading Cause of Death (113)	^	v	⚙️	🗑️
Optionally Select...		^	v	⚙️	🗑️

+

Columns

Category	Variable				
Time/Location	Year	^	v	⚙️	🗑️
Optionally Select...		^	v	⚙️	🗑️

+

Leading cause lists are typically constructed using death counts (not death rates). We select the measure “Death Count”. Remove the age adjusted rate measure by clicking on the trash can icon:

Select Measures

Death Count	^	v	⚙️	🗑️
Age Adjusted Rate	^	v	⚙️	🗑️

+

Click on “Show Report” to display the report on the screen:

Report Options



Show Report

Export Data



Leading Causes of Death: Deaths and Age-Adjusted per 100,000, Ohio

Causes of Death are coded to the tenth revision of the International Classification of Diseases (ICD-10). Tabu the National Center for Health Statistics to facilitate trend analysis and identify causes that are of public health Causes designated with the symbol # are ranked as leading causes of death and included in this report using <https://www.cdc.gov/nchs/data/dvs/Part9InstructionManual2009.pdf> for more information.

List of data filters applied in this report:

for Year = (2017, 2018 **), County = (Franklin), Race = (Black), Res State = (OH)

Year of death

Selected 113 Leading Causes of Death

Year	2017	2018 **	Total
Leading Cause of Death (113)	Death Count	Death Count	Death Count
Salmonella infections (A01-A02)	0	0	0
Shigellosis and amebiasis (A03,A06)	0	0	0
Tuberculosis (A16-A19)	0	2	2
Whooping cough (A37)	0	1	1
Scarlet fever and erysipelas (A38,A46)	0	0	0
Meningococcal infection (A39)	0	0	0
Septicemia (A40-A41)	46	49	95
Syphilis ((A50-A53)	0	0	0
Acute poliomyelitis (A80)	0	0	0
Arthropod-borne viral encephalitis (A83-A84,A85.2)	0	0	0
Viral hepatitis (B15-B19)	3	5	8
Human immunodeficiency virus (HIV) disease (B20-B24)	7	12	19
Malaria (B50-B54)	0	0	0
Malignant neoplasms (C00-C97)	433	380	813

Scroll down to find the most frequent cause of death for black decedents in Franklin County in 2018 (diseases of heart):

Malaria (B50-B54)	0	0	0
Malignant neoplasms (C00-C97)	433	380	813
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	8	14
Anemias (D50-D64)	8	3	11
Diabetes mellitus (E10-E14)	94	89	183
Nutritional deficiencies (E40-E64)	8	4	12
Meningitis (G00,G03)	2	0	2
Parkinson's disease (G20-G21)	12	9	21
Alzheimer's disease (G30)	37	40	77
Diseases of heart (I00-I09,I11,I13,I20-I51)	400	428	828
Essential (primary) hypertension and hypertensive renal disease (I10,I12,I15)	36	36	72
Cerebrovascular diseases (I60-I69)	105	147	252
Atherosclerosis			

