Verit Li, Brian Yang, Justin Mohabir

Team: Uh? SoftDev

P00: Storytelling Game/Website Design Doc

2022-10-27


Time spent: 5.3 hrs

Target Ship Date: 2022-11-16

# Program Components

- app.py (To run flask's micro web framework)
  - o Renders templates
- login.py contains functions involving LOGIN table
- · full.py contains functions involving FULL STORIES table
- · partial.py contains functions involving PARTIAL STORIES table
- · drafts.py contains functions involving DRAFTS table
- Html template files (To display html on a webpage)
  - Main page
  - Login page
  - Full Story page
  - Account creation page
  - New story creation page
  - Edit/Add-to-story page
- Readme (Overview of the Program and how to run it)
- A Sqlite database file for storing info (See Database Organization for more info)
- Python file that takes in users changes and creates an html output from it (init.py)


# Components Map



## Site Map

- Main page (First page to show when opening the webpage)
  - Checks if user is logged-in
    - If not:
      - text is displayed that prompts user to log-in
      - Buttons to Login/Create Account
    - If is:
      - Shows list of all the stories user has created, added to, and has drafts for
      - Buttons to edit a draft, create a story, view all stories in the Story Page
      - Login/Create Account button changed to Logout button
- Login Page
  - Opened by pressing login on Main Page
  - o Html form to enter username and password
  - o Redirect to Main Page when successfully logged in
  - Button that leads to Create Account Page
- Create Account Page
  - Form to enter a username
    - Checks databases if there is a matching username. If there isn't, prompt the user to create a password
      - If there is, prompt user to enter a different username
    - Checks if password is at least 8 characters long
      - . If not, prompt user that password must be at least 8 characters long
    - Save username and password together in LOGIN table in Sqlite database
- Stories Page
  - Displays all Story Entries that you can add to
  - Search function to find a specific story name or id
- Add-to-Story Page
  - Displays story title and id
  - Displays most recent addition to the story
  - Provides a textbox to be submitted with user's addition
    - User is limited to 250 words and is unable to submit if over
    - If user had a previous draft saved, load it in this textbox
      - Check if sequence id of partial story that the draft is continuing is same as sequence id of current partial story displayed
        - If don't match, notify user that the partial story displayed is now different
    - Dealing with "merge conflict" when submitting:

- Take the sequence id and story id of the partial story currently being displayed to the user and check if there is a record in PARTIAL STORIES table with the same story id and a sequence id of +1
  - o If such record exists, give the user a merge conflict error
  - If such record doesn't exist, create this record using user submission data
- Upon successful submission, brought to appropriate Full Story Page
- Button to save as draft
- Button to stop saving draft
- Create Story Page
  - Requests a story title
  - Textbox for start of story that is to be submitted
    - If user had a previous draft saved, load it in this textbox
    - No word cap
    - Upon submission, brought to appropriate Full Story Page
  - Button to save as draft
  - Button to stop saving draft
- Full Story Page
  - Displays story title, story id, last added to time, starting user, # of contributions
  - Displays the full story
  - Option to view full story with contributors assigned to their respective sections and addition dates



## Database Organization

- · A FULL STORIES table containing the story's title, full story, story id, last added to time
  - o Story id generated when new story is created
    - New id is <last created story's id> + 1, starting at 0
- · A LOGIN table containing usernames, passwords, user id
  - User id generated upon account creation
    - New id is <last\_new\_user's\_id> + 1, starting at 0
- A PARTIAL STORIES table containing user id, story id, user's addition, user submission time, sequence id
  - Sequence id generated when new addition is made/upon creation
    - New id is <last addition's sequence id> + 1, starting at 0
- A DRAFTS table containing user id, story id, user's draft text, sequence id of partial story that the draft is continuing

### Task Breakdown

- Creating html templates (Brian)
- Ability for user add stories (Mohabir)
- Ability for user to add to stories (Mohabir)
- Preventing people who are not logged in from editing (Verit)
- Preventing people who are logged in from editing the same stories again (Verit)
- Allowing users to see all the pages they have edited on the main page (Brian)
- Ability to login/signup (Brian)
- · Ability to save and delete drafts
- · Stories page search function
- Ability to view full stories
- Ability to view full stories with "history"