Sensory (🌊)

👁️👂👃🔊🎶👥💬🗨️🗯️🗯️❄️♨️

Perception(🌀): interpret raw sensory data into coherent idea

Role: Identifies sensory input as Entities AND Properties

Property Perception: Instead of just [Wolf], it perceives [Wolf] + [Approaching] + [Fast].

Perspective: It is Objective within the creature's world. It categorizes the stimulus before the creature decides how to react.

Fauna Glyph: Use 🌀 to signal that the creature has perceived something.

Categorization (The Symbolic Layer

Internal Symbolics(⚛️) : "Mentalese"

Purpose: Internal Symbols are used to organize thought in both Organic Synapse and Neurosymbolic AI.

The Rule: Instead of remembering a 4K video of an encounter, the Fauna stores a Symbolic Memory: [Entity:Wolf] [Action:Bite] [Affect:Fear].

Linguistic Term: This is Mentalese. It's the internal language of thought that allows for reasoning, connection-mapping, planning, and "if-then" logic.

Description: The connection between the image and the meaning is arbitrary or conventional. This means you have to learn the rule to understand it, like burning your hand on a stove [♨️⚠️🩸].

- The Rule: The symbol [Wolf] has no value until it is mapped to the Semantic experience of [Danger/Pain].
- The Logic: Symbol = the "Variable Name"; Semantic = the "Value/Definition."

Glyph use:

Mentalese (⚛️) :

Description: The "Atom" or "Token" of the thought.

Usage separated as class/object:

Idea(type): (⚛️🐺) (The concept of Wolf or predator)

Literal(Instance): (🔣🐺) the wolf at this vector

Cognitive State(🔱):

Description: current Vector/Energy

Usage: [🔱➡️] (A neutral, forward state)

🔱 (The State) is the Current Moment.

{🔱} Memory of a state

[🔱] Current State

Vectors: ⬅➡↘↖⬇️⬆️↙↗

State Shift:

{🔱➡️} [🔱➡️]

Categorization (The Symbolic Layer

Semantic Mapping(✨) : Qualia/Affect, "Felt Meaning"

Role: The Post processed internal experience shifts the state

Purpose: Semantics are the *weights and values* attached(🔗) to [Internal Symbolics(🔱)] such as [🔱🐺Predator]+[(✨)[Danger] + [Fear]].

Effect: The internal state shift (🔱). This is where the vectors like ⬆️ (arousal) or ↘ (despair) are applied.

Description:

Glyph use: ✨

Logical Examples: [Danger] + [⚠️Fear].

Apperception(🔅): The Flash. The moment of "conscious realization"

Role: Adds Contextual Value.

Purpose: Adds Subjective Value/meaning to the perception data (e.g., "This predator makes me feel fear").

Description: It bridges the "Wolf" symbol to the creature's current situation. This is the Subjective "lived experience" that drives the agent's next action, like fleeing or hiding.

Context: Apperception depends heavily on an individual's personal history, culture, and cognitive framework.

Glyph: 🔅

Sensory (🌊) ->Perception(🌀) -> Internal Symbolics(🔱) -> Semantic Mapping(✨) -> Internal Symbolics(🔱)

↳Apperception(🔅) -> Internal Symbolics(🔱)

Memory(🧠) : Qualia, "Felt Meaning"

Glyph use:

Use these brackets for memories: ▢Abstract Concept▢ ▢Perceived▢

Separating Ideas (General) from Literals (Specific)

Use these brackets for memories:

□Abstract Concept□ □Perceived□
Use these brackets for current:
{⚛️🍎} Abstract Concept, [🌀🍎] Perceived Instance/Perception

The Idea (Search Mode): {🔎⚛️🍎}

The creature is scanning for the Abstract Concept of an apple or food in general.

The Literal (Perception Mode): [🌀🍎 [+45 🔋]]

The creature has perceived a Specific Instance of an apple in the world worth 45 🔋.

Actions[]:

🔎Searching

Literals[]:

Packaged Logic

Memory of an Encounter: □⚛️🐺 -> □🔱↗✨⚠️

Translation: "Internalized the concept of Wolf (⚛️) which caused my State (🔱) to shift upward (↗) into a feeling of Fear (✨⚠️)."

The Social Syntax Formula

The "Standard Communication Protocol" for your Fauna should follow this linear order:
[Attention] + [Shared Context] + [Memory Payload] + [Desired State-Shift]

Glyph breakdown of the Protocol:

1. Attention (💬/🗨️): Signals the start of the transmission and the direction (Send/Receive).
2. Shared Context (⚛️🗺️ or ⚛️👥): Establishes if the memory is about a Location or a Social Relation.
3. Memory Payload (□...□): The internal Mentalese (the "Atomic" concept) being transmitted.
4. Desired State-Shift (🔱✨): The "Emotional Vibe" the sender wants the receiver to feel (e.g., "Be happy" or "Be afraid").

Examples of Social Syntax in Action

Example A: Sharing the Location of Food

The sender wants the receiver to move toward food.

💬 ⚛️🗺️ □⚛️🍎↗□ 🔱✨😋

Translation: "In the shared map, there is a memory of an apple to the Northeast; it feels satisfying (Satiety)."

Example B: Warning of a Predator

The sender wants the receiver to enter a state of high arousal and fear.

💬 ⚛️👥 ◻️⚛️🐺⚠️ 🔱⬆️✨😱

Translation: "Regarding us (the group), there is a memory of a wolf/danger; you should shift state to high-intensity fear."

Vocabulary

To-do:

🧴💧🫐🌳🫂🌱🌿🍎💡🎭💭🏞️🗺️🌌🌄👁️‍🗨️☸️🕉️⚛️

Concepts{⚛️}s:

🔋 Energy (the reason Fauna needs food)

🌿 Flora (what fauna can eat)

🌿⛔ Flora (what fauna can not eat)

Language based communication

💬(send)

🗨️(receive)

Cognition

💭Thoughts

Senses

👁️(Vision/identified/see)

🔊(emitted a sound) (eg 🔊🔁🍎 asking nearby fauna where food is when it cant find any)

👂🏾 (hear)

Feelings

⚠️(startled)

Social / Altruism

👥🔁🍎 Reciprocal Altruism: Shared food with a peer.

👥🤝🛡️ Cooperation: Formed a defensive pact/group with others.

Competition

👥⛔🍖 Scavenging: Prevented another from reaching a meat source.

👥⚔️🤕 Aggression: Fought a peer, resulting in injury.

Predation

🐺🏃💨 Evasion: Successfully fled from a predator.

🐺🩸💀 Fatal Encounter: Killed by a predator.

Reproduction

💘🐣🧬 Mating: Successfully reproduced and passed on DNA.

💘🚫🥀 Failed Mating: Attempt

Social/Memory Mapping:

🫂 (Social Bond) → {⚛️🫂}: The Concept of a friend/ally.

💭 (Thought) → 🔆💭: Apperception of an internal memory (Thinking about thinking).
🗺️ (Mental Map) → {⚛️🗺️}: The Internal Representation of the world.

Action/Goal States:

Consuming: [🌀🍎] ➔ [🍴] (Perceived Apple triggers Hunger).
Communication: 💬 ⚛️🍎🗺️ (Communicating the memory of an apple to another).

Summary:
Cognitive & Linguistic Framework: Fauna Entity Simulator
I. Core Architecture: The "Mentalese" Pipeline
The internal language of thought (Mentalese) transforms raw environmental flux into stable symbolic units for reasoning, planning, and memory.

1. Sensory (🌊): Raw environmental flux; unorganized wave of data (Energy/Light/Sound).
2. Perception (🌀): The Vortex. Interprets raw data into coherent Entities & Properties.
    1. Role: Objective Vectorization. Identifies [Large Shape] + [High Velocity] + [Near].
3. Internal Symbolics (⚛️): Mentalese. The stable, atomic "Pointer" or "Token."
    1. Categorization: Maps Perceived Instance to an Internal Class (e.g., ⚛️🐺).
4. Apperception (🔆): The Flash. Conscious realization; bridge between Symbol and Current Context.
    1. Role: Subjective Value. "I am small/vulnerable, therefore this Wolf is a threat."
5. Semantic Mapping (✨): Qualia. The "Felt Meaning" or affective weight.

    1. Result: Assigns values like [Danger] + [Fear]. Triggering the
    2. State Shift.

II. The Cognitive State (Psi vector)(Ψ->)

- Definition: The dynamic, evolving vector-based mental state of the entity.
- Symbol (🔱): Represents current Vector/Energy/Arousal.
- Vectors: ⬅ ➡ ↘ ↖ ⬇️ ⬆️ ↙ ↗ (Directional shifts in cognitive intensity/mood).
- Notation:
    - [🔱] : Current active state.
    - {🔱} : Memory of a previous state.
    - [🔱⬆️] : Arousal/High intensity shift.

III. Symbolic Distinctions: Ideas vs. Literals

- Concept/Idea (Type): {⚛️🍎}. The abstract "Class" of an object. Used for Search Mode ({🔎⚛️🍎}).
- Perceived Instance (Literal): [🌀🍎]. The specific object at a coordinate with properties (e.g., [+45🔋]).

- Memory Brackets:
  - ◻ ◻ : Abstract Concepts / High-level memories.
  - ◻ ◻ : Perceived Events / Episodic memories.

IV. Social Syntax: Communication Protocol

Entities communicate by externalizing internal symbolic states.

Formula: [Attention] + [Shared Context] + [Memory Payload] + [Desired State-Shift]

- Structure: Context → Content → Intent.
- Spatial Priming: The Map (🗺️) precedes the Object (🍎).
- Protocol Examples:
  - Food Location: 💬 ⚛️🗺️ ◻⚛️🍎↗◻ 🔱✨😋 (Regarding map: food is NE; feel satisfaction).
  - Predator Warning: 💬 ⚛️👥 ◻⚛️🐺⚠️ 🔱⬆️✨😱 (Regarding us: wolf memory; feel high-arousal fear).

V. Vocabulary & Logic Key

- 🔋 Energy: Requirement for survival.
- 🌿 Flora: Edible resource. 🌿⛔ Non-edible.
- 🔗 Link: Connection between Symbol and Semantic weight.
- ⚛️ Atomic: The irreducible unit of thought.
- 🌀 Vortex: The gathering of environmental vectors.
- ✨ Qualia: Subjective internal effect on
- .

VI. Packaged Event Log (Sample)

Encounter: 🌊 → 🌀[Wolf/Fast] → ⚛️🐺 → 🔆 → ◻🔱↗✨⚠️

- Translation: Sensed wave → Perceived fast entity → Identified as Wolf symbol → Apperceived danger in context → State shifted to high-intensity fear.

Should we establish the "Syntax for Disagreement," where an entity responds with a state-shift that contradicts the sender's Semantic Intent?