

IoT challenges

State of the art

Aghiles DJOUDI

PhD student
LIGM/ESIEE Paris & SIC/ECE Paris

August 29, 2019

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Context

What is IoT ?




Figure 1: IoT platform.



Figure 2: IoT challenges.

Problematic

Where is the problem ?




Figure 3: Key barriers in adopting the Industrial Internet [industrialinternetofthings_executive_].

Problematic

Where is the problem ?

- ➡ Some network configuration are static and not adaptive to the application
 - ➡ Decision and optimisation problem..
 - ➡ Various network access
 - ➡ Various configuration of each network access
 - ➡ Lack of selection tools
- ➡ Users have to select the network and the application
 - ➡ How to select the **best** network.
 - ➡ How to select the network required by the application.

Context

Introduction

- ➡ IoT Applications
 - ➡ Health care
 - ➡ **Transportation**
 - ➡ Industry
 - ➡ Market
 - ➡ School
 - ➡ Vehicles
 - ➡ Smart Home
 - ➡ Agriculture



Figure ??: IoT Applications

Problematic

Where is the problem [2] ?

Bandwidth (*BW*) Spreading Factor (*SF*) Coding Rate (*CR*) Transmission Power (*Tx*) Receiver Sensitivity (*RS*) Signal Noise Rate (*SNR*) Data Rate (*DR*) ,Air Time (*AT*), Payload length (*PktL*)

Setting	Values	Rewards	Costs
<i>BW</i>	$7.8 \rightarrow 500\text{kHz}$	<i>DR</i>	<i>RS, Range</i>
<i>SF</i>	$2^6 \rightarrow 2^{12}$	<i>RS, Range</i>	<i>DR, SNR, PktL, Tx</i>
<i>CR</i>	$4/5 \rightarrow 4/8$	Resilience	<i>PktL, Tx, AT</i>
<i>Tx</i>	$-4 \rightarrow 20\text{dBm}$	<i>SNR</i>	<i>Tx</i>

Table 1: [1]

Technical choice

Implementation

- ➡ ZOLERTIA RE-MOTE
 - ➡ Low consumption component
 - ➡ ADC port for placing sensors on it
- ➡ CONTIKI OS
 - ➡ Operating system for wireless and low power development
 - ➡ Support for newer standards (6LowPAN, RPL, CoAP, MQTT)
- ➡ 6LowPAN
 - ➡ Based on IPv6 and IEEE 802.15.4
 - ➡ IPv6-based network with low power consumption
 - ➡ Ability to create a mesh network
- ➡ Sending packages
 - ➡ UDP in the 6LowPAN network
 - ➡ MQTT between the cloud platform and the router

Motivations

Who & why cares with such problems ?

- ➡ a
 - ➡ Lake of selective tools
 - ➡ How to select the **best** access point

QoS Analysis

- ➡ a
 - ➡ Lake of selective tools
 - ➡ How to select the **best** access point

Threats

- ➡ a
 - ➡ Lake of selective tools
 - ➡ How to select the **best** access point



Figure 4: Communication diversity.

Goal

What is the goal ?

- ➡ ➡ Allow heterogeneous network to communicate
- ➡ QoS Analysis
- ➡ Threats

- ➡ How to select the **best** access point
 - ➡ Allow heterogeneous network to communicate
 - ➡ QoS Analysis
 - ➡ Threats



Figure 5: wsn-IoT.

Goal

What is the goal ?

- ➡ ➡ Allow heterogeneous network to communicate
- ➡ QoS Analysis
- ➡ Threats

- ➡ How to select the **best** access point
 - ➡ Allow heterogeneous network to communicate
 - ➡ QoS Analysis
 - ➡ Threats



Figure 5: wsn-IoT.

Map the network to service requirement ?

Challenges

Where is the difficulty ?

- ▶ Reasonable and acceptable delay before the decision appears.
- ▶ Cope with the different view points and goals of the operators and the users.
- ▶ React to the changing environment conditions.
- ▶ Allow any type of inputs and to be applicable to any type of ANs.
- ▶ Handle the increasing number of RATs and the large number of criteria.

Contributions

Contributions

- ➡ Use cases (Requirements)
 - ➡ Smart building: Videos, Voice, Text.
 - ➡ Smart traffic: Videos, Voice, Text
- ➡ Environments
 - ➡ Rural/Urban
 - ➡ Static/Mobile
 - ➡ Temperature
- ➡ Scenarios
 - ➡ For each application protocol (MQTT, COAP, XMPP)
 - ➡ For each network protocol (Star, Mesh)
 - ➡ For each MAC protocol (LoRaWan, Sigfox, ...)
- ➡ Algorithms
 - ➡ Input:
 - * Service QoS requirements
 - * MAC configuration (SF, CR, BW, ...)
 - * Network QoS metrics
 - ➡ Method:
 - * MADM, Game, Neural
 - ➡ Outputs:
 - * Ranked networks

Contributions

Contributions

- ▶ Use cases (Requirements)
 - ▶ Smart building: Videos, Voice, Text.
 - ▶ Smart traffic: Videos, Voice, Text
- ▶ Environments
 - ▶ Rural/Urban
 - ▶ Static/Mobile
 - ▶ Temperature
- ▶ Scenarios
 - ▶ For each application protocol (MQTT, COAP, XMPP, ...)
 - ▶ For each network protocol (Star, Mesh)
 - ▶ For each MAC protocol (LoRaWan, Sigfox, ...)
- ▶ Algorithms
 - ▶ Input:
 - * Service QoS metrics requirements
 - * MAC configuration (SF, CR, BW, ...)
 - * Network QoS metrics
 - ▶ Methods:
 - * MADM, Game, Neural
 - ▶ Outputs:
 - * Ranked networks

Theoretical, Simulation & Real environment

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Outline

1. Introduction

2. State of the art

3. x-Testbed

4. x-Sentilo

5. x-Long paper

6. Genetic Algorithm For LoRa

7. Template

8. UTLC

9. Conclusion

10. Social privacy score

11. Privacy Framework

12. Survey Privacy

1. Related work
2. Contagion process
3. Experimentation
4. Results exploitation
5. Discussion

Outline

1. Introduction

2. State of the art

3. x-Testbed

4. x-Sentilo

5. x-Long paper

6. Genetic Algorithm For LoRa

7. Template

8. UTLC

9. Conclusion

10. Social privacy score

11. Privacy Framework

12. Survey Privacy

- 1. Related work**
2. Contagion process
3. Experimentation
4. Results exploitation
5. Discussion

Related work

Comparison

Paper	A1	A2	A3	A4

Table 2: An example table.

Related work

Comparison

Paper	A1	A2	A3	A4

Table 3: An example table.

Outline

1. Introduction

2. State of the art

3. x-Testbed

4. x-Sentilo

5. x-Long paper

6. Genetic Algorithm For LoRa

7. Template

8. UTLC

9. Conclusion

10. Social privacy score

11. Privacy Framework

12. Survey Privacy

1. Related work
- 2. Contagion process**
3. Experimentation
4. Results exploitation
5. Discussion

... (step 1)

Methods



... (step 2)

Methods



... (step 3)

Methods



... (step 4)

Methods



Results

Comparison

Table 4

Outline

1. Introduction

2. State of the art

3. x-Testbed

4. x-Sentilo

5. x-Long paper

6. Genetic Algorithm For LoRa

7. Template

8. UTLC

9. Conclusion

10. Social privacy score

11. Privacy Framework

12. Survey Privacy

1. Related work
2. Contagion process
- 3. Experimentation**
4. Results exploitation
5. Discussion

Experimentation

Experimentation

- ➡ a
- ➡ b




Figure 6: .

Outline

1. Introduction

2. State of the art

3. x-Testbed

4. x-Sentilo

5. x-Long paper

6. Genetic Algorithm For LoRa

7. Template

8. UTLC

9. Conclusion

10. Social privacy score

11. Privacy Framework

12. Survey Privacy

1. Related work
2. Contagion process
3. Experimentation
- 4. Results exploitation**
5. Discussion

Results

Comparison

- ➡ a
- ➡ b




Figure 7: .

Outline

1. Introduction

2. State of the art

3. x-Testbed

4. x-Sentilo

5. x-Long paper

6. Genetic Algorithm For LoRa

7. Template

8. UTLC

9. Conclusion

10. Social privacy score

11. Privacy Framework

12. Survey Privacy

- 1. Related work
- 2. Contagion process
- 3. Experimentation
- 4. Results exploitation
- 5. Discussion**

Discussion

- ➡ a
- ➡ b




Figure 8: .

Outline

1. Introduction
 2. State of the art
 - 3. x-Testbed**
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion

Outline

1. Introduction
 2. State of the art
 - 3. x-Testbed**
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
- 1. Related work**
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion

Related work

Comparison

Paper	A1	A2	A3	A4

Table 5: An example table.

Related work

Comparison

Paper	A1	A2	A3	A4

Table 6: An example table.

Outline

1. Introduction
 2. State of the art
 - 3. x-Testbed**
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion

... (step 1)

Methods



... (step 2)

Methods



... (step 3)

Methods



... (step 4)

Methods



Results

Comparison

Table 7

Outline

1. Introduction
 2. State of the art
 - 3. x-Testbed**
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 - 3. Experimentation**
 4. Results exploitation
 5. Discussion

Experimentation

Experimentation

- a
- b




Figure 9: .

Outline

1. Introduction
 2. State of the art
 - 3. x-Testbed**
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 - 4. Results exploitation**
 5. Discussion

Results

Comparison

- ➡ a
- ➡ b




Figure 10: .

Outline

1. Introduction
 2. State of the art
 - 3. x-Testbed**
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 - 5. Discussion**

Discussion

→ a

→ b




Figure 11: .

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. **x-Sentilo**
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 - 4. x-Sentilo**
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
- 1. Related work**
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion

Related work

Comparison

Paper	A1	A2	A3	A4

Table 8: An example table.

Related work

Comparison

Paper	A1	A2	A3	A4

Table 9: An example table.

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. **x-Sentilo**
5. x-Long paper
6. Genetic Algorithm For LoRa
 1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

... (step 2)

Methods



... (step 3)

Methods



... (step 4)

Methods



Results

Comparison

Table 10

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. **x-Sentilo**
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 - 3. Experimentation**
 4. Results exploitation
 5. Discussion

Experimentation

Experimentation

- ➡ a
- ➡ b




Figure 12: .

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 - 4. x-Sentilo**
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 - 4. Results exploitation**
 5. Discussion

Results

Comparison

■ a

■ b




Figure 13: .

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 - 4. x-Sentilo**
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 - 5. Discussion**

Discussion

→ a

→ b




Figure 14: .

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
- 5. x-Long paper**
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Related work

Comparison

Paper	A1	A2	A3	A4

Table 11: An example table.

Related work

Comparison

Paper	A1	A2	A3	A4

Table 12: An example table.

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
- 5. x-Long paper**
 1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

... (step 1)

Methods



... (step 2)

Methods



... (step 3)

Methods



... (step 4)

Methods



Results

Comparison

Table 13

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. **x-Long paper**
 1. Related work
 2. Contagion process
 - 3. Experimentation**
 4. Results exploitation
 5. Discussion
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Experimentation

Experimentation

- ➡ a
- ➡ b




Figure 15: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. **x-Long paper**
 1. Related work
 2. Contagion process
 3. Experimentation
 - 4. Results exploitation**
 5. Discussion
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Results

Comparison

- ➡ a
- ➡ b




Figure 16: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
- 5. x-Long paper**
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 - 5. Discussion**
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Discussion

→ a

→ b




Figure 17: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. **Genetic Algorithm For LoRa**
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Related work

Comparison

Paper	A1	A2	A3	A4

Table 14: An example table.

Related work

Comparison

Paper	A1	A2	A3	A4

Table 15: An example table.

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. **Genetic Algorithm For LoRa**
 1. Related work
 2. **Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Bandit Algorithm
 2. Genetic Algorithm
 3. Marcov chain
 4. Game theory

Outline


1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. **Genetic Algorithm For LoRa**
 1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
- 1. Bandit Algorithm**
 2. Genetic Algorithm
 3. Marcov chain
 4. Game theory

Multi-Armed-Bandit Algorithm

Methods

- ▶ Arms: $K = 1, \dots, K$
- ▶ Decision: $T = 1, \dots, T$
- ▶ Reward: X_t^k with $\mu_t^k = E [X_t^k]$
 - Best reward: X_t^* with $\mu_t^* = \max \mu_t^k, k \in K$

Binary code analysis: Why?



Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. **Genetic Algorithm For LoRa**
 1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Bandit Algorithm
 - 2. Genetic Algorithm**
 3. Marcov chain
 4. Game theory

Genetic Algorithm

Methods [alkhawiani_access_2008a]

- ➡ Heterogeneous wireless network: (RAT 1 ,RAT 2 ,...,RAT n)
- ➡ Criteria up to i (c_1, c_2, \dots, c_i) the operators, the applications, and the network conditions.
- ➡
- ➡ The different sets of scores (d_1, d_2, \dots, d_i) are sent to the MCDM in the second component.
- ➡ GA component assigns a suitable weight (w_1, w_2, \dots, w_i)

Genetic Algorithm

Methods



→ S = SF12, BW125, 4/8, 17 dBm

→ Input:

→ Problem: $f(x) = \max(x^2)$, $x \in [0, 32]$

- * $x_1 : 01101_b$
- * $x_2 : 11000_b$
- * $x_3 : 01000_b$
- * $x_4 : 10011_b$

→ Method: Genetic algorithm

- Generate a set of random possible solution
- Test each solution and see how good it is (ranking)
 - * Remove some bad solutions
 - * Duplicate some good solutions
 - * Make small changes to some of them (Crossover, Mutation)

→ Output:

→ $x_1 : 01101$ (169) (14.4)

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. **Genetic Algorithm For LoRa**
 1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Bandit Algorithm
 2. Genetic Algorithm
 - 3. Marcov chain**
 4. Game theory

Marcov chain

Methods

$$V(s, \pi) = \mathbb{E}_s^\pi \left(\sum_{k=0}^{\inf} \gamma^k \cdot r(s_k, a_k) \right), s \in \mathbb{S} \quad (1)$$

$$r(s_k, a_k) = G_k \cdot PRR(a_k) \quad (2)$$

$$\pi^* = \arg \max_{\pi} V(s, \pi) \quad (3)$$

$$PRR = (1 - BER)^L \quad (4)$$

$$BER = 10^{\alpha e^{\beta SNR}} \quad (5)$$

Marcov chain

Methods

HGHGJ

$$V(s, \pi) = \mathbb{E}_s^\pi \left(\sum_{k=0}^{\inf} \gamma^k \cdot r(s_k, a_k) \right), s \in \mathbb{S} \quad (1)$$

$$r(s_k, a_k) = G_k \cdot PRR(a_k) \quad (2)$$

$$\pi^* = \arg \max_{\pi} V(s, \pi) \quad (3)$$

$$PRR = (1 - BER)^L \quad (4)$$


$$BER = 10^{\alpha e^{\beta SNR}} \quad (5)$$

Marcov chain

Methods

Learning Iterative Steps:

- **Choose** action $a_k(t) \sim \pi_k(t)$.
- **Observe** game outcome, e.g.,
 $a_{-k}(t)$
 $u_k(a_k(t), a_{-k}(t))$.
- **Improve** $\pi_k(t+1)$.



Thus, we can expect that: $\forall k \in \mathcal{K}$,

$$\pi_k(t) \xrightarrow{t \rightarrow \infty} \pi_k^* \quad (1)$$

$$\bar{u}_k(\pi_k(t), \pi_{-k}(t)) \xrightarrow{t \rightarrow \infty} \bar{u}_k(\pi_k^*, \pi_{-k}^*) \quad (2)$$

where, $\pi^* = (\pi_1^*, \dots, \pi_K^*)$ is a NE strategy profile.

Figure 18: .

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. **Genetic Algorithm For LoRa**
 1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Bandit Algorithm
 2. Genetic Algorithm
 3. Marcov chain
 - 4. Game theory**

Game theory

Methods

- ➡ Players: $K = \{1, \dots, K\}$
- ➡ Strategies: $S = S_1 \times \dots \times S_K$
 - ➡ S_k is the strategy set of the k^{th} player.
- ➡ Rewards: $u_k : S \rightarrow R_+$ and is denoted by $r_k(s_k, s_{-k})$
 - ➡ $s_{-k} = (s_1, \dots, s_{k-1}, s_{k+1}, \dots, s_K) \in S_1 \times \dots \times S_{k-1} \times S_{k+1} \times \dots \times S_K$

... (step 2)

Methods



... (step 3)

Methods



... (step 4)

Methods



Results

Comparison

Table 16

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. **Genetic Algorithm For LoRa**
 1. Related work
 2. Contagion process
 - 3. Experimentation**
 4. Results exploitation
 5. Discussion
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Experimentation

Experimentation

- ➡ a
- ➡ b




Figure 19: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. **Genetic Algorithm For LoRa**
 1. Related work
 2. Contagion process
 3. Experimentation
 - 4. Results exploitation**
 5. Discussion
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Results

Comparison

- ➡ a
- ➡ b




Figure 20: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. **Genetic Algorithm For LoRa**
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Discussion

→ a

→ b




Figure 21: .

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
- 7. Template**
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Related work

Comparison

Paper	A1	A2	A3	A4

Table 17: An example table.

Related work

Comparison

Paper	A1	A2	A3	A4

Table 18: An example table.

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. **Template**
 1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

... (step 1)

Methods



... (step 2)

Methods



... (step 3)

Methods



... (step 4)

Methods



Results

Comparison

Table 19

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
 1. Related work
 2. Contagion process
 - 3. Experimentation**
 4. Results exploitation
 5. Discussion
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Experimentation

Experimentation

- ➡ a
- ➡ b




Figure 22: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
 1. Related work
 2. Contagion process
 3. Experimentation
 - 4. Results exploitation**
 5. Discussion
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Results

Comparison

- ➡ a
- ➡ b




Figure 23: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Discussion

→ a

→ b




Figure 24: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 - 8. UTLC**
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
- 1. Related work**
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion

Related work

Comparison

Paper	A1	A2	A3	A4

Table 20: An example table.

Related work

Comparison

Paper	A1	A2	A3	A4

Table 21: An example table.

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
- 8. UTLC**
 1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

... (step 1)

Methods



... (step 2)

Methods



... (step 3)

Methods



... (step 4)

Methods



Results

Comparison

Table 22

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 - 8. UTLC**
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 - 3. Experimentation**
 4. Results exploitation
 5. Discussion

Experimentation

Experimentation

- ➡ a
- ➡ b




Figure 25: .

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 - 8. UTLC**
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 - 4. Results exploitation**
 5. Discussion

Results

Comparison

- ➡ a
- ➡ b




Figure 26: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Discussion

→ a

→ b




Figure 27: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
- 9. Conclusion**
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Conclusion

Our main goal was



Our main contribution was



Our main results was



Future Challenges

Conclusion

Our future goal was



Future Challenges

Conclusion

Our future goal was



Thank you !

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Diffusion process
 3. Experimentation
 4. Results
 5. Discussion

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 - 10. Social privacy score**
 11. Privacy Framework
 12. Survey Privacy
- 1. Related work**
 2. Diffusion process
 3. Experimentation
 4. Results
 5. Discussion

Related work

Comparison

Works	Contribution	Goal
[3] Protect U	Classification of interlocutors	Friends lists management
[4] Privacy Wizard	Friends Classification	Permission Configuration
[5] SocialMarket	Common Interests	Assessment of Trust Relationships
[6] PARE	Information Leakage	Evaluation of Information Dissemination
[7] LENS	Spam Protection	Trusted Emitters Evaluation
[8] SocialEmail	Classify msg by paths	Evaluate message reliability
[9] Privacy Index	Visibility, sensitivity	Msg exposure assessment

Table 23: Contributions from existing work.

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
- 10. Social privacy score**
11. Privacy Framework
12. Survey Privacy

Step 1: Individual vulnerability measurement

Method

Parameter	Value
Network connection	Private, Public [1:2]
Technology	Ethernet, 5G, 4G, Wifi [1:4]
Operating system	Windows, Unix, Mac [1:3]
Web browser	Firefox, Chrome, Opera, ... [1:10]
Password strength	low, medium, strength [1:3]
Sessions opened	counter [1:10]
TLS version	v1.0, v1.1, v1.2, v1.3 [1:4]

Table 24: Individual Vulnerability parameter

$$Y = \sum_i^n \frac{w * V}{n} \quad (6)$$

- **Y:** Individual vulnerability
- **w:** Weight of each vulnerability
- **V:** Scores mentioned above




Figure 28: Individual vulnerability level.

Step 2: Users reputation estimation

Method

Parameter	Value
Frequency of msg exchanged	continuous
Discussion time	continuous
% of messages exchanged	cipher, signed or clear [1:3]
Message type exchanged	Text, images, videos, script [1:4]

Table 25: Trust grant features

$$\alpha = P(\text{reputation}) = P(X \geq 1) = 1 - (1 - P(\text{trust}))^n \quad (7)$$

- » Where,
 - » **X:** trust grant, random variable, $X \sim B(n,p)$
 - » **n:** deg(node)
 - » **P(X=1):** The probability of being assigned one trust grant by an interlocutor




Figure 29: Reputation level.

Step 3: Social vulnerability measurement

Freidkin's theory of social influence

- Input (Features):

- $Y^{(1)}$ = Vector of the individual vulnerabilities of N users (eq 9)
- α = The level of reputation (influence) of each user (eq 10)
- M = Adjacency matrix $N \times N$

- Model:

$$Y^{(t)} = \alpha M Y^{(t-1)} + (1 - \alpha) Y^{(t-1)} \quad (8)$$

- Output:

- $Y^{(t)}$ = Vector of the social vulnerabilities of the N users




Figure 30: Social vulnerability.

Step 3: Social vulnerability measurement

Freidkin's theory of social influence

Formal properties of the model:

- When a user's influence is high, the model is reduced to:
 - average vulnerabilities of his friends weighted by their trust levels.

$$Y^{(t)} = \mathbf{1} * \mathbf{M} Y^{(t-1)} + (1 - \mathbf{1}) Y^{(t-1)} \quad (11)$$

$$Y^{(t)} = \mathbf{M} Y^{(t-1)}$$

- In the absence of influence, the model is reduced to:
 - his own vulnerability weighted by the level of mistrust of his friends

$$Y^{(t)} = 0 * \mathbf{M} Y^{(t-1)} + (1 - 0) Y^{(t-1)} \quad (11)$$

$$Y^{(t)} = Y^{(t-1)}$$




Figure 31: Social vulnerability.

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 - 10. Social privacy score**
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Diffusion process
 - 3. Experimentation**
 4. Results
 5. Discussion

Email datasets

Experimentation

Parameter	Value
Users	958
Messages	6966
Diameter	958
# of msg on average	2.413361
Msg density	0.00252
Modularity	0.654600
Average distance	3.042114

Table 26: Enron dataset properties.



Figure 32: Enron logo.

Parameter	Value
Users	5885
Messages	26547
Diameter	2096
# of msg on average	9.02192
Msg density	0.001533
Modularity	0.86526
Average distance	3.914097

Table 27: Caliopen dataset properties.



Figure 33: Caliopen logo.

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
- 10. Social privacy score**
11. Privacy Framework
12. Survey Privacy

1. Related work
2. Diffusion process
3. Experimentation
- 4. Results**
5. Discussion

Results

Comparison

Initial values:

- generated randomly (normal distribution)
- represent individual vulnerabilities.
- dark color = highly infected



(a) Individual privacy vulnerability.

(b) Social privacy vulnerability.

Final values:


- obtained after convergence.
- represent social vulnerabilities.

Figure 34: Individual & Social privacy vulnerabilities.


User ID	Individual Vul	Social Vul
34	0.84	0.67
67	0.12	0.87
206	0.76	0.33
588	0.23	0.78

Table 28: Individual and social privacy vulnerabilities.

Results exploitation



(a) Enron dataset.




(b) Caliopen dataset.


Figure 35: Cumulative distribution function of infected users.

- ▶ Figures shows the CDF of the vulnerability diffusion process.
- ▶ The vulnerability diffusion process increases as the reputation level of vulnerable users increases.
- ▶ Users with high reputation values contribute significantly to the diffusion
 - ▶ They spread their vulnerabilities quickly and widely through the network.

Results exploitation



(a) Enron dataset.



(b) Caliopen dataset.

Figure 36: Convergence of the diffusion process.

- ▶ The process converge when the mean distance between social vulnerability scores is the minimum.
- ▶ Assigning trust to vulnerable users allows them to achieve a high level of reputation.
- ▶ Consequently, they infect all other vulnerability values.

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
 1. Related work
 2. Diffusion process
 3. Experimentation
 4. Results
 - 5. Discussion**
7. Template
8. UTLC
9. Conclusion
- 10. Social privacy score**
11. Privacy Framework
12. Survey Privacy

Discussion

- ➡ The purpose of this work is to simulate a diffusion process of individual vulnerabilities.
 - ➡ The vulnerability of one user is the vulnerability of all users.
 - ➡ At the end of the diffusion (convergence), all users gets their social vulnerability scores.
- ➡ Future work
 - ➡ To propose mechanisms to improve the reputation of non-vulnerable users.
 - * Suggest well known interlocutors with acceptable vulnerability scores.
 - ➡ To propose mechanisms to improve the vulnerability of reputed users.
 - * recommend configurations and softwares.

Discussion

- ➡ The purpose of this work is to simulate a diffusion process of individual vulnerabilities.
 - ➡ The vulnerability of one user is the vulnerability of all users.
 - ➡ At the end of the diffusion (convergence), all users gets their social vulnerability scores.
- ➡ Future work
 - ➡ To propose mechanisms to improve the reputation of non-vulnerable users.
 - * Suggest well known interlocutors with acceptable vulnerability scores.
 - ➡ To propose mechanisms to improve the vulnerability of reputed users.
 - * recommend configurations and softwares.

Thank you

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
 - 1. Travaux connexes
 - 2. Processus de diffusion
 - 3. Expérimentation
 - 4. Exploitation des résultats
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
12. Survey Privacy

1. Travaux connexes

2. Processus de diffusion
3. Expérimentation
4. Exploitation des résultats

Travaux connexes

Comparaison

Travaux	Contribution	Performance
[3] Protect U	Classification des interlocuteurs	Configuration des listes d'amis
[4] Privacy Wizard	Classification des interlocuteurs	Configuration des permissions
[5] SocialMarket	Intérêt communs	Évaluation des relations de confiance
[6] TAPE	Fuite d'information	Évaluation de la diffusion de l'info
[7] LENS	Protection anti-spam	Évaluation des émetteurs de confiance
[8] SocialEmail	Classer les chemins des msg	Évaluation de la fiabilité du message
[9] Privacy Index	Visibilité, sensibilité	Évaluation de l'exposition des msg

Table 29: Contributions des travaux existants.

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
- 11. Privacy Framework**
12. Survey Privacy

1. Travaux connexes
- 2. Processus de diffusion**
3. Expérimentation
4. Exploitation des résultats

Etape 1: Calcule de la vulnérabilité individuelle

Méthode

➡ Entrée:

➡ Vulnérabilité de la machine utilisée:

- * Connexion réseaux (privé (1) ou publique (2))
- * Type d'architecture: Ethernet, 5G, 4G, Wifi (1:4)
- * Système d'exploitation (Windows, Unix) (1:2)
- * Navigateur web (1:10)

➡ Vulnérabilité du compte utilisé

- * Mdp utilisé, mode de récupération des mdp (1:5)
- * Nombre de sessions ouvertes en même temps.(1:nbr)
- * Mode de chiffrement, signature, version TLS

➡ Sortie:

$$P_i = \sum_i^n \frac{w * V}{n} \quad (9)$$

Etape 2: Calcule de la réputation des utilisateurs

Méthode

➡ Entrée:

- Fréquence d'utilisation de la messagerie.
- Horaire, durée des échanges (1:5)
- % des échanges chiffrés, signés, claires (1:3)
- Importance des interlocuteurs: Liste favoris (2), noir(1)
- Type de données: Texte, images, vidéos, script (1:4)

➡ Méthode:

- Loi binomiale

➡ Output:

$$P(\text{reputation}) = P(X \geq 1) = 1 - (1 - P(\text{trust}))^n \quad (10)$$

- Where,

* X: Niveau de confiance, $X \sim B(n, p)$




Figure 37: Niveau de réputation.

Etape 3: Calcule de la vulnérabilité sociale

Théorie de l'influence sociale de Freidkin

➡ Entrée:

- $Y^{(1)}$ = Vecteur des vulnérabilités individuelles de N utilisateurs (eq 9)
- α = Le niveau de réputation (d'influence) de chaque utilisateur (eq 10)
- M = Matrice d'adjacence $N \times N$

➡ Modèle:

$$Y^{(t)} = \alpha M Y^{(t-1)} + (1 - \alpha) Y^{(t-1)} \quad (11)$$




Figure 38: Vulnérabilité Sociale.

➡ Sortie:

- $Y^{(t)}$ = Vecteur des vulnérabilités sociales des N utilisateurs

Etape 3: Calcule de la vulnérabilité sociale

Théorie de l'influence sociale de Freidkin

Propriétés formelles du modèle:

- Lorsque l'influence d'un utilisateur est élevé, le modèle se réduit aux:
 - vulnérabilités moyennes de ses amis pondérées par leur niveaux de confiances.

$$Y^{(t)} = \mathbf{1} * MY^{(t-1)} + (1 - \mathbf{1}) Y^{(t-1)}$$

- En absence d'influence, le modèle se réduit à:
 - sa propre vulnérabilité pondérée par le niveau de méfiance de ses amis

$$Y^{(t)} = 0 * MY^{(t-1)} + (1 - 0) Y^{(t-1)}$$




Figure 39: Vulnérabilité sociale.

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 - 11. Privacy Framework**
 12. Survey Privacy
1. Travaux connexes
 2. Processus de diffusion
 - 3. Expérimentation**
 4. Exploitation des résultats

Expérimentation

Expérimentation

Paramètre	Valeur
Utilisateurs	958
Messages	6966
Diamètre	958
# de msg en moyenne	2.413361
Densité des msg	0.00252
Modularité	0.654600
Distance moyenne	3.042114

Table 30: Propriétés des données Enron.



Figure 40: Enron logo.

Paramètre	Valeur
Utilisateurs	5885
Messages	26547
Diamètre	2096
# de msg en moyenne	9.02192
Densité des msg	0.001533
Modularité	0.86526
Distance moyenne	3.914097

Table 31: Propriétés des données Caliopen.



Figure 41: Caliopen logo.

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 - 11. Privacy Framework**
 12. Survey Privacy
1. Travaux connexes
 2. Processus de diffusion
 3. Expérimentation
 - 4. Exploitation des résultats**

Résultats

Comparaison

Valeurs initiales:

- générées aléatoirement (distribution normale)
- représentent les vulnérabilités individuelles.
- couleur foncée = vulnérabilité élevé



(a) Vulnérabilité individuelle.

(b) Vulnérabilité Sociale.

Valeurs finales:


- obtenu après convergence.
- représentent les vulnérabilités sociales.

Figure 42: Vulnérabilité individuelle & sociale.


User ID	Vul individuel	Vul sociale
34	0.84	0.67
67	0.12	0.87
206	0.76	0.33
588	0.23	0.78

Table 32: Différence entre les vulnérabilités individuelles et sociales en matière de protection de la vie privée.

Exploitation des résultats



(a) Les données de Enron.




(b) Les données de Caliopen.


Figure 43: Fonction de distribution cumulative des utilisateurs infectés.

- ▶ Les utilisateurs avec des valeurs de réputation élevées contribuent considérablement à la diffusion
- ▶ Ils diffusent leur vulnérabilités rapidement et largement dans la messagerie.

Exploitation des résultats



(a) Les données de Enron.



(b) Les données de Caliopen.

Figure 44: Convergence du processus de diffusion.

- Attribuer une confiance à des utilisateurs vulnérables leur permet d'obtenir un niveau de réputation élevé.
- Par conséquent, infecter l'ensemble des valeurs de vulnérabilité de la messagerie.

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 12. Survey Privacy
1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 - 12. Survey Privacy**
- 1. Related work**
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 5. Discussion

Related work

Comparison

Paper	A1	A2	A3	A4

Table 33: An example table.

Related work

Comparison

Paper	A1	A2	A3	A4

Table 34: An example table.

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 - 12. Survey Privacy**
1. Related work
 - 2. Contagion process**
 3. Experimentation
 4. Results exploitation
 5. Discussion

... (step 1)

Methods



... (step 2)

Methods



... (step 3)

Methods



... (step 4)

Methods



Results

Comparison

Table 35

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 - 12. Survey Privacy**
1. Related work
 2. Contagion process
 - 3. Experimentation**
 4. Results exploitation
 5. Discussion

Experimentation

Experimentation

- ➡ a
- ➡ b




Figure 45: .

Outline

1. Introduction
 2. State of the art
 3. x-Testbed
 4. x-Sentilo
 5. x-Long paper
 6. Genetic Algorithm For LoRa
 7. Template
 8. UTLC
 9. Conclusion
 10. Social privacy score
 11. Privacy Framework
 - 12. Survey Privacy**
1. Related work
 2. Contagion process
 3. Experimentation
 - 4. Results exploitation**
 5. Discussion

Results

Comparison

- ➡ a
- ➡ b




Figure 46: .

Outline

1. Introduction
2. State of the art
3. x-Testbed
4. x-Sentilo
5. x-Long paper
6. Genetic Algorithm For LoRa
 1. Related work
 2. Contagion process
 3. Experimentation
 4. Results exploitation
 - 5. Discussion**
7. Template
8. UTLC
9. Conclusion
10. Social privacy score
11. Privacy Framework
- 12. Survey Privacy**

Discussion

→ a

→ b




Figure 47: .

References

- [1] Marco Cattani, Carlo Boano, and Kay Römer. " An Experimental Evaluation of the Reliability of Lora Long-Range Low-Power Wireless Communication ". In: *Journal of Sensor and Actuator Networks* 6.2 (2017). 00042, p. 7.
- [2] B. Di Martino et al. " Internet of Things Reference Architectures, Security and Interoperability: A Survey ". In: *Internet of Things* 1-2 (Sept. 2018). 00006, pp. 99–112.
- [3] Ala Eddine Gandouz. " PROTECT_U: Un Systeme Communautaire Pour La Protection Des Usagers de Facebook ". In: (2012). 00001, p. 77.
- [4] Lujun Fang and Kristen LeFevre. " Privacy Wizards for Social Networking Sites ". In: 00397. ACM Press, 2010, p. 351.
- [5] Davide Frey, Arnaud Jégou, and Anne-Marie Kermarrec. " Social Market: Combining Explicit and Implicit Social Networks ". In: *Stabilization, Safety, and Security of Distributed Systems. Symposium on Self-Stabilizing Systems. Lecture Notes in Computer Science*. 00019. Springer, Berlin, Heidelberg, Oct. 10, 2011, pp. 193–207.
- [6] Yongbo Zeng et al. " A Study of Online Social Network Privacy Via the TAPE Framework ". In: *IEEE Journal of Selected Topics in Signal Processing* 9.7 (Oct. 2015). 00003, pp. 1270–1284.
- [7] Sufian Hameed et al. " LENS: Leveraging Social Networking and Trust to Prevent Spam Transmission ". In: *Network Protocols (ICNP), 2011 19th IEEE International Conference On*. 00019. IEEE, 2011, pp. 13–18.
- [8] Thomas Tran, Jeff Rowe, and S. Felix Wu. " Social Email: A Framework and Application for More Socially-Aware Communications ". In: *Social Informatics*. Ed. by Leonard Bolc, Marek Makowski, and Adam Wierzbicki. Vol. 6430. 00000. Berlin, Heidelberg: Springer Berlin Heidelberg, 2010, pp. 203–215.
- [9] Raj Kumar Nepali and Yong Wang. " SONET: A SOcial NETwork Model for Privacy Monitoring and Ranking ". In: 00021. IEEE, July 2013, pp. 162–166.