laravel 11


images

composer create-project "laravel/laravel:^10.0" example-app composer create-project "laravel/laravel:^11.0" laravel_0219

xampp documentRoot

```
檔案(F) 編輯(E) 格式(O) 檢視(V) 說明(H)
# Deny access to the entirety of your server's filesystem. You must
  explicitly permit access to web content directories in other
# <Directory> blocks below.
<Directory />
      AllowOverride none
      Require all denied
</Directory>
"Note that from this point forward you must specifically allow particular features to be enabled - so if something's not working as you might expect, make sure that you have specifically enabled it
  below.
# DocumentRoot: The directory out of which you will serve your # documents. By default, all requests are taken from this directory, but # symbolic links and aliases may be used to point to other locations.
#DocumentRoot "C:/xampp/htdocs"
#<Directory "C:/xampp/htdocs">
DocumentRoot "C:/xampp/htdocs/laravel/laravel_0219/public" <Directory "C:/xampp/htdocs/laravel/laravel_0219/public">
      # Possible values for the Options directive are "None", "All",
      # or any combination of:
# Indexes Includes FollowSymLinks SymLinksifOwnerMatch ExecCGI MultiViews
      # Note that "MultiViews" must be named *explicitly* --- "Options All"
      # doesn't give it to you.
      # The Options directive is both complicated and important. Please see # http://httpd apache.org/docs/2 4/mod/core html#options
public -> assets ->
CSS
js
```






helpers


dd()

asset()

view()

route()





php artisan make:controller PhotoController --resource php artisan make:controller CarController --resource

```
use App\Http\Controllers\CarController;

Route::resource('cars', CarController::class);
```