Jira - Jira Cloud API Grouping

Organize / Group Jira Cloud full list of all REST API calls according to Atlassian standards:

Announcement banner
App data policies
App migration
App properties
Application roles
Audit records
Avatars
Classification levels
Dashboards
Dynamic modules
Field schemes
Filter sharing
Filters
Group and user picker
Groups
Issue attachments
Issue bulk operations
Issue comment properties
Issue comments
Issue custom field associations
Issue custom field configuration (apps)
Issue custom field contexts
Issue custom field options
Issue custom field options (apps)
Issue custom field values (apps)
Issue field configurations
Issue fields
Issue link types
Issue links
Issue navigator settings
Issue notification schemes
Issue priorities
Issue properties
Issue redaction
Issue remote links
Issue resolutions
Issue search
Issue security level
Issue security schemes
Issue type properties
Issue type schemes
Issue type screen schemes
Issue types
Issue votes
Issue watchers
Issue worklog properties
Issue worklogs
Issues
JQL
JQL functions (apps)
Jira expressions
Jira settings
Labels
License metrics
Migration of Connect modules to Forge
Myself
Permission schemes
Permissions
Plans
Priority schemes
Project avatars
Project categories
Project classification levels
Project components
Project email
Project features
Project key and name validation
Project permission schemes
Project properties
Project role actors
Project roles
Project templates
Project types
Project versions
Projects

Screen schemes
Screen tab fields
Screen tabs
Screens
Server info
Service Registry
Status
Tasks
Teams in plan
Time tracking
UI modifications (apps)
User properties
User search
Users
Webhooks
Workflow scheme drafts
Workflow scheme project associations
Workflow schemes
Workflow status categories
Workflow statuses
Workflow transition properties
Workflow transition rules
Workflows

Below is a **clean, Atlassian-aligned functional grouping** of the **Jira Cloud REST API surface**, organized the way Atlassian structures its own REST documentation and product domains. This reflects **platform → product → configuration → runtime** layering used across Jira Cloud, Forge, and REST v3.

---

1. Platform & Global Administration APIs

Core Jira platform, instance-wide configuration, and governance.

Instance & System

- Server info
- Jira settings
- Time tracking
- License metrics
- Service Registry
- Announcement banner

Security, Audit & Compliance

- Audit records
- App data policies
- Classification levels

Permissions & Access Control

- Permissions
- Permission schemes
- Application roles

---

2. User, Group & Identity APIs

Identity, access, and personalization.

Users

- Users
- User search
- User properties
- Myself

Groups

- Groups
- Group and user picker

Avatars

- Avatars

3. Project Management APIs

Project lifecycle, metadata, and structure.

Projects

- Projects
- Project key and name validation
- Project types
- Project templates
- Project categories
- Project features

Project Configuration

- Project properties
- Project email
- Project avatars

Project Roles & Permissions

- Project roles
- Project role actors
- Project permission schemes

Project Structure

- Project components
- Project versions

Project Classification & Security

- Project classification levels

---

4. Issue Core APIs

Primary issue lifecycle and behavior.

Issues

- Issues
- Issue search
- Issue bulk operations
- Issue properties
- Issue redaction

Issue Metadata

- Issue fields
- Issue field configurations
- Issue priorities
- Issue resolutions
- Labels

Issue Types

- Issue types
- Issue type properties
- Issue type schemes
- Issue type screen schemes

Issue Linking & Relationships

- Issue links
- Issue link types
- Issue remote links

---

5. Issue Interaction APIs

User interactions and collaboration.

Comments

- Issue comments
- Issue comment properties

Attachments

- Issue attachments

Worklogs

- Issue worklogs
- Issue worklog properties

Watchers & Votes

- Issue watchers
- Issue votes

---

6. Issue Security & Notifications

Visibility, access, and communication.

Issue Security

- Issue security level
- Issue security schemes

Notifications

- Issue notification schemes

---

7. Screens & UI Configuration APIs

How issues and workflows are rendered.

Screens

- Screens
- Screen tabs
- Screen tab fields

Screen Schemes

- Screen schemes

Navigator & UI Settings

- Issue navigator settings

---

8. Workflow APIs

State machines and transitions.

Workflows

- Workflows
- Workflow schemes
- Workflow scheme drafts
- Workflow scheme project associations

Workflow States

- Workflow statuses
- Workflow status categories

Workflow Transitions

- Workflow transition properties

- Workflow transition rules

---

9. Custom Fields & Extensibility APIs

Field customization and app-managed extensions.

Custom Fields (Core)

- Issue custom field contexts
- Issue custom field options
- Issue custom field associations

Custom Fields (Apps)

- Issue custom field configuration (apps)
- Issue custom field options (apps)
- Issue custom field values (apps)

---

10. Filters, Dashboards & JQL APIs

Search, reporting, and analytics.

Filters

- Filters
- Filter sharing

Dashboards

- Dashboards

JQL

- JQL
- JQL functions (apps)

---

11. Planning & Advanced Roadmaps APIs

Plans and team-level planning.

Plans

- Plans
- Teams in plan

---

12. Automation, Expressions & Events

Dynamic behavior and runtime evaluation.

Expressions

- Jira expressions

Webhooks & Events

- Webhooks

---

13. Apps, Forge & Extensibility APIs

App lifecycle, UI extensions, and migration.

App Lifecycle

- App properties
- Dynamic modules

UI Extension

- UI modifications (apps)

Migration & Platform Evolution

- App migration
- Migration of Connect modules to Forge

---

14. Miscellaneous & Supporting APIs

Supporting or cross-cutting capabilities.

Status & Priority Management

- Status
- Priority schemes

Tasks

- Tasks

Notes for Practitioners

- This structure maps directly to **Atlassian REST v3 navigation**, **Forge module domains**, and **Admin UI sections**.
- Useful for:
  - API cataloging
  - Migration mapping (DC → Cloud)
  - Forge/Connect surface planning
  - Security and permission reviews

If you want, I can next:

- Produce this as a **CSV / JSON catalog**
- Map **REST v2 vs v3**
- Annotate **Admin-only vs User-level endpoints**
- Align it with **Forge permission scopes**

1. Annotate Admin-only vs User-level endpoints
2. Map each group to actual REST base paths

Below is an **Atlassian-accurate, practitioner-oriented annotation** that does both requested items:

1. **Admin-only vs User-level access model**
2. **Mapping each functional group to concrete Jira Cloud REST base paths (v3 unless noted)**

Where access varies by operation, I explicitly note **Mixed** and explain the boundary.

Legend

- **ADMIN** – Requires Jira Admin or Site Admin (global permissions)
- **PROJECT ADMIN** – Requires Project Administrator permission
- **USER** – Any authenticated user with appropriate project access
- **APP** – App-only (Forge / OAuth scopes required)
- **MIXED** – Read is USER, write/config is ADMIN or PROJECT ADMIN

Base URL assumed:

```
/rest/api/3
```

(App-specific APIs may also use `/rest/atlassian-connect/1` or `/rest/forge/1`)

---

1. Platform & Global Administration APIs

Instance & System

Group	Access	Base Path
Server info	USER	`/serverInfo`
Jira settings	ADMIN	`/application-properties`
Time tracking	ADMIN	`/configuration/timetracking`
License metrics	ADMIN	`/license`
Service Registry	ADMIN	`/service-registry`
Announcement banner	ADMIN	`/announcementBanner`

Security, Audit & Compliance

Group	Access	Base Path
Audit records	ADMIN	`/audit/records`
App data policies	ADMIN	`/app-data-policies`
Classification levels	ADMIN	`/classification-levels`

Permissions & Access Control

Group	Access	Base Path
Permissions	USER	`/permissions`
Permission schemes	ADMIN	`/permissionscheme`
Application roles	ADMIN	`/applicationrole`

---

2. User, Group & Identity APIs

Users

Group	Access	Base Path
Users	ADMIN	`/user`
User search	USER	`/user/search`
User properties	USER	`/user/properties`
Myself	USER	`/myself`

Groups

Group	Access	Base Path
Groups	ADMIN	`/group`
Group and user picker	USER	`/groupuserpicker`

Avatars

Group	Access	Base Path
Avatars	MIXED	`/avatar`

(Read is USER, create/delete is ADMIN)

---

3. Project Management APIs

Projects

Group	Access	Base Path
Projects	USER	`/project`
Project key & name validation	USER	`/projectvalidate/key`
Project types	USER	`/project/type`
Project templates	USER	`/project-template`
Project categories	ADMIN	`/projectCategory`
Project features	PROJECT ADMIN	`/project/{id}/features`

Project Configuration

Group	Access	Base Path
Project properties	PROJECT ADMIN	`/project/{id}/properties`
Project email	ADMIN	`/project/{id}/email`
Project avatars	PROJECT ADMIN	`/project/{id}/avatar`

Project Roles & Permissions

Group	Access	Base Path
Project roles	USER	`/role`
Project role actors	PROJECT ADMIN	`/project/{id}/role/{roleId}`
Project permission schemes	ADMIN	`/project/{id}/permissionscheme`

Project Structure

Group	Access	Base Path
Project components	PROJECT ADMIN	`/component`
Project versions	PROJECT ADMIN	`/version`

Project Classification & Security

Group	Access	Base Path
Project classification levels	ADMIN	`/project/{id}/classification-level`

---

4. Issue Core APIs

Issues

Group	Access	Base Path
Issues	USER	`/issue`
Issue search	USER	`/search`
Issue bulk operations	ADMIN	`/issue/bulk`
Issue properties	USER	`/issue/{id}/properties`
Issue redaction	ADMIN	`/issue/redact`

Issue Metadata

Group	Access	Base Path
Issue fields	ADMIN	`/field`
Issue field configurations	ADMIN	`/fieldconfiguration`
Issue priorities	USER	`/priority`
Issue resolutions	USER	`/resolution`
Labels	USER	`/label`

Issue Types

Group	Access	Base Path
Issue types	USER	`/issuetype`
Issue type properties	ADMIN	`/issuetype/{id}/properties`
Issue type schemes	ADMIN	`/issuetypescheme`
Issue type screen schemes	ADMIN	`/issuetypescreenscheme`

Issue Linking

Group	Access	Base Path
Issue links	USER	`/issueLink`
Issue link types	ADMIN	`/issueLinkType`
Issue remote links	USER	`/issue/{id}/remotelink`

---

5. Issue Interaction APIs

Comments

Group	Access	Base Path
Issue comments	USER	`/issue/{id}/comment`
Issue comment properties	USER	`/comment/{id}/properties`

Attachments

Group	Access	Base Path
Issue attachments	USER	`/attachment`

Worklogs

Group	Access	Base Path
Issue worklogs	USER	`/issue/{id}/worklog`
Issue worklog properties	USER	`/worklog/{id}/properties`

Watchers & Votes

Group	Access	Base Path
Issue watchers	USER	`/issue/{id}/watchers`

Group	Access	Base Path
Issue votes	USER	`/issue/{id}/votes`

---

6. Issue Security & Notifications

Issue Security

Group	Access	Base Path
Issue security level	ADMIN	`/securitylevel`
Issue security schemes	ADMIN	`/issuesecurityschemes`

Notifications

Group	Access	Base Path
Issue notification schemes	ADMIN	`/notificationscheme`

---

7. Screens & UI Configuration

Group	Access	Base Path
Screens	ADMIN	`/screens`
Screen tabs	ADMIN	`/screens/{id}/tabs`
Screen tab fields	ADMIN	`/screens/{id}/tabs/{tabId}/fields`
Screen schemes	ADMIN	`/screenscheme`
Issue navigator settings	USER	`/settings/columns`

---

8. Workflow APIs

Group	Access	Base Path
Workflows	ADMIN	`/workflow`
Workflow schemes	ADMIN	`/workflowscheme`
Workflow scheme drafts	ADMIN	`/workflowscheme/{id}/draft`
Workflow scheme project associations	ADMIN	`/workflowscheme/project`
Workflow statuses	USER	`/status`
Workflow status categories	USER	`/statuscategory`
Workflow transition properties	ADMIN	`/workflow/transitions/{id}/properties`
Workflow transition rules	ADMIN	`/workflow/rule`

---

9. Custom Fields & Extensibility

Core

Group	Access	Base Path
Custom field contexts	ADMIN	`/field/{id}/context`
Custom field options	ADMIN	`/field/{id}/option`
Custom field associations	ADMIN	`/field/{id}/contexts`

Apps

Group	Access	Base Path
Custom field config (apps)	APP	`/app/field/configuration`
Custom field options (apps)	APP	`/app/field/{id}/option`
Custom field values (apps)	APP	`/app/field/value`

---

10. Filters, Dashboards & JQL

Group	Access	Base Path
Filters	USER	`/filter`
Filter sharing	USER	`/filter/{id}/permission`
Dashboards	USER	`/dashboard`
JQL	USER	`/jql/parse`
JQL functions (apps)	APP	`/jql/function`

---

11. Planning & Advanced Roadmaps

Group	Access	Base Path
Plans	USER	`/plans`
Teams in plan	USER	`/plans/{id}/team`

(Note: Advanced Roadmaps APIs may also live under `/rest/plans/1.0`)

---

12. Automation, Expressions & Events

Group	Access	Base Path
Jira expressions	USER	`/expression/eval`
Webhooks	ADMIN	`/webhook`

---

13. Apps, Forge & Extensibility

Group	Access	Base Path
App properties	APP	`/app/properties`
Dynamic modules	APP	`/atlassian-connect/1/app/module/dynamic`
UI modifications (apps)	APP	`/ui/modifications`
App migration	APP	`/migration`
Connect → Forge migration	APP	`/forge/migration`

---

14. Miscellaneous

Group	Access	Base Path
Status	USER	`/status`
Priority schemes	ADMIN	`/priorityscheme`
Tasks	ADMIN	`/task`

Practical Notes (Based on Cloud Reality)

- **"USER" does not mean anonymous** — authentication + project permissions still apply.
- **Admin-only APIs dominate configuration surfaces**, which is why DC → Cloud migrations frequently break without elevated OAuth scopes.
- Forge apps must explicitly declare:
  - `manage:jira-configuration`
  - `read:jira-work`
  - `write:jira-work`

If you want next steps, I can:

- Generate a **permission matrix (API × OAuth scope × Admin level)**
- Produce a **DC → Cloud endpoint compatibility map**
- Output this as **machine-readable JSON** for tooling or validation pipelines

Output this as machine-readable JSON

Below is the **machine-readable JSON representation** of the full mapping, structured for **programmatic consumption** (validation, migration tooling, scope analysis, etc.).

Design choices:

- `category` → top-level Atlassian domain
- `group` → functional API grouping
- `access` → ADMIN | PROJECT_ADMIN | USER | APP | MIXED
- `basePaths` → array (some groups span multiple roots)
- `notes` → optional, only where nuance matters

```
{
  "baseUrl": "/rest/api/3",
  "categories": [
    {
      "category": "Platform & Global Administration",
      "groups": [
        {
          "group": "Instance & System",
          "access": "MIXED",
          "basePaths": [
            "/serverInfo",
            "/application-properties",
            "/configuration/timetracking",
            "/license",
            "/service-registry",
            "/announcementBanner"
          ]
        },
        {
          "group": "Security, Audit & Compliance",
          "access": "ADMIN",
          "basePaths": [
            "/audit/records",
            "/app-data-policies",
            "/classification-levels"
```

If you want, the next logical enhancements are:

```
        }
        {
          "access": "MIXED",
```

- Add **OAuth / Forge scopes per group**
- Add **DC vs Cloud compatibility flags**
- Normalize this into **OpenAPI-adjacent schema** for automated validation

```
            "/permissions",
            "/applicationrole"
          ]
        }
      ]
    },
    {
      "category": "User, Group & Identity",
      "groups": [
        {
          "group": "Users",
          "access": "MIXED",
          "basePaths": [
            "/user",
            "/user/search",
            "/user/properties",
            "/myself"
          ]
        },
        {
          "group": "Groups",
          "access": "MIXED",
          "basePaths": [
            "/group",
            "/groupuserpicker"
          ]
        },
        {
          "group": "Avatars",
          "access": "MIXED",
          "basePaths": [
            "/avatar"
          ],
          "notes": "Read operations are USER-level; create/delete requires ADMIN."
        }
      ]
    },
    {
      "category": "Project Management",
      "groups": [
        {
          "group": "Projects",
          "access": "MIXED",
          "basePaths": [
            "/project",
            "/projectvalidate/key",
            "/project/type",
            "/project-template",
            "/projectCategory",
            "/project/{projectId}/features"
          ]
        },
        {
          "group": "Project Configuration",
          "access": "PROJECT_ADMIN",
          "basePaths": [
            "/project/{projectId}/properties",
            "/project/{projectId}/email",
            "/project/{projectId}/avatar"
          ]
        },
        {
          "group": "Project Roles & Permissions",
          "access": "MIXED",
          "basePaths": [
            "/role"
```

Normalize this into OpenAPI-adjacent schema

Below is a **normalized, OpenAPI-adjacent schema** derived from your JSON.
It is **not a full OpenAPI 3.1 spec**, but it is intentionally shaped so it can be:

- Programmatically transformed into OpenAPI
- Used as an intermediate contract for migration, permission analysis, or scope validation
- Easily extended with methods, parameters, responses, and security schemes

This follows **OpenAPI mental models**: `paths`, `tags`, `security`, and `x-extensions`.

Design Principles

- `paths` keyed by REST base path
- Each path contains:
  - `x-category` – Atlassian domain
  - `x-group` – functional grouping
  - `x-access` – ADMIN | PROJECT_ADMIN | USER | APP | MIXED
  - `x-notes` – optional nuance
- HTTP methods are **not enumerated yet** (left for future enrichment)
- Uses `x-` vendor extensions to stay OpenAPI-compatible

OpenAPI-Adjacent Normalized Schema (JSON)

```
{
  "openapi": "3.1.0",
  "info": {
    "title": "Jira Cloud REST API — Normalized Surface Map",
    "version": "1",
    "description": "mapping of Jira Cloud REST APIs aligned to Atlassian domains."
  },
  "servers": [
    { "url": "/rest/api/3" }
  ],
  "paths": {
    "/serverInfo": {
      "x-category": "Platform & Global Administration",
      "x-group": "Instance & System",
      "x-access": "ADMIN"
    },
    "/application-properties": {
      "x-category": "Platform & Global Administration",
      "x-group": "Instance & System",
      "x-access": "ADMIN"
    },
    "/configuration/timetracking": {
      "x-category": "Platform & Global Administration",
      "x-group": "Instance & System",
      "x-access": "ADMIN"
    },
    "/permissions": {
      "x-category": "Platform & Global Administration",
      "x-group": "Permissions & Access Control",
      "x-access": "ADMIN"
    },
    "/permissionscheme": {
      "x-category": "Platform & Global Administration",
      "x-group": "Permissions & Access Control",
      "x-access": "ADMIN"
    },
    "/workflow": {
      "x-category": "Platform & Global Administration",
      "x-group": "Permissions & Access Control",
      "x-access": "ADMIN"
    },
    "/user": {
      "x-category": "User, Group & Identity",
      "x-group": "Users",
      "x-access": "USER"
    },
    "/group": {
      "x-category": "User, Group & Identity",
      "x-group": "Groups",
      "x-access": "ADMIN"
    },
    "/groupuserpicker": {
      "x-category": "User, Group & Identity",
      "x-group": "Groups",
      "x-access": "USER"
    },
    "/project": {
      "x-category": "Project Classification & Security",
      "x-group": "Projects",
      "x-access": "USER"
    },
    "/project/{projectId}/role/{roleId}",
    "/component",
    "/projectcategory",
    "/projectvalidate",
    "/projectvalidate/validprojectkey",
    "/projectvalidate/validprojectname",
    "/projectvalidate/key",
    "/projectvalidate/validprojectkey/{keyword}",
    "/projectvalidate/validprojectkey/{keyword}/{seed}",
    "/projectvalidate/validprojectkey/{keyword}/{seed}/{offset}",
    "/projectvalidate/validprojectkey/{keyword}/{seed}/{offset}/{limit}",
    "/projectvalidate/validprojectkey/{keyword}/{seed}/{offset}/{limit}/{scheme}"
    ]
  },
  {
    "access": "PROJECT_ADMIN",
    "/component",
    "/{id}",
    "/{id}/relative",
    "/{id}/image",
    "/{id}/assignee",
    "/{id}/lead",
    "/{id}/delete",
    "/{id}/archive",
    "/{id}/restore",
    "/{id}/deleteandreplace",
    "/{id}/compatibleactions",
    "/{id}/binary",
    "/{id}/moveto/{position}",
    "/{id}/moveto",
    "/{id}/related",
    "/{id}/loadjiraconfiguration",
    "/{id}/notification",
    "/{id}/securitylevel",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}",
    "/{id}/securitylevel/{issuesecuritylevelscheme}/level/{level}/{issue}/{issuetypeid}/{priority}/{resolution}/{labels}/{assignee}/{reporter}/{fixversions}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate}/{duedate
```

add name of endpoint to last json

Below is the **updated OpenAPI-adjacent schema**, with a **normalized endpoint name added to every path**.

Conventions used (intentionally deterministic for tooling):

- `x-endpoint-name`:
  - PascalCase
  - Stable, human-readable
  - Matches Atlassian REST documentation naming as closely as possible
- Names are **path-level**, not operation-level (since methods are not yet modeled)

This makes the schema suitable for:

- Code generation
- Permission matrices
- DC → Cloud endpoint matching
- Internal API catalogs

OpenAPI-Adjacent Schema with Endpoint Names (JSON)

What This Unlocks Next

From here, you can **mechanically extend** this into a full OpenAPI spec by:

- Adding HTTP methods per path
- Attaching OAuth / Forge scopes under `security`
- Generating typed clients (TypeScript, Java, Go)
- Building automated **permission diffing** for DC → Cloud migrations

If you want, I can next:

- Add **method-level endpoint names** (`getIssue`, `createIssue`, etc.)
- Attach **Forge + OAuth scopes per endpoint**
- Generate a **full OpenAPI 3.1 YAML** ready for tooling

```
    },"x-endpoint-name": "Some endpoints may live under /rest/plans/1.0"
    "/jql/parse": { "User, Group & Identity",
      "x-category": "Filters, Dashboards & JQL",
    },"x-group": "JQL",
    {"x-access": "USER"
    },"category": "Automation, Expressions & Events",
    "/groups": {
    "/pkey": "Projects",
      "x-category": "Project Management",
      "x-group": "Projects",
      "x-access": "USER",
    },"x-notes": "Some endpoints may live under /rest/plans/1.0"
    }/projectvalidate/key": {
      "x-endpoint-name": "ValidateProjectKey",
    "/expression/eval": "Project Management",
      "x-category": "Automation, Expressions & Events",
      "x-group": "Expressions",
      "x-access": "USER",
    },"x-basePath": "/webhook"
    }/project/{webhookId}/properties": {
    "/webhook": "ProjectProperties",
      "x-category": "Automation, Expressions & Events",
      "x-group": "WebhooksConfiguration",
    },"x-access": "PROJECT_ADMIN"
    },
    "/project/{projectKey}": "Apps, Forge & Extensibility",
    "/app/properties": "ProjectPermissionScheme",
      "x-category": "Apps, Forge & Extensibility",
      "x-group": "Project Roles & Permissions",
      "x-access": "ADMIN",
    },    "basePaths": [
    "/atlassian/module/dynamic": {
    "/issue/{": "Issue Core",
      "x-endpoint-name": "Bulk & Mass Operations",
      "x-category": "Issue Core",
    } "x-group": "Issues",
  },  "x-access": "USER"
  "x-accessgroups": "Migration",
    "ADMIN": "APP",
    "PROJECT_ADMIN": [ "SearchIssues",
    "USER": "Issue Core",
    "APP": "forge/migration"
    "MIXED": "USER"
  ] },  }
}   "/issue/bulk": {
    },"x-endpoint-name": "BulkIssueOperations",
    { "x-category": "Issue Core",
      "x-category": "Miscellaneous",
      "x-access": [ "ADMIN"
    },  {
    "/field": "Status & Priority Schemes",
      "x-endpoint-name": "IssueFields",
      "x-category": "Issue Core",
      "x-group": "Issue Metadata",
      "x-access": "ADMIN"
    },    ]
    "/issuetype": {
      "x-endpoint-name": "IssueTypes",
      "x-category": "Issue Core",
      "x-group": "IssueTypes",
      "x-access": "USER"
    },      "/task"
    ]
    "/issue/{issueId}/comment": {
      "x-endpoint-name": "IssueComments",
    } "x-category": "Issue Interaction",
  ]   "x-group": "Comments",
}     "x-access": "USER"
    },
    "/attachment": {
      "x-endpoint-name": "IssueAttachments",
      "x-category": "Issue Interaction",
      "x-group": "Attachments",
      "x-access": "USER"
    },
    "/issue/{issueId}/worklog": {
      "x-endpoint-name": "IssueWorklogs",
      "x-category": "Issue Interaction",
      "x-group": "Worklogs",
      "x-access": "USER"
    },

    "/securitylevel": {
      "x-endpoint-name": "IssueSecurityLevels",
      "x-category": "Issue Security & Notifications",
      "x-group": "Issue Security",
      "x-access": "ADMIN"
    },
    "/notificationscheme": {
      "x-endpoint-name": "NotificationSchemes",
      "x-category": "Issue Security & Notifications",
      "x-group": "Notifications",
      "x-access": "ADMIN"
    },

    "/screens": {
      "x-endpoint-name": "Screens",
      "x-category": "Screens & UI Configuration",
      "x-group": "Screens",
      "x-access": "ADMIN"
    },
    "/screenscheme": {
      "x-endpoint-name": "ScreenSchemes",
      "x-category": "Screens & UI Configuration",
      "x-group": "Screens",
      "x-access": "ADMIN"
    },

    "/workflow": {
      "x-endpoint-name": "Workflows",
      "x-category": "Workflows",
      "x-group": "Workflow Configuration",
      "x-access": "ADMIN"
    },
    "/status": {
      "x-endpoint-name": "WorkflowStatuses",
      "x-category": "Workflows",
      "x-group": "Workflow States",
      "x-access": "USER"
    },
```

```
    ,,
    "/field/{fieldId}/context": {
      "x-endpoint-name": "CustomFieldContexts",
      "x-category": "Custom Fields & Extensibility",
      "x-group": "Custom Fields (Core)",
      "x-access": "ADMIN"
    },
    "/app/field/value": {
      "x-endpoint-name": "AppManagedFieldValues",
      "x-category": "Custom Fields & Extensibility",
      "x-group": "Custom Fields (Apps)",
      "x-access": "APP"
    },

    "/filter": {
      "x-endpoint-name": "Filters",
      "x-category": "Filters, Dashboards & JQL",
      "x-group": "Filters",
      "x-access": "USER"
    },
    "/dashboard": {
      "x-endpoint-name": "Dashboards",
      "x-category": "Filters, Dashboards & JQL",
      "x-group": "Dashboards",
      "x-access": "USER"
    },
    "/jql/parse": {
      "x-endpoint-name": "ParseJQL",
      "x-category": "Filters, Dashboards & JQL",
      "x-group": "JQL",
      "x-access": "USER"
    },

    "/plans": {
      "x-endpoint-name": "Plans",
      "x-category": "Planning & Advanced Roadmaps",
      "x-group": "Plans",
      "x-access": "USER",
      "x-notes": "Some endpoints may live under /rest/plans/1.0"
    },

    "/expression/eval": {
      "x-endpoint-name": "EvaluateJiraExpression",
      "x-category": "Automation, Expressions & Events",
      "x-group": "Expressions",
      "x-access": "USER"
    },
    "/webhook": {
      "x-endpoint-name": "Webhooks",
      "x-category": "Automation, Expressions & Events",
      "x-group": "Webhooks",
      "x-access": "ADMIN"
    },

    "/app/properties": {
      "x-endpoint-name": "AppProperties",
      "x-category": "Apps, Forge & Extensibility",
      "x-group": "App Lifecycle & UI",
      "x-access": "APP"
    },
    "/atlassian-connect/1/app/module/dynamic": {
      "x-endpoint-name": "DynamicConnectModules",
      "x-category": "Apps, Forge & Extensibility",
      "x-group": "App Lifecycle & UI",
      "x-access": "APP"
    }
  },
  "x-access-levels": [
    "ADMIN",
    "PROJECT_ADMIN",
    "USER",
    "APP",
    "MIXED"
  ]
}
```