POSITION CONSTRAINTS :

COORDINATE GROUP: ra & dec

○ Rectangle	min	ra	dec	(max 10 square degrees)
	max	ra	dec	
○ Cone	center	solve target name: Solve		radius arcsec
		ra	dec	☐ Nearest Only
○ Proximity	list of ra,dec[,radius_in_arcsec] #ra,dec,sep 190.0916466,23.5967458,2	or Upload File (Sample) Choose File No file chosen		Default radius 2 arcsec ☐ Nearest Only
◉ None	No position constraint			

OUPUT FORMAT: VOTable

SUBMIT : Reset Submit

MORE CONSTRAINTS :

Show ☐ *all*	Sort ☐ *desc*	Name	Operation	Constraint	Sample	Description
☐	○	obsid			566206052	Unique spectrum ID for each observation of each target
☐	○	uid			G15256043556791	Unique source identifier calculated with the "ura" and "udec" in table 9
☐	○	gp_id			1362497045156144768	For each LAMOST source, the equatorial coordinates ("ura" and "udec" in table 9) used to calculate "uid" were from which survey (Pan-STARRS, Gaia or LAMOST), "gp_id" gives the corresponding source identifier in that survey.
☐	○	designation			J174420.41+462035.0	Target designation
☐	○	obsdate			2017-04-26	Target observation date
☐	○	lmjd			57870	Local modified Julian day
☐	○	mjd			57869	Modified Julian day
☐	○	planid			HD173213N461949M02	Plan name
☐	○	spid			6	Spectrograph ID
☐	○	fiberid			52	Fiber ID
☐	○	ra_obs			266.0850525000	Fiber pointing right ascension (degree)
☐	○	dec_obs			46.3430787000	Fiber pointing declination (degree)
☐	○	snru			0.36	S/N of u filter
☐	○	snrg			6.95	S/N of g filter
☐	○	snrr	>=	5	23.65	S/N of r filter
☐	○	snri	>=	5	43.94	S/N of i filter
☐	○	snrz			35.93	S/N of z filter
☐	○	class	in	All GALAXY QSO STAR	STAR	Spectral type
☐	○	subclass	in	G7 G8 G9 gM0	dM1	Stellar spectral type
☐	○	z			-0.0001621600	Redshift
☐	○	z_err			0.0000074500	Redshift uncertainty
☐	○	ps_id			163612660850462363	The objID in the Pan-STARRS catalog
☐	○	mag_ps_g			18.8330001831	Pan-STARRS g band magnitude
☐	○	mag_ps_r			17.6275005341	Pan-STARRS r band magnitude
☐	○	mag_ps_i			16.8211002350	Pan-STARRS i band magnitude
☐	○	mag_ps_z			16.4510002136	Pan-STARRS z band magnitude
☐	○	mag_ps_y			16.2453002930	Pan-STARRS y band magnitude
☑	○	gaia_source_id			1362497045156144768	The "source_id" field of Gaia DR3 catalog
☐	○	gaia_g_mean_mag			17.41445000	The "phot_g_mean_mag" field of Gaia DR3 catalog
☐	○	fibertype			Obj	Fiber type of target [Obj, Sky, F-std, Unused, PosErr, Dead]
☐	○	offsets			0	Whether there is a fiber offset during observation

☐	○	offsets_v			0.000	If the "offsets" field is true, "offsets_v" gives the offset distance from the target"s coordinator in input catalog (arcsec)
☐	○	ra			266.0850525000	Right ascension from input catalog (degree)
☐	○	dec			46.3430787000	Declination from input catalog (degree)
☐	○	fibermask			0	Possible fiber problems
☐	○	with_norm_flux			0	It has two values of 0 and 1, 1 represents the FITS file provides the normalized spectrum, and 0 means it does not. The normalized flux is in the data array of extension 1.
☐	○	logg_err			0.050	Surface gravity uncertainty obtained by the LASP
☐	○	teff			3695.88	Effective temperature obtained by the LASP
☐	○	vsini_lasp			110.002	Projected rotation velocity given by the LASP
☐	○	feh_err			0.000	Metallicity uncertainty obtained by the LASP
☐	○	alpha_m_err			0.001082	The uncertainty of alpha_m
☐	○	rv_err			0.00	Uncertainty of heliocentric radial velocity obtained by the LASP
☐	○	rv			-499.61	Heliocentric radial velocity obtained by the LASP
☐	○	teff_err			42.14	Effective temperature uncertainty obtained by the LASP
☐	○	alpha_m			-0.579894	Alpha element abundance estimated by the LASP
☐	○	logg			4.588	Surface gravity obtained by the LASP
☐	○	feh			-2.500	Metallicity obtained by the LASP
☐	○	hdelta12			-54588.26	Hdelta line Index with band widths of 12 Å
☐	○	hbeta12			-109288.33	Hbeta line Index with band widths of 12 Å
☐	○	halpha48			-16420.91	Halpha line Index with band widths of 48 Å
☐	○	hgamma24			-60783.33	Hgamma line Index with band widths of 24 Å
☐	○	halpha_d02			0.00	Width at 20% below the local continuum of Halpha line
☐	○	halpha24			-7125.03	Halpha line Index with band widths of 24 Å
☐	○	hdelta_d02			0.00	Width at 20% below the local continuum of Hdelta line
☐	○	paschen242			-515701.94	Paschen line index from local continuum at 8751.0 with band widths of 42.0
☐	○	hbeta_d02			0.00	Width at 20% below the local continuum of Hbeta line
☐	○	halpha70			-16753.66	Halpha line Index with band widths of 70 Å
☐	○	hdelta24			-80481.90	Hdelta line Index with band widths of 24 Å
☐	○	kp12			-196177.28	Ca II K line index with band widths of 12 Å
☐	○	hgamma54			-238963.48	Hgamma line Index with band widths of 54 Å
☐	○	paschen13			-50903.39	Paschen line index from local continuum at 8467.5 with band widths of 13.0
☐	○	hbeta24			-112118.66	Hbeta line Index with band widths of 24 Å
☐	○	hgamma48			-238911.59	Hgamma line Index with band widths of 48 Å
☐	○	halpha12			-6907.28	Halpha line Index with band widths of 12 Å
☐	○	kp18			-196215.08	Ca II K line index with band widths of 18 Å
☐	○	hdelta48			-633900.58	Hdelta line Index with band widths of 48 Å
☐	○	hbeta48			-113647.81	Hbeta line Index with band widths of 48 Å
☐	○	hbeta60			-114213.36	Hbeta line Index with band widths of 60 Å
☐	○	hgamma_d02			0.00	Width at 20% below the local continuum of Hgama line
☐	○	hgamma12			-24448.62	Hgamma line Index with band widths of 12 Å
☐	○	paschen142			-38105.63	Paschen line index from local continuum at 8598.0 with band widths of 42.0
☐	○	kp6			-196154.22	Ca II K line index with band widths of 6 Å
☐	○	hdelta64			-632486.01	Hdelta line Index with band widths of 64 Å
☐	○	tio4_err			0.015062	Spectral indice Error of TiO4
☐	○	cah1_err			0.008869	Spectral indice Error of CaH1
☐	○	ewha			0.168087	EW of Halpha line
☐	○	tio1_err			0.016620	Spectral indice Error of TiO1
☐	○	tio5_err			0.010669	Spectral indice Error of TiO5
☐	○	tio1			0.858249	Spectral indice of TiO1
☐	○	m_h_err			0.080000	Metallicity uncertainty estimated with the method LASP used
☐	○	cah2			0.662606	Spectral indice of CaH2
☐	○	caoh_err			0.010872	Spectral indice Error of CaOH
☐	○	cah3_err			0.010872	Spectral indice Error of CaH3
☐	○	type			0.00	Magnetic activity
☐	○	m_h			-0.307900	Metallicity obtained by the minimum chi-squre estimation

☐	○	caoh			0.669333	Spectral indice of CaOH
☐	○	tio5			0.692092	Spectral indice of TiO5
☐	○	cah3			0.853410	Spectral indice of CaH3
☐	○	cah2_err			0.008686	Spectral indice Error of CaH2
☐	○	cah1			0.852900	Spectral indice of CaH1
☐	○	zeta			1.311786	Metallicity sensitive parameter
☐	○	tio4			0.837733	Spectral indice of TiO4
☐	○	tio3			0.879676	Spectral indice of TiO3
☐	○	ewha_err			0.060739	EW uncertainty of Halpha line
☐	○	tio2_err			0.016938	Spectral indice Error of TiO2
☐	○	tio3_err			0.015142	Spectral indice Error of TiO3
☐	○	na			0.939947	Line indice of Na line
☐	○	tio2			0.829552	Spectral indice of TiO2
☐	○	zeta_err			0.073554	Error of metallicity sensitive parameter
☐	○	abs_gmag_err			0.010000	
☐	○	period			0.0119070000	
☐	○	r			79	
☐	○	subtype			AC	
☐	○	abs_gmag			0.25	
☐	○	wd_subclass			da	Spectral sub-types of white dwarf stars
☐	○	halpha_flux			0E-10	Total integrated flux in the Halpha emission line
☐	○	metal_mw			-2.0293056462659380	Metallicity (Mass-weighted)
☐	○	oiii_4960_flux			0E-10	Total integrated flux in the [O III] 4960 emission line
☐	○	sii_6718_ew			-25.5070297328	EW of the [S II] 6718 emission line
☐	○	nii_6585_ew			-8.9073155996	EW of the [N II] 6585 emission line
☐	○	hbeta_ew			0E-10	EW of the Hbeta emission line
☐	○	age_mw			-1.6351521943710030	Age (Mass-weighted)
☐	○	nii_6550_ew			-16.3329049845	EW of the [N II] 6550 emission line
☐	○	vsig			10.9193527262	Stellar velocity dispersion
☐	○	sii_6718_flux			0E-10	Total integrated flux in the [S II] 6718 emission line
☐	○	sii_6733_ew			-7.7894890315	EW of the [S II] 6733 emission line
☐	○	oiii_5008_flux			0E-10	Total integrated flux in the [O III] 5008 emission line
☐	○	halpha_ew			-22.7603855883	EW of the Halpha emission line
☐	○	hbeta_flux			0E-10	Total integrated flux in the Hbeta emission line
☐	○	oiii_5008_ew			-14.3601504542	EW of the [O III] 5008 emission line
☐	○	nii_6585_flux			0E-10	Total integrated flux in the [N II] 6585 emission line
☐	○	sii_6733_flux			0E-10	Total integrated flux in the [S II] 6733 emission line
☐	○	vsig_err			0E-10	The uncertainty of Stellar velocity dispersion
☐	○	age_lw			-1.7026664778441190	Age (Light-weighted)
☐	○	oiii_4960_ew			-18.0822217745	EW of the [O III] 4960 emission line
☐	○	nii_6550_flux			0E-10	Total integrated flux in the [N II] 6550 emission line
☐	○	metal_lw			-2.0293056462659380	Metallicity (Light-weighted)
☐	○	balmer_tau_e			0.500000000000	Optical depth at the Balmer edge of 3646 Å
☐	○	fitting_status_2			1	The fitting status of the second group lines, and the value larger than 0 means a success fitting. See https://idlastro.gsfc.nasa.gov/ftp/pro/markwardt/mpfit.pro for other values.
☐	○	ciii_na_2_sigma				Line dispersion in natural logarithm of the second CIII narrow component
☐	○	hb_br_1_peak_wavelength			8.479345321655	Peak wavelength in natural logarithm of Hbeta broad component
☐	○	ndof_4			6	Degree of freedom in the fitting of the fourth group lines
☐	○	fe_op_norm			0E-12	Normalization parameter of Fe II spectrum in optical band
☐	○	fitting_status_6				The fitting status of the sixth group lines, and the value larger than 0 means a success fitting. See https://idlastro.gsfc.nasa.gov/ftp/pro/markwardt/mpfit.pro for other values.
☐	○	balmer_teff			15000	Electron temperature
☐	○	red_chi2_6				Reduced chi-square in the fitting of the sixth group lines
☐	○	line_name_6				The name of the sixth group of spectral lines
☐	○	ndof_2			21	Degree of freedom in the fitting of the second group lines
☐	○	hb_na_1_peak_flux			0E-12	Peak flux of Hbeta narrow component
☐	○	civ_ew			0E-12	EW of entire C IV

☐	○	lya_area			0E-12	Integrated Flux of entire Lya
☐	○	ha_peak_wavelength			0E-12	Peak wavelenth of entire Halpha
☐	○	red_chi2_4			0.004268015515	Reduced chi-square in the fitting of the fourth group lines
☐	○	balmer_norm			0E-12	Normalization parameter of Balmer continuum
☐	○	mgii_br_1_peak_wavelength			7.935228347778	Peak wavelength in natural logarithm of Mg II broad component
☐	○	civ_sigma			0E-12	Line dispersion of entire C IV
☐	○	ciii_na_2_peak_wavelength				Peak wavelength in natural logarithm of the second C III narrow component
☐	○	lya_na_1_peak_flux			0E-12	Peak flux of Lya narrow component
☐	○	poly_b			-239.155356129398	The coefficient of the quadratic term of the third-order polynomial in the continuum fitting
☐	○	sii6718_1_peak_flux			0E-12	Peak flux of [S II] 6718
☐	○	mgii_na_1_peak_wavelength			7.926928043365	Peak wavelength in natural logarithm of the first Mg II narrow component
☐	○	hb_ew			0E-12	EW of entire Hbeta
☐	○	mgii_area			0E-12	Integrated Flux of entire Mg II
☐	○	line_name_2				The name of the second group of spectral lines
☐	○	ha_sigma			0E-12	Line dispersion of entire Halpha
☐	○	civ_br_1_sigma			0.004000000190	Line dispersion in natural logarithm of C IV broad component
☐	○	civ_peak_wavelength			0E-12	Peak wavelenth of entire C IV
☐	○	hb_sigma			0E-12	Line dispersion of entire Hbeta
☐	○	ciii_br_2_peak_flux			0E-12	Peak flux of the second C III broad component
☐	○	civ_na_1_peak_wavelength			7.335403442383	Peak wavelength in natural logarithm of C IV narrow component
☐	○	line_name_4				The name of the fourth group of spectral lines
☐	○	mgii_br_1_peak_flux			0E-12	Peak flux of Mg II broad component
☐	○	mgii_ew			0E-12	EW of entire Mg II
☐	○	hb_na_1_peak_wavelength			8.479345321655	Peak wavelength in natural logarithm of Hbeta narrow component
☐	○	sii6718_1_sigma			0.000500000024	Line dispersion in natural logarithm of [S II] 6718
☐	○	lya_br_1_peak_wavelength			7.083050727844	Peak wavelength in natural logarithm of Lya broad component
☐	○	l3000			-1.000000000000	Continuum luminosity in common logarithm at rest-fra 3000 Å
☐	○	mgii_na_2_sigma			0.000500000024	Line dispersion in natural logarithm of the second Mg II narrow component
☐	○	mgii_na_2_peak_flux			0E-12	Peak flux of the second Mg II narrow component
☐	○	hb_br_1_peak_flux			0E-12	Peak flux of Hbeta broad component
☐	○	civ_br_1_peak_wavelength			7.330403804779	Peak wavelength in natural logarithm of C IV broad component
☐	○	mgii_peak_wavelength			0E-12	Peak wavelenth of entire Mg II
☐	○	ciii_ew			0E-12	EW of entire C III
☐	○	sii6732_1_sigma			0.000500000024	Line dispersion in natural logarithm of [S II] 6732
☐	○	civ_br_1_peak_flux			0E-12	Peak flux of CIV broad component
☐	○	hb_area			0E-12	Integrated Flux of entire Hbeta
☐	○	ha_br_3_peak_flux			0E-12	Peak flux of Halpha broad component
☐	○	fe_uv_fwhm			1200.000000000000	Rest-frame FWHM of Fe II spectrum in UV band
☐	○	line_name_1				The name of the first group of spectral lines
☐	○	oiii4959_1_peak_wavelength			8.499220848083	Peak wavelength in natural logarithm of [O III] 4959
☐	○	min_chi2_1			0E-12	Minimal chi-square in the fitting of the first group lines
☐	○	oiii5007_1_peak_flux			0E-12	Peak flux of [O III] 5007
☐	○	sn_ratio_conti			-40.750000000000	Continuum S/N
☐	○	sii6732_1_peak_flux			0E-12	Peak flux of [S II] 6732
☐	○	oiii4959_1_sigma			0.000230000005	Line dispersion in natural logarithm of [O III] 4959
☐	○	nii6549_1_sigma			0.000500000024	Line dispersion in natural logarithm of [N II] 6549
☐	○	lya_br_1_sigma			0.004000000190	Line dispersion in natural logarithm of Lya broad component
☐	○	min_chi2_6				Minimal chi-square in the fitting of the sixth group lines
☐	○	ha_br_1_peak_flux			0E-12	Peak flux of the first Halpha broad component
☐	○	lya_sigma			0E-12	Line dispersion of entire Lya
☐	○	pl_slope			-5.000000000000	Slope of AGN power law
☐	○	ciii_br_2_peak_wavelength			7.539193630219	Peak wavelength in natural logarithm of the second C III broad component

☐	○	fe_op_shift			-0.010000000000	Wavelength shift of Fe II spectrum in optical band
☐	○	fitting_status_5				The fitting status of the fifth group lines, and the value larger than 0 means a success fitting. See https://idlastro.gsfc.nasa.gov/ftp/pro/markwardt/mpfit.pro for other values.
☐	○	mgii_br_1_sigma			0.004000000190	Line dispersion in natural logarithm of Mg II broad component
☐	○	ha_br_2_peak_flux			0E-12	Peak flux of the second Halpha broad component
☐	○	hb_na_1_sigma			0.000230000005	Line dispersion in natural logarithm of Hbeta narrow component
☐	○	line_name_5				The name of the fifth group of spectral lines
☐	○	red_chi2_5				Reduced chi-square in the fitting of the fifth group lines
☐	○	ciii_na_1_peak_wavelength				Peak wavelength in natural logarithm of the first C III narrow component
☐	○	mgii_sigma			0E-12	Line dispersion of entire Mg II
☐	○	lya_fwhm			0E-12	FWHM of entire Lya
☐	○	ciii_peak_wavelength			0E-12	Peak wavelenth of entire C III
☐	○	min_chi2_3			0E-12	Minimal chi-square in the fitting of the third group lines
☐	○	nii6549_1_peak_flux			0E-12	Peak flux of [N II] 6549
☐	○	line_name_3				The name of the first group of spectral lines
☐	○	min_chi2_5				Minimal chi-square in the fitting of the fifth group lines
☐	○	nii6585_1_peak_wavelength			8.782591819763	Peak wavelength in natural logarithm of [N II] 6585
☐	○	red_chi2_2			0E-12	Reduced chi-square in the fitting of the second group lines
☐	○	ciii_sigma			0E-12	Line dispersion of entire C III
☐	○	ciii_br_1_peak_wavelength			7.539193630219	Peak wavelength in natural logarithm of the first C III broad component
☐	○	ciii_br_1_sigma			0.004000000190	Line dispersion in natural logarithm of the first C III broad component
☐	○	hb_peak_wavelength			0E-12	Peak wavelenth of entire Hbeta
☐	○	ha_br_1_peak_wavelength			8.774448394775	Peak wavelength in natural logarithm of the first Halpha broad component
☐	○	sii6718_1_peak_wavelength			8.802588462830	Peak wavelength in natural logarithm of [S II] 6718
☐	○	ha_br_1_sigma			0.004000000190	Line dispersion in natural logarithm of the first Halpha broad component
☐	○	l1350			-1.000000000000	Continuum luminosity in common logarithm at rest-fra… 1350 Å
☐	○	ndof_3			12	Degree of freedom in the fitting of the third group lines
☐	○	poly_a			-971914.102986193500	The coefficient of the first term of the third-order polynomial in the continuum fitting
☐	○	ciii_na_2_peak_flux				Peak flux of the second C III narrow component
☐	○	ha_fwhm			0E-12	FWHM of entire Halpha
☐	○	ha_na_1_sigma			0.000500000024	Line dispersion in natural logarithm of Halpha narrow component
☐	○	min_chi2_2			0E-12	Minimal chi-square in the fitting of the second group lines
☐	○	pl_norm			0E-12	Normalization parameter of AGN power law
☐	○	fitting_status_1			1	The fitting status of the first group lines, and the value larger than 0 means a success fitting. See https://idlastro.gsfc.nasa.gov/ftp/pro/markwardt/mpfit.pro
☐	○	civ_na_1_sigma			0.000500000024	Line dispersion in natural logarithm of CIV narrow component
☐	○	ciii_area			0E-12	Integrated Flux of entire C III
☐	○	ha_br_3_peak_wavelength			8.774448394775	Peak wavelength in natural logarithm of the third Halpha broad component
☐	○	poly_c			-0.090078495646	The coefficient of the cubic term of the third-order polynomial in the continuum fitting
☐	○	red_chi2_1			0E-12	Reduced chi-square in the fitting of the first group lines
☐	○	fitting_status_4			1	The fitting status of the fourth group lines, and the value larger than 0 means a success fitting. See https://idlastro.gsfc.nasa.gov/ftp/pro/markwardt/mpfit.pro for other values.
☐	○	ndof_6				Degree of freedom in the fitting of the sixth group lines
☐	○	mgii_na_1_sigma			0.000500000024	Line dispersion in natural logarithm of the first Mg II narrow component
☐	○	oiii5007_1_sigma			0.000230000005	Line dispersion in natural logarithm of [O III] 5007
☐	○	ha_na_1_peak_wavelength			8.779448509216	Peak wavelength in natural logarithm of Halpha narrow component

☐	○	I5100			-1.000000000000	Continuum luminosity in common logarithm at rest-frame 5100 Å
☐	○	civ_na_1_peak_flux			0E-12	Peak flux of C IV narrow component
☐	○	fitting_status_3			1	The fitting status of the third group lines, and the value larger than 0 means a success fitting. See https://idlastro.gsfc.nasa.gov/ftp/pro/markwardt/mpfit.pro for other values.
☐	○	ha_br_2_sigma			0.004000000190	Line dispersion in natural logarithm of the second Halpha broad component
☐	○	civ_fwhm			0E-12	FWHM of entire C IV
☐	○	ciii_na_1_sigma				Line dispersion in natural logarithm of the first C III narrow component
☐	○	ha_br_2_peak_wavelength			8.774448394775	Peak wavelength in natural logarithm of the second Halpha broad component
☐	○	ciii_br_1_peak_flux			0E-12	Peak flux of the first C III broad component
☐	○	lya_peak_wavelength			0E-12	Peak wavelenth of entire Lya
☐	○	min_chi2_4			1.284672670113	Minimal chi-square in the fitting of the fourth group lines
☐	○	nii6585_1_peak_flux			0E-12	Peak flux of [N II] 6585
☐	○	oiii5007_1_peak_wavelength			8.508839607239	Peak wavelength in natural logarithm of [O III] 5007
☐	○	mgii_na_1_peak_flux			0E-12	Peak flux of the first Mg II narrow component
☐	○	ciii_fwhm			0E-12	FWHM of entire C III
☐	○	ha_br_3_sigma			0.004000000190	Line dispersion in natural logarithm of the third Halpha broad component
☐	○	fe_uv_norm			0E-12	Normalization parameter of Fe II spectrum in UV band
☐	○	mgii_fwhm			0E-12	FWHM of entire Mg II
☐	○	ha_ew			0E-12	EW of entire Halpha
☐	○	civ_area			0E-12	Integrated Flux of entire C IV
☐	○	hb_fwhm			0E-12	FWHM of entire Hbeta
☐	○	hb_br_1_sigma			0.004000000190	Line dispersion in natural logarithm of Hbeta broad component
☐	○	nii6585_1_sigma			0.000500000024	Line dispersion in natural logarithm of [N II] 6585
☐	○	sii6732_1_peak_wavelength			8.804726600647	Peak wavelength in natural logarithm of [S II] 6732
☐	○	fe_uv_shift			-0.010000000000	Wavelength shift of Fe II spectrum in UV band
☐	○	fe_op_fwhm			1200.000000000000	Rest-frame FWHM of Fe II spectrum in optical band
☐	○	lya_na_1_peak_wavelength			7.093050479889	Peak wavelength in natural logarithm of Lya narrow component
☐	○	ha_area			0E-12	Integrated Flux of entire Halpha
☐	○	red_chi2_3			0E-12	Reduced chi-square in the fitting of the third group lines
☐	○	ha_na_1_peak_flux			0E-12	Peak flux of Halpha narrow component
☐	○	nii6549_1_peak_wavelength			8.777196884155	Peak wavelength in natural logarithm of [N II] 6549
☐	○	lya_br_1_peak_flux			0E-12	Peak flux of Lya broad component
☐	○	lya_ew			0E-12	EW of entire Lya
☐	○	ndof_1			2	Degree of freedom in the fitting of the first group lines
☐	○	ciii_na_1_peak_flux				Peak flux of the first C III narrow component
☐	○	mgii_na_2_peak_wavelength			7.926928043365	Peak wavelength in natural logarithm of the second Mg II narrow component
☐	○	lya_na_1_sigma			0.000500000024	Line dispersion in natural logarithm of Lya narrow component
☐	○	oiii4959_1_peak_flux			0E-12	Peak flux of [O III] 4959
☐	○	ndof_5				Degree of freedom in the fitting of the fifth group lines
☐	○	gaia_vari_type_sos			agn	
☐	○	gaia_vari_type_sos_arr			['agn']	
☐	○	file			20170426/HD173213N461949M02/spec-57870-HD173213N461949M02_sp06-052.fits.gz	file save path
☐	○	spec			spec-57870-HD173213N461949M02_sp06-052	FITS filename
☐ *all*				Reset	Submit	

Copyright © 2023, National Astronomical Observatories, Chinese Academy of Sciences
Address: 20A Datun Road, Chaoyang District, Beijing, 100101, China
京ICP备05002854号-4 文保网安备案号1101050056 E-mail: support(at)lamost.org

Powered by China-VO