


SECTION A-A




NOTE: SPRING TYPE IS COMPRESSION  
 LENGTH - 23MM  
 OD - 7.49MM  
 OD TOLERANCE - -0.5 TO 0.5MM  
 ID - 5.61MM  
 WIRE DIAMETER - 0.97MM  
 SPRING RATE 0.73 LBS/MM  
 SPRING RATE TOLERANCE: -0.073 TO 0.073 LBS/MM  
 MATERIAL - STAINLESS STEEL  
 TOTAL ROUNDS OF SPRING WIRE - 10

UNLESS OTHERWISE SPECIFIED:

1. DIMENSIONS ARE IN INCHES
  2. DO NOT SCALE DRAWING
  3. BREAK SHARP EDGES
  4. MACHINED SURFACES
  5. TOLERANCES:
- .X ± .020  
 .X ± .020  
 .XX ± .010  
 .XXX ± .005  
 FRACTIONAL ± 1/32  
 ANGULAR ± 0.15°

THIS DOCUMENT CONTAINS INFORMATION PROPRIETARY TO AND IS PROTECTED BY COPYRIGHT OF HUMBER INC. AND SHALL NOT BE COPIED, DISCLOSED TO OTHERS, OR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS GIVEN, WITHOUT THE WRITTEN PERMISSION OF HUMBER INC.



Humber College  
 ALL RIGHTS RESERVED, ONTARIO, CANADA

DATE 11/18/2022

DWG # 5

ASSI. NAME, # SPRING

STUDENT # N01464565

DRAWN BY BRIJ BHUSHAN



REV A

SCALE:2:1